

U.S. & Canada Price Guide

Fixed Position Scanners

Ordering Number	Product Description	U.S. List Price	U.S. Pending	Canada List Price	Canada Pending	Effective	D I S C S
MaxiScan 2300 VS Scanner							
Type: Vertical Fixed Laser Scanner, Scan Rate: 2000 scans/sec, Reading Distance: 0-30cm (0-11,8"). Resolution: 0.125-1mm (5-40mil)							
Includes: Scanner, Mounting kit (3-450029-01), User Guide (3-450049-01), Configuration Guide (3-450049-02), EAS cable (EAS kits only, 3-450029-02) and power unit (3-450029-00). Interface cable and power cord are required accessories							
3-450012-00	(M2300VS - RS232/OCIA scanner)	\$995		\$1,493		P	5
3-450012-01	(M2300VS - RS232/OCIA scanner with EAS)	\$1,045		\$1,568		P	5
3-450017-00	(M2300VS - Keyboard Wedge/RS485 (IBM) scanner)	\$995		\$1,493		P	5
3-450017-01	(M2300VS - Keyboard Wedge/RS485 (IBM) scanner with EAS)	\$1,045		\$1,568		P	5

M2300 Cables

Interface cables required for all scanners.

Note that scanner heads are dual interface only and you must select the right head:cable combination

Scanner Cables - IBM

USE WITH KBW/RS485 SCANNER ONLY

3-454033-00	MaxiScan Cable, RS485 - IBM 468X/SDL, 16pin, male	\$75		\$113		M	3
3-454033-01	MaxiScan Cable, RS485 - IBM 469X/SDL, 4pin, male	\$75		\$113		M	3

Scanner Cables - OCIA

USE WITH RS232/OCIA SCANNER ONLY

3-454035-00	MaxiScan Cable, OCIA - ADS 44, 48, 49, 9pin Dsub, male	\$75		\$113		M	3
3-454035-01	MaxiScan Cable, OCIA - Casio SA1000/2000, 10pin L	\$75		\$113		M	3
3-454035-02	MaxiScan Cable, OCIA - Casio SA 3000	\$75		\$113		M	3
3-454035-03	MaxiScan Cable, OCIA - Casio 4700 Superboard	\$75		\$113		M	3
3-454035-04	MaxiScan Cable, OCIA - Edacom CRS 4.5/SDL, 8pin, male	\$75		\$113		M	3
3-454035-05	MaxiScan Cable, OCIA - NCR 2123, 4ck	\$75		\$113		M	3
3-454035-06	MaxiScan Cable, OCIA - NCR 7052, 10cCS	\$75		\$113		M	3
3-454035-07	MaxiScan Cable, OCIA - Omron RS55, 85, 6000, 6cT	\$75		\$113		M	3
3-454035-08	MaxiScan Cable, OCIA - SNI 2000/10, 8pin, male	\$75		\$113		M	3
3-454035-09	MaxiScan Cable, TEC - 77, 841, 2300, 10ck	\$75		\$113		M	3
3-454035-10	MaxiScan Cable, TEC - 77, 841, 23, 10ck drainw	\$75		\$113		M	3

Scanner Cables - RS232

USE WITH RS232/OCIA SCANNER ONLY

3-454032-00	MaxiScan Cable, RS232 - IBM PC/POS, 9pin Dsub, female	\$75		\$113		M	3
3-454032-01	MaxiScan Cable, RS232 - IBM PC/POS, 25pin Dsub, female	\$75		\$113		M	3
3-454032-02	MaxiScan Cable, RS232 - BRT5000/300	\$75		\$113		M	3
3-454032-03	MaxiScan Cable, RS232 - Hugin HS9500, 25pin Dsub, male	\$75		\$113		M	3
3-454032-04	MaxiScan Cable, RS232 - Beetle/POT 200	\$75		\$113		M	3
3-454032-05	MaxiScan Cable, RS232 - ICL 9520, 9530, 9pin Dsub, female	\$75		\$113		M	3
3-454032-06	MaxiScan Cable, RS232 - ICL 9520/100, 9pin Dsub, male	\$75		\$113		M	3
3-454032-07	MaxiScan Cable, RS232 - Master BB+, 9pin H20, female	\$75		\$113		M	3
3-454032-08	MaxiScan Cable, RS232 - NCR 2170, 8pin MJ 300	\$75		\$113		M	3
3-454032-09	MaxiScan Cable, RS232 - NK6000, 7pin Dsub, female	\$75		\$113		M	3
3-454032-10	MaxiScan Cable, RS232 - Olivetti Olympos	\$75		\$113		M	3
3-454032-11	MaxiScan Cable, RS232 - Omron RS35, 55, 85, 6000	\$75		\$113		M	3
3-454032-12	MaxiScan Cable, RS232 - Omron RS2810, 8pin Dsub	\$75		\$113		M	3

U.S. & Canada Price Guide

Fixed Position Scanners

Ordering Number	Product Description	U.S. List Price	U.S. Pending	Canada List Price	Canada Pending	Effective	D I S C S
<u>Scanner Cables - RS232</u>							
USE WITH RS232/OCIA SCANNER ONLY							

3-454032-13	MaxiScan Cable, RS232 - Riva 5460/SDL, 8pin, male	\$75		\$113		M	3
3-454032-14	MaxiScan Cable, RS232 - HH, 9pin Dsub	\$75		\$113		M	3
3-454032-15	MaxiScan Cable, RS232 - PC/POS, 9pin Dsub, male	\$75		\$113		M	3
3-454032-16	MaxiScan Cable, RS232 - Strator 400, 9pin Dsub, male	\$75		\$113		M	3
3-454032-17	MaxiScan Cable, RS232 - Uniwell UX60, 9pin Dsub, male	\$75		\$113		M	3
3-454032-18	MaxiScan Cable, RS232 - MicroBar 9730 Port 4	\$75		\$113		M	3
<u>Scanner Cables - Wedge</u>							
USE WITH KBW/RS485 SCANNER ONLY							

3-454037-00	MaxiScan Cable, keyboard wedge, mini-din	\$75		\$113		M	3
3-454037-01	MaxiScan Cable, keyboard wedge, Din	\$75		\$113		M	3
M2300 General Accessories							
<u>Manuals</u>							
3-450049-01	M2300VS User Manual	\$15		\$23		M	3
3-450049-02	Configuration Guide	\$30		\$45		M	3
<u>Miscellaneous Accessories</u>							
3-450029-01	M2300VS Mounting Kit	\$25		\$38		M	3
<u>Power Cords</u>							
586105	Power cord at 100-120 VAC. For: US, Canada, Central America, Japan, Korea, Mexico, Taiwan (use with power supply)	\$10		\$15		M	3
586266	Power cord at 220-250 VAC. For: UK (use with power supply)	\$20		\$30		M	3
586267	Power cord at 220-250 VAC. For: Europe (use with power supply)	\$20		\$30		M	3
586276	Power cord at 220-230 VAC. For: Liechtenstein, Switzerland (use with power supply)	\$20		\$30		M	3
586281	Power cord at 220-250 VAC. For: China, South Pacific (use with power supply)	\$20		\$30		M	3
586282	Power cord at 120-250 VAC. For: Chile, Italy (use with power supply)	\$20		\$30		M	3
586283	Power cord at 220-250 VAC. For: Denmark, Greenland (use with power supply)	\$20		\$30		M	3
<u>Power Supplies</u>							
3-450029-00	Multi 4 Power Supply, 100VAC - 240 VAC CE	\$60		\$90		M	3
<u>Scanners (Tethered) and Cables</u>							
3-450029-02	Cable, EAS	\$75		\$113		M	3
3-450029-03	Cable interlock (optional), only with EAS	\$50		\$75		M	3

U.S. & Canada Price Guide

Fixed Position Scanners

Ordering Number	Product Description	U.S. List Price	U.S. Pending	Canada List Price	Canada Pending	Effective	D I S C S
MaxiScan 2400 HS Scanner							
Type: Horizontal Fixed Laser Scanner, Scan Rate: 1500 scans/sec, Reading Distance:0-30cm (0-11,8"). Resolution: 0.125-1mm (5-40mil)							
Includes: Scanner, User Guide (3-451049-01), Configuration Guide (3-450049-02), EAS cable (EAS kits only, 3-450029-02) and power unit (3-450029-00). Interface cable and power cord are required accessories							
3-451012-00	(M2400HS - RS232/OCIA Scanner with Indium glass)	\$1,095		\$1,643		P	5
3-451012-01	(M2400HS - RS232/OCIA Scanner with EAS and Indium glass)	\$1,145		\$1,718		P	5
3-451017-00	(M2400HS - Keyboard Wedge/RS485 (IBM) scanner with Indium glass)	\$1,095		\$1,643		P	5
3-451017-01	(M2400HS - Keyboard Wedge/RS485 (IBM) scanner with EAS and Indium glass)	\$1,145		\$1,718		P	5
3-452012-00	(M2400HS - RS232/OCIA Scanner with Sapphire glass)	\$1,295		\$1,943		P	5
3-452012-01	(M2400HS - RS232/OCIA Scanner with EAS and Sapphire glass)	\$1,345		\$2,018		P	5
3-452017-00	(M2400HS - Keyboard Wedge/RS485 (IBM) scanner with Sapphire glass)	\$1,295		\$1,943		P	5
3-452017-01	(M2400HS - Keyboard Wedge/RS485 (IBM) scanner with EAS and Sapphire glass)	\$1,345		\$2,018		P	5

M2400 Cables

Interface cables required for all scanners.

Note that scanner heads are dual interface only and you must select the right head: cable combination

Scanner Cables - IBM

USE WITH KBW/RS485 SCANNER ONLY

3-454033-00	MaxiScan Cable, RS485 - IBM 468X/SDL, 16pin, male	\$75		\$113		M	3
3-454033-01	MaxiScan Cable, RS485 - IBM 469X/SDL, 4pin, male	\$75		\$113		M	3

Scanner Cables - OCIA

USE WITH RS232/OCIA SCANNER ONLY

3-454035-00	MaxiScan Cable, OCIA - ADS 44, 48, 49, 9pin Dsub, male	\$75		\$113		M	3
3-454035-01	MaxiScan Cable, OCIA - Casio SA1000/2000, 10pin L	\$75		\$113		M	3
3-454035-02	MaxiScan Cable, OCIA - Casio SA 3000	\$75		\$113		M	3
3-454035-03	MaxiScan Cable, OCIA - Casio 4700 Superboard	\$75		\$113		M	3
3-454035-04	MaxiScan Cable, OCIA - Edacom CRS 4,5/SDL, 8pin, male	\$75		\$113		M	3
3-454035-05	MaxiScan Cable, OCIA - NCR 2123, 4ck	\$75		\$113		M	3
3-454035-06	MaxiScan Cable, OCIA - NCR 7052, 10cCS	\$75		\$113		M	3
3-454035-07	MaxiScan Cable, OCIA - Omron RS55, 85, 6000, 6cT	\$75		\$113		M	3
3-454035-08	MaxiScan Cable, OCIA - SNI 2000/10, 8pin, male	\$75		\$113		M	3
3-454035-09	MaxiScan Cable, TEC - 77, 841, 2300, 10ck	\$75		\$113		M	3
3-454035-10	MaxiScan Cable, TEC - 77, 841, 23, 10ck drainw	\$75		\$113		M	3

Scanner Cables - RS232

USE WITH RS232/OCIA SCANNER ONLY

3-454032-00	MaxiScan Cable, RS232 - IBM PC/POS, 9pin Dsub, female	\$75		\$113		M	3
3-454032-01	MaxiScan Cable, RS232 - IBM PC/POS, 25pin Dsub, female	\$75		\$113		M	3
3-454032-02	MaxiScan Cable, RS232 - BRT5000/300	\$75		\$113		M	3
3-454032-03	MaxiScan Cable, RS232 - Hugin HS9500, 25pin Dsub, male	\$75		\$113		M	3
3-454032-04	MaxiScan Cable, RS232 - Beetle/POT 200	\$75		\$113		M	3
3-454032-05	MaxiScan Cable, RS232 - ICL 9520, 9530, 9pin Dsub, female	\$75		\$113		M	3
3-454032-06	MaxiScan Cable, RS232 - ICL 9520/100, 9pin Dsub, male	\$75		\$113		M	3
3-454032-07	MaxiScan Cable, RS232 - Master BB+, 9pin H20, female	\$75		\$113		M	3
3-454032-08	MaxiScan Cable, RS232 - NCR 2170, 8pin MJ 300	\$75		\$113		M	3
3-454032-09	MaxiScan Cable, RS232 - NK6000, 7pin Dsub, female	\$75		\$113		M	3

U.S. & Canada Price Guide

Fixed Position Scanners

Ordering Number	Product Description	U.S. List Price	U.S. Pending	Canada List Price	Canada Pending	Effective	D I S C
<u>Scanner Cables - RS232</u>							
USE WITH RS232/OCIA SCANNER ONLY							

3-454032-10	MaxiScan Cable, RS232 - Olivetti Olympos	\$75		\$113		M	3
3-454032-11	MaxiScan Cable, RS232 - Omron RS35, 55, 85, 6000	\$75		\$113		M	3
3-454032-12	MaxiScan Cable, RS232 - Omron RS2810, 8pin Dsub	\$75		\$113		M	3
3-454032-13	MaxiScan Cable, RS232 - Riva 5460/SDL, 8pin, male	\$75		\$113		M	3
3-454032-14	MaxiScan Cable, RS232 - HH, 9pin Dsub	\$75		\$113		M	3
3-454032-15	MaxiScan Cable, RS232 - PC/POS, 9pin Dsub, male	\$75		\$113		M	3
3-454032-16	MaxiScan Cable, RS232 - Strator 400, 9pin Dsub, male	\$75		\$113		M	3
3-454032-17	MaxiScan Cable, RS232 - Uniwell UX60, 9pin Dsub, male	\$75		\$113		M	3
3-454032-18	MaxiScan Cable, RS232 - MicroBar 9730 Port 4	\$75		\$113		M	3
<u>Scanner Cables - Wedge</u>							
USE WITH KBW/RS485 SCANNER ONLY							

3-454037-00	MaxiScan Cable, keyboard wedge, mini-din	\$75		\$113		M	3
3-454037-01	MaxiScan Cable, keyboard wedge, Din	\$75		\$113		M	3
M2400 General Accessories							
<u>Manuals</u>							
3-450049-02	Configuration Guide	\$30		\$45		M	3
3-451049-01	M2400HS User Manual	\$15		\$23		M	3
<u>Power Cords</u>							
586105	Power cord at 100-120 VAC. For: US, Canada, Central America, Japan, Korea, Mexico, Taiwan (use with power supply)	\$10		\$15		M	3
586266	Power cord at 220-250 VAC. For: UK (use with power supply)	\$20		\$30		M	3
586267	Power cord at 220-250 VAC. For: Europe (use with power supply)	\$20		\$30		M	3
586276	Power cord at 220-230 VAC. For: Liechtenstein, Switzerland (use with power supply)	\$20		\$30		M	3
586281	Power cord at 220-250 VAC. For: China, South Pacific (use with power supply)	\$20		\$30		M	3
586282	Power cord at 120-250 VAC. For: Chile, Italy (use with power supply)	\$20		\$30		M	3
586283	Power cord at 220-250 VAC. For: Denmark, Greenland (use with power supply)	\$20		\$30		M	3
<u>Power Supplies</u>							
3-450029-00	Multi 4 Power Supply, 100VAC - 240 VAC CE	\$60		\$90		M	3
<u>Scanners (Tethered) and Cables</u>							
3-450029-02	Cable, EAS	\$75		\$113		M	3
3-450029-03	Cable interlock (optional), only with EAS	\$50		\$75		M	3

U.S. & Canada Price Guide

Fixed Position Scanners

Ordering Number	Product Description	U.S. List Price	U.S. Pending	Canada List Price	Canada Pending	Effective	D I S C S
MaxiScan 2500 DP Scanner							
Type: Dual Plane Fixed Laser Scanner, Scan Rate: 2300 scans/sec, Reading Distance: 0-30cm (0-11,8"). Resolution: 0.125-1mm (5-40mil)							
Includes: Scanner, User Guide (3-453049-01), Configuration Guide (3-450049-02), EAS cable (EAS kits only, 3-450029-02) and power unit (3-450029-00). Interface cable and power cord are required accessories							
3-453012-00	(M2500DP - RS232/OCIA scanner)	\$1,845		\$2,768		P	5
3-453012-01	(M2500DP - RS232/OCIA scanner with EAS)	\$1,945		\$2,918		P	5
3-453017-00	(M2500DP - Keyboard Wedge/RS485 (IBM) scanner)	\$1,845		\$2,768		P	5
3-453017-01	(M2500DP - Keyboard Wedge/RS485 (IBM) scanner with EAS)	\$1,945		\$2,918		P	5

M2500 Cables

Interface cables required for all scanners.

Note that scanner heads are dual interface only and you must select the right head:cable combination

Scanner Cables - IBM

USE WITH KBW/RS485 SCANNER ONLY

3-454033-00	MaxiScan Cable, RS485 - IBM 468X/SDL, 16pin, male	\$75		\$113		M	3
3-454033-01	MaxiScan Cable, RS485 - IBM 469X/SDL, 4pin, male	\$75		\$113		M	3

Scanner Cables - OCIA

USE WITH RS232/OCIA SCANNER ONLY

3-454035-00	MaxiScan Cable, OCIA - ADS 44, 48, 49, 9pin Dsub, male	\$75		\$113		M	3
3-454035-01	MaxiScan Cable, OCIA - Casio SA1000/2000, 10pin L	\$75		\$113		M	3
3-454035-02	MaxiScan Cable, OCIA - Casio SA 3000	\$75		\$113		M	3
3-454035-03	MaxiScan Cable, OCIA - Casio 4700 Superboard	\$75		\$113		M	3
3-454035-04	MaxiScan Cable, OCIA - Edacom CRS 4.5/SDL, 8pin, male	\$75		\$113		M	3
3-454035-05	MaxiScan Cable, OCIA - NCR 2123, 4ck	\$75		\$113		M	3
3-454035-06	MaxiScan Cable, OCIA - NCR 7052, 10cCS	\$75		\$113		M	3
3-454035-07	MaxiScan Cable, OCIA - Omron RS55, 85, 6000, 6cT	\$75		\$113		M	3
3-454035-08	MaxiScan Cable, OCIA - SNI 2000/10, 8pin, male	\$75		\$113		M	3
3-454035-09	MaxiScan Cable, TEC - 77, 841, 2300, 10ck	\$75		\$113		M	3
3-454035-10	MaxiScan Cable, TEC - 77, 841, 23, 10ck drainw	\$75		\$113		M	3

Scanner Cables - RS232

USE WITH RS232/OCIA SCANNER ONLY

3-454032-00	MaxiScan Cable, RS232 - IBM PC/POS, 9pin Dsub, female	\$75		\$113		M	3
3-454032-01	MaxiScan Cable, RS232 - IBM PC/POS, 25pin Dsub, female	\$75		\$113		M	3
3-454032-02	MaxiScan Cable, RS232 - BRT5000/300	\$75		\$113		M	3
3-454032-03	MaxiScan Cable, RS232 - Hugin HS9500, 25pin Dsub, male	\$75		\$113		M	3
3-454032-04	MaxiScan Cable, RS232 - Beetle/POT 200	\$75		\$113		M	3
3-454032-05	MaxiScan Cable, RS232 - ICL 9520, 9530, 9pin Dsub, female	\$75		\$113		M	3
3-454032-06	MaxiScan Cable, RS232 - ICL 9520/100, 9pin Dsub, male	\$75		\$113		M	3
3-454032-07	MaxiScan Cable, RS232 - Master BB+, 9pin H20, female	\$75		\$113		M	3
3-454032-08	MaxiScan Cable, RS232 - NCR 2170, 8pin MJ 300	\$75		\$113		M	3
3-454032-09	MaxiScan Cable, RS232 - NK6000, 7pin Dsub, female	\$75		\$113		M	3
3-454032-10	MaxiScan Cable, RS232 - Olivetti Olympos	\$75		\$113		M	3
3-454032-11	MaxiScan Cable, RS232 - Omron RS35, 55, 85, 6000	\$75		\$113		M	3
3-454032-12	MaxiScan Cable, RS232 - Omron RS2810, 8pin Dsub	\$75		\$113		M	3

U.S. & Canada Price Guide

Fixed Position Scanners

Ordering Number	Product Description	U.S. List Price	U.S. Pending	Canada List Price	Canada Pending	Effective	D I S C S
<u>Scanner Cables - RS232</u>							
USE WITH RS232/OCIA SCANNER ONLY							

3-454032-13	MaxiScan Cable, RS232 - Riva 5460/SDL, 8pin, male	\$75		\$113		M	3
3-454032-14	MaxiScan Cable, RS232 - HH, 9pin Dsub	\$75		\$113		M	3
3-454032-15	MaxiScan Cable, RS232 - PC/POS, 9pin Dsub, male	\$75		\$113		M	3
3-454032-16	MaxiScan Cable, RS232 - Strator 400, 9pin Dsub, male	\$75		\$113		M	3
3-454032-17	MaxiScan Cable, RS232 - Uniwell UX60, 9pin Dsub, male	\$75		\$113		M	3
3-454032-18	MaxiScan Cable, RS232 - MicroBar 9730 Port 4	\$75		\$113		M	3
<u>Scanner Cables - Wedge</u>							
USE WITH KBW/RS485 SCANNER ONLY							

3-454037-00	MaxiScan Cable, keyboard wedge, mini-din	\$75		\$113		M	3
3-454037-01	MaxiScan Cable, keyboard wedge, Din	\$75		\$113		M	3
M2500 General Accessories							
<u>Manuals</u>							
3-450049-02	Configuration Guide	\$30		\$45		M	3
3-453049-01	M2500DP User Manual	\$15		\$23		M	3
<u>Power Cords</u>							
586105	Power cord at 100-120 VAC. For: US, Canada, Central America, Japan, Korea, Mexico, Taiwan (use with power supply)	\$10		\$15		M	3
586266	Power cord at 220-250 VAC. For: UK (use with power supply)	\$20		\$30		M	3
586267	Power cord at 220-250 VAC. For: Europe (use with power supply)	\$20		\$30		M	3
586276	Power cord at 220-230 VAC. For: Liechtenstein, Switzerland (use with power supply)	\$20		\$30		M	3
586281	Power cord at 220-250 VAC. For: China, South Pacific (use with power supply)	\$20		\$30		M	3
586282	Power cord at 120-250 VAC. For: Chile, Italy (use with power supply)	\$20		\$30		M	3
586283	Power cord at 220-250 VAC. For: Denmark, Greenland (use with power supply)	\$20		\$30		M	3
<u>Power Supplies</u>							
3-450029-00	Multi 4 Power Supply, 100VAC - 240 VAC CE	\$60		\$90		M	3
<u>Scanners (Tethered) and Cables</u>							
3-450029-02	Cable, EAS	\$75		\$113		M	3
3-450029-03	Cable interlock (optional), only with EAS	\$50		\$75		M	3