




450 Series Programmable Weigh Indicators (PWI)

<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
420777-28460 PC777C			
04-10-104B	0.1UF 50V 20%	14	C1, C2, C7, C8, C9, C13, C14, C15, C16, C17, C18, C38, C39, C40,
04-10-150A	15PF,200V	2	C10, C11,
04-10-472A	4.7nF,100	4	C30, C31, C32, C33,
04-30-106B	10UF 50V	4	C3, C4, C5, C6,
04-30-338B	3300MFD,35V	1	C20,
04-30-477C	470UF25V	3	C22, C23, C24,
04-60-106A	10UF 20V	2	C36, C37,
04-60-224A	0.22UF,35V	1	C19,
04-60-225A	2.2UF,25V	5	C12, C28, C29, C34, C35,
04-60-336A	33UF 10V	3	C25, C26, C27,
04-60-476A	47UF 35V	1	C21,
04-70-103A	EMI FLT	6	FL1, FL2, FL3, FL4, FL5, FL6,
04-80-100A	10UH 1A CH	3	L1, L2, L3,
04-90-1005	BUZZER	1	AI1,
04-90-126A	12.288MHZ, CRYSTAL	1	Y1,
04-90-495A	4.9152MHZ,CRYST	1	Y2,
06-10-391A	390 OHM 1/2 W-5%	1	R8,
06-20-10R0	10 OHM M.F 1%	3	R9, R11, R12,
06-20-2000	200 OHM MT-FILM1%	1	R2,
06-20-2001	2.00K, M.F.,1%	1	R6,
06-20-2002	20K, M.F., 1%,	3	R1, R10, R15,
06-20-2491	2.49K OHM MTFILM1%	1	R5,
06-20-6041	6.04 K OHM M.F 1%	1	R7,

<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
06-60-28459	A,RESISTOR PACK	1	RP2,
06-60-5200	4610X-101-203,9X20K	1	RP1,
07-20-4000	BR.RECTIFIER 6A50V	1	D5,
07-40-3000	1N3064	2	D1, D6,
07-40-5822	1N5822, 40V 3A SHTKY	3	D8, D9, D10,
07-50-2124	1N4749,24V 10% 10.5MA 1W	1	D7,
07-50-3233	1.5KE39CA,GSI,33V	1	D4,
08-20-2500	2N4400,TO-92 40V 600MA	1	Q1,
09-12-002B	MC74HC02N,QUAD 2-INPUT	1	U7,
09-30-0232A	232 DRIVER,DUAL XMT/RCV	1	U1,
09-30-2404	E2, EEPROM	1	U6,
09-30-34064	MC34064P-005V.SENSOR	1	U5,
09-30-6303Y	HD63C03YP,MICRO,3MHZ	1	U2,
09-30-6910	MS6265-10PC,SRAM,8KX8	1	U3,
10-20-1046	LTC1046CN8,+5V TO -5VCONV	1	U10,
10-20-1171	LT1171CT,2.5A SW. REG.	1	U8,
10-40-5520	20 BIT A/D CONVERTER	1	U9,
16-10-0510	TP12-H8-A-B-E,SPDT,PSH BTN	1	SW1,
20-40-2010	HL8676,60UH FLYBK XMFR	1	T1,
26-20-1960J	747844-3A 9SKT PCB-LK "D"	1	J3,
26-20-2200J	747840-3,A PC MOUNT LK	1	J2,
26-20-3265	640388-2,AMP,2-PIN HDR .156	1	J7,
26-30-1900	ICE-083-S-TT,08DIPSKT	1	US6,
26-30-2100	ICE-163-S-55 RN,16DIP SCKT	1	US1,



450 Series Programmable Weigh Indicators (PWI)

<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
26-30-2260	ICE-243-S-TT N.3W SKT	1	US9,
26-30-2350	ICE-286-S-TT,28DIP SCKT	1	US3,
26-30-2470	ICE-326-S-TT, SKT 32-PIN	1	US4,
26-30-5064	117-93-764-41-005 64DP	1	US2,
26-50-2047	256-407, 7-TERM SCRWLS	1	J1,
27-60-0100	TP104-01-02,RED TP	5	TP1, TP2, TP3, TP4, TP5,
40-20-28913	PC777C-B,M450 MAIN BOARD	1	
450450-0XXXX	450 firmware	1	U4,
09-30-27512	64KX8 EPROM (Raw)	1	U4




Figure F-2 Model 450 Main Board (PC792B)


<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
420792-29733 PC792 ,D,M450 MAINBOARD			
04-10-104B	SR215E104,AVX,.1UF 50V 20%	11	C1, C2, C9, C13, C14, C15, C16, C17, C18, C38, C41,
04-10-150A	C315C150K2G5CA,15PF,200V	2	C10, C11,
04-10-472A	C322C472K1G5CA,4.7nF,100	4	C30, C31, C32, C33,
04-30-106B	UVX1H100M, 10UF 50V	4	C3, C4, C5, C6,
04-30-338B	3300MFD,35V, RADIAL LEAD	1	C20,
04-30-477C	ECEA1EF471,470UF25V	3	C22, C23, C24,
04-60-106A	TAP106K020GSB, 10UF 20V	2	C36, C37,
04-60-224A	199D224X9035AA2,0.22UF,35V	1	C19,
04-60-225A	199D225X9025AA2, 2.2UF,25V	5	C12, C28, C29, C34, C35,
04-60-336A	199D336X9010DA2, 33UF 10V	3	C25, C26, C27,
04-60-476A	199D476X9035FE4,47UF 35V	1	C21,
04-70-271A	DSS310-55Y5S271M100, ER	9	FL3, FL4, FL5, FL6, FL7, FL8, FL9, FL10, FL11,
04-80-100A	HL-8121/ZZ,10UH 1A CH	3	L1, L2, L3,
04-90-1005	CB-16BP-06B, BUZZER	1	AI1,
04-90-126A	MP-1-12.288MHZ,CRYSTAL	1	Y1,
04-90-495A	49S049,4.9152MHZ,CRYST	1	Y2,
06-10-391A	390 OHM 1/2 W-CARBON-5%	1	R8,
06-20-10R0	10 OHM M.F 1% RN55	3	R9,R11,R12,
06-20-2000	200 OHM M-FILM 1% RN55C	1	R2,
06-20-2001	2.00K, M.F.,1%, RN55C,	1	R6,
06-20-2002	20K, M.F., 1%, RN55C,	5	R1, R3, R4, R10, R15,
06-20-2491	2.49 K OHM M-F 1% RN55C	1	R5,
06-20-6041	6.04 K OHM M.F 1% RN55C	1	R7,
06-60-28459	A,RESISTOR PACK,REF	1	RP2,

<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
06-60-5200	4610X-101-203,RN 9X20K	1	RP1,
07-20-4000	BR.RECTIFIER 6A50V	1	D5,
07-40-3000	1N3064	4	D1, D2, D3, D6,
07-40-5822	1N5822,40V 3A SHOTTKY	3	D8, D9, D10,
07-50-2124	1N4749,24V 10% 10.5MA 1W	1	D7,
07-50-3209	1.5KE7.5C,GSI, 6V	4	D11, D12, D13, D14,
07-50-3233	1.5KE39CA,GSI,33V	1	D4,
08-10-3000	2N7000, N-CH. MOSFET	2	Q2, Q3,
08-20-2500	2N4400,TO-92 40V 600MA	1	Q1,
09-12-002B	MC74HC02N,QUAD 2-INPUT	1	U7,
09-30-0232A	232 DRIVER, DUAL XMT/RCV	1	U1,
09-30-2404	E2, EEPROM	1	U6,
09-30-34064	MC34064P-005,UND.V.SENSOR	1	U5,
09-30-6303Y	HD63C03YP,MICRO,3MHZ	1	U2,
09-30-6910	MS6265-10PC,SRAM,8KX8	1	U3,
10-20-1046	LTC1046CN8,+5V TO -5VCONV	1	U10,
10-20-1171	LT1171CT,LTC,2.5A SW. REG.	1	U8,
10-40-5520	20 BIT A/D CONVERTER	1	U9,
13-10-4200S	R473002T1,2A-5B,SUBMI	1	F1,
20-40-2010	HL8676,60UH FLYBK XMFR	1	T1,
26-20-1632	PLA3021,LINE FILT	1	LF1,
26-20-3800	881545-4,PIN SHORTING JCK	3	
26-20-6010A	3 PIN HDR .1 INCH CENT	3	E1, E2, E3,
26-20-6403	609-0627, 2x3 HEADER, POL.	1	J5,



450 Series Programmable Weigh Indicators (PWI)

<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
26-20-6404	2510-6002UB,10P HEADER.1X.1	1	J4,
26-30-1900	ICE-083-S-TT,08DIPSKT	1	US6,
26-30-2100	ICE-163-S-55 RN,16DIP SCKT	1	US1,
26-30-2260	ICE-243-S-TT N.3W SKT	1	US9,
26-30-2350	ICE-286-S-TT,28DIP SCKT	1	US3,
26-30-2470	ICE-326-S-TT, SKT 32-PIN	1	US4,
26-30-5064	117-93-764-41-005, 64DP	1	US2,
26-50-2042	256-402, 2-TERM SCRWLS	1	J8,
26-50-2047	256-407, 7-TERM SCRWLS	1	J1,
26-50-2102	234-502,2 POS SPRING TRM	1	J11,
26-50-2109	234-509, 9 TERM SCRWLS	1	J6,
27-60-0100	TP104-01-02,RED TP	5	TP1, TP2, TP3, TP4, TP5,
29-20-152505	53-CBS-1.5X2.5X.5, CAN	1	
31-80-0366	6070B-MT,TO-220 HTSINK	1	HS1,
38-20-1605	4-40, NUT SEM ZINC P	1	
38-20-2100	4-40 X 1/4, BIND, SLTD, SP	1	
40-20-29726	PC792B-B,M450 RFI BOARD	1	
450450-01XXX 09-30-27020	FIRMWARE, M450, VX, RX EPROM,256X8 (raw)	1	U4, U4,



GSE Scale Systems - F-9

<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
420800-30555 PC800 -D,M450 MNBRD			
04-10-104B	SR215E104MAT,0.1UF 50V 20% 13		C1, C2, C3, C4, C5, C6, C9, C13, C14, C15, C16, C38, C65,
04-10-150A	C315C150K2G5CA,15PF,200V 2		C10, C11,
04-10-472A	C322C472K1G5CA,4.7nF,100 4		C30, C31, C32, C33,
04-30-105B	ECEA1HGE010,1UF,50V 1		C54,
04-30-107D	LPX101M400A3P3,100UF400V 1		C47,
04-30-108F	ECA1VFQ102L,1000UF35V 4		C50, C60, C61, C64,
04-30-227C	ECA1VFQ221,220UF35V 1		C51,
04-30-396A	ECA1VFQ390,39UF,35V 1		C55,
04-50-102A	ECQB1102JF,1000PF100V 1		C53,
04-50-103B	ECQE4103KF,0.01UF400V 1		C48,
04-50-104E	ECQE1104KF,0.1UF,100V 1		C58,
04-50-104F	ECQU2A104MV,0.1UF 250V 2		C42, C43,
04-50-391A	ECQB1391JF,390PF100V 1		C59,
04-50-472A	ECQU2A472MV,4700PF,250V 3		C44, C45, C46,
04-50-473B	ECQE1473KF,0.047UF100V 2		C56, C57,
04-60-106A	TAP106K020GSB,10UF 20V 2		C36, C37,
04-60-225A	199D225X9025AA2,2.2UF,25V 5		C12, C28, C29, C34, C35,
04-70-271A FL6, FL7, FL11,	DSS310-55Y5S271M100, 9		FL3, FL4, FL5, FL8, FL9, FL10,
04-80-100B	262LYF-008OK,10uH,2A 1		L4,
04-90-1005	CB-16BP-06B, BUZZER 1		AI1,
04-90-126A	MP-1-12.288MHZ,CRYSTAL 1		Y1,
04-90-495A	FOX49S049,4.9152MHZ,CRYST 1		Y2,

<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
06-09-100A	10 OHM,CARB FILM 5% 1/4W	1	R32,
06-09-303A	30K,CARBON FILM 55 1/4W	1	R30,
06-09-330A	33 OHM,CARB-FILM 5% 1/4W	1	R26,
06-09-331A	330 OHM CARB- FILM 5%, 1/4W	1	R31,
06-10-105A	1 MEG 1/2W-CARB-COMP. -5%	1	R17,
06-11-2003	CMF652003JT1,200K,500V,MF	1	R18,
06-11-R68A	RS-1M-0R68-5%,0.68 OHM WW	1	R33,
06-12-473A	RSS2473J,2W,MO,35K,2%,350V	1	R22,
06-20-10R0	10 OHM M.F 1% RN55C & T.R	3	R9, R11, R12,
06-20-1212	12.1 K OHM M.F.,0.1% RN55C	1	R27,
06-20-2000	200 OHM MET-FILM 1% RN55C	1	R2,
06-20-2002	20K, M.F., 1%, RN55C, T & R	5	R1, R3, R4, R10, R15,
06-20-4321	4.32K METAL FILM 1% RN55C	1	
06-20-7321	7.32K METAL FILM 1% RN55C	1	R28,
06-21-4990	499 OHM,MF,1%,CCF60	1	R25,
06-60-28459	A,RESISTOR PACK,REF. DIV.	1	RP2,
06-60-5200	4610X-101-203,RN 9X20K	1	RP1,
06-90-1190	CL-190,2.4A NTC THRMS	1	R16,
07-20-0110	MUR110,1A,100V	2	D19, D23,
07-20-1100	MUR1100E,1A,1000V	1	D17,
07-20-4050	W08G,GI,BR,RECTI,1.5A,800V	1	D15,
07-40-3000	1N3064	5	D1, D2, D3, D24, D26,
07-40-3035	BAV21,0.25A,200V	2	D20, D22,
07-40-3040	1N4148,150MA,100V	1	D21,
07-40-5822	1N5822,40V 3A SHOTTKY	1	D18,
07-50-3200	ICTE-5 SUP. 5V	1	D25,




450 Series Programmable Weigh Indicators (PWI)

<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
07-50-3203	P6KE300A,GSI,300V	1	D16,
07-50-3209	1.5KE7.5C,GSI, 6V TRANS	4	D11, D12, D13, D14,
08-10-3000	2N7000,N-CH. MOSFET	2	Q2, Q3,
08-10-5100	BUZ80A,N-FET,800V,3A	1	Q4,
08-20-2500	2N4400,TO-92 40V 600MA	1	Q1,
09-12-000B	MM74HC00, 4-2 IN NAND	1	U14,
09-12-002B	MC74HC02N,QUAD 2-INPUT	1	U7,
09-30-0202	RS232 DRIVER, 2TX&RX	1	U1,
09-30-2404	E2, EEPROM	1	U6,
09-30-34064	MC34064P-005,UND.V-SENSOR	1	U5,
09-30-6303Y	HD63C03YP,MICRO,3MHZ	1	U2,
09-30-6910	MS6265-10PC,SRAM,8KX8	1	U3,
10-20-1046	LTC1046CN8,+5V TO -5VCONV	1	U10,
10-20-1105	LT1105CN8,1-5A,OFFLINE SW	1	U13,
10-40-5520	20 BIT A/D CONVERTER	1	U9,
13-10-7050	19372K,-0.5A,FUSE,250V	1	
13-20-7000B	19571,FUSE HLDR,250V	1	
13-20-7000C	19575,CAP,FUSEHOLDER	1	
20-40-31441	A,M1349P1A,OFFLINE SW	1	T1,
26-20-1682	ELF-18D290B,L. FILT, .82MH	1	LF1,
26-20-3800	881545-4,PIN SHORTING JCK	3	
26-20-6010A	3 PIN HDR .1 INCH CENT	3	E1, E2, E3,
26-20-6403	609-0627,2X3, HEADER, POL.	1	J5,
26-20-6404	2510-6002UB,10P HEADER.1X.1	1	J4,
26-30-1900	ICE-083-S-TT,08DIPSKT	1	US6,

<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
26-30-2200	ICE-183-S-TT RN, 18DIP SCKT	1	US1,
26-30-2260	ICE-243-S-TT N.3W SKT	1	US9,
26-30-2350	ICE-286-S-TT, RN, 28DIP SCKT	1	US3,
26-30-2470	ICE-326-S-TT, RN, SKT 32-PIN	1	US4,
26-30-5064	117-93-764-41-005 64DP	1	US2,
26-50-2042	256-402, 2-TERM SCRWLS	1	J7,
26-50-2047	256-407, 7-TERM SCRWLS	1	J1,
26-50-2102	234-502, 2 POS SPRING TRM	1	J11,
26-50-2109	234-509, 9 TERM SCRWLS	1	J6,
27-60-0100	TP104-01-02,RED TP	1	TP1,
28-10-31458	A,FUSE WARNING LABEL	1	
29-20-152505	53-CBS-1.5X2.5X.5, CAN	1	
31-80-0364	6221PB,HEATSINK,TO-220	1	HS1,
31-80-0367	7721-10PPS,SHLOR WAS H	1	
31-80-2011	4170,INSUL. TO-220S	1	
38-20-1605	4-40, NUT SEM ZINC P	1	
38-20-2150	4-40 X 3/8, BIND, SLTD, SP	1	
40-20-30553	PC800A-B,450 MAIN BD,V3-AC	1	
09-30-27020	EPROM,256X8 (raw)	1	
28-10-31288	A,LABEL,EPROM,M450,2M-BIT	1	



<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
------------------------	--------------------	-----------------	---------------



GSE Scale Systems - F-15

<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
420834-32290 M450/M455 MAIN BOARD			
04-10-104B	SR215E104MAT,0.1UF 50V 20% 13		C1, C2, C3, C4, C5, C6, C9, C13, C14, C15, C16, C38, C65,
04-10-150A	C315C150K2G5CA,15PF,200V 2		C10, C11,
04-10-472A	C322C472K1G5CA,4.7nF,100 4		C30, C31, C32, C33,
04-30-105B	ECEA1HGE010,1UF,50V 1		C54,
04-30-107D	LPX101M400A3P3,100UF400V 1		C47,
04-30-108F	ECA1VFQ102L,1000UF35V 4		C50, C60, C61, C64,
04-30-227C	ECA1VFQ221,220UF35V 1		C51,
04-30-396A	ECA1VFQ390,39UF,35V 1		C55,
04-50-102A	ECQB1102JF,1000PF100V 1		C53,
04-50-103B	ECQE4103KF,0.01UF400V 1		C48,
04-50-104E	ECQE1104KF,0.1UF,100V 1		C58,
04-50-104F	ECQU2A104MV,0.1UF 250V 2		C42, C43,
04-50-391A	ECQB1391JF,390PF100V 1		C59,
04-50-472A	ECQU2A472MV,4700PF,250V 3		C44, C45, C46,
04-50-473B	ECQE1473KF,0.047UF100V 2		C56, C57,
04-60-106A	TAP106K020GSB,10UF 20V 2		C36, C37,
04-60-225A	199D225X9025AA2,2.2UF,25V 5		C12, C28, C29, C34, C35,
04-70-271A	DSS310-55Y5S271M100,ER 9		FL3, FL4, FL5, FL6, FL7, FL8, FL9, FL10, FL11,
04-80-100B	262LYF-008OK,10uH,2A 1		L4,
04-90-1005	CB-16BP-06B, BUZZER 1		AI1,
04-90-126A	MP-1-12.288MHZ,CRYSTAL 1		Y1,
04-90-495A	FOX49S049,4.9152MHZ,CRYST 1		Y2,
06-09-100A	10 OHM,CARB-FILM 5% 1/4W 1		R32,

<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
06-09-303A	30K,CARBON FILM 55 1/4W	1	R30,
06-09-330A	33 OHM,CARB-FILM 5% 1/4W	1	R26,
06-09-331A	330 OHM CARB-FILM 5%, 1/4W	1	R31,
06-10-105A	1 MEG 1/2W-CARB-COMP. -5%	1	R17,
06-11-2003	CMF652003JT1,200K,500V,MF	1	R18,
06-11-R68A	RS-1M-0R68-5%,0.68 OHM WW	1	R33,
06-12-473A	RSS2473J,2W,MO,35K,2%,350V	1	R22,
06-20-10R0	10 OHM M.F 1% RN55C & T.R	3	R9, R11, R12,
06-20-1212	12.1 K OHM M.F. 1% RN55C	1	R27,
06-20-2000	200 OHM M.F. 1% RN55C	1	R2,
06-20-2002	20K, M.F., 1%, RN55C, T & R	5	R1, R3, R4, R10, R15,
06-20-4321	4.32K METAL FILM 1% RN55C	1	
06-20-7321	7.32K METAL FILM 1% RN55C	1	R28,
06-21-4990	499 OHM,M.F.,1%,CCF60	1	R25,
06-60-28459	A,RESISTOR PACK,REF. DIV.	1	RP2,
06-60-5200	4610X-101-203,RN 9X20K	1	RP1,
06-90-1190	CL-190,2.4A NTC THRMS	1	R16,
07-20-0110	MUR110,1A,100V	2	D19, D23,
07-20-1100	MUR1100E,1A,1000V	1	D17,
07-20-4050	W08G,BR,RECTIFIER,1.5A,800V	1	D15,
07-40-3000	1N3064	5	D1, D2, D3, D24, D26,
07-40-3035	BAV21,0.25A,200V	2	D20, D22,
07-40-3040	IN4148,150MA,100V	1	D21,
07-40-5822	1N5822,40V 3A SHOTTKY	1	D18,



<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
07-50-3200	ICTE-5 SUP 5V	1	D25,
07-50-3203	P6KE300A,GSI,300V TRAN20RB	1	D16,
07-50-3209	1.5KE7.5C,GSI, 6V TRANSZORB	4	D11, D12, D13, D14,
08-10-3000	2N7000,N-CH. MOSFET	2	Q2, Q3,
08-10-5100	BUZ80A,N-FET,800V,3A	1	Q4,
08-20-2500	2N4400,TO-92 40V 600MA	1	Q1,
09-12-000B	MM74HC00, 4-2 IN NAND	1	U14,
09-12-002B	MC74HC02N,QUAD 2-INPUT	1	U7,
09-30-0202	MAX202ECPE,RS232,2TX&RX	1	U1,
09-30-2404	E2, EEPROM	1	U6,
09-30-34064	MC34064P-005,UND.V.SENSOR	1	U5,
09-30-6303Y	HD63C03YP,MICRO,3MHZ	1	U2,
09-30-6910	MS6265-10PC,SRAM,8KX8	1	U3,
10-20-1046	LTC1046CN8,+5V TO -5VCONV	1	U10,
10-20-1105	LT1105CN8,1-5A,OFFLINE SW	1	U13,
10-40-5520	20 BIT A/D CONVERTER	1	U9,
13-10-7050	19372K,-0.5A,FUSE,250V	1	
13-20-7000B	19571,FUSE HLDR,250V	1	
13-20-7000C	19575,CAP,FUSEHOLDER	1	
20-40-31441	A,M1349P1A,OFFLINE SW	1	T1,
26-20-1682	ELF-18D290B,LINE-FILT, .82MH	1	LF1,
26-20-3800	881545-4,PIN SHORTING JCK	4	
26-20-6010A	3 PIN HDR .1 INCH CENT	4	E1, E2, E3, E6,
26-20-6403	609-0627,2X3, HEADER, POL.	1	J5,
26-20-6404	2510-6002UB,10P HEADER.1X.1	2	J4, J8,

<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
26-30-1900	ICE-083-S-TT,,NUG,08DIPSKT	1	US6,
26-30-2200	ICE-183-S-TT RN, 18DIP SCKT	1	US1,
26-30-2260	ICE-243-S-TT N.3W SKT	1	US9,
26-30-2350	ICE-286-S-TT, RN, 28DIP SCKT	1	US3,
26-30-2470	ICE-326-S-TT, RN, SKT 32-PIN	1	US4,
26-30-5064	117-93-764-41-005 64DP	1	US2,
26-50-2042	256-402, 2-TERM SCRWLS	1	J7,
26-50-2047	256-407, 7-TERM SCRWLS	1	J1,
26-50-2102	234-502,2 POS SPRING TRM	1	J11,
26-50-2109	234-509,9 TERM SCRWLS	1	J6,
27-60-0100	TP104-01-02,RED TP	1	TP1,
28-10-31458	A,FUSE WARNING LABEL	1	
29-20-152505	1.5X2.5X.5,LEADER,CAN	1	
31-80-0364	6221PB,HEATSINK,TO-220	1	HS1,
31-80-0367	7721-10PPS,SHLOR WAS H	1	
31-80-2011	4170,INSUL. TO-220S	1	
38-20-1605	4-40, NUT SEM ZINC P	1	
38-20-2150	4-40 X 3/8, BIND, SLTD, SP	1	
40-20-30553	PC800A-B,450 MAIN BD,V3-AC	1	
09-30-27020	EPROM,256X8	1	
28-10-31288	A,LABEL,EPROM,M450	1	





<u>GSE Part Number</u>	<u>Description</u>	<u>Quantity</u>	<u>Symbol</u>
------------------------	--------------------	-----------------	---------------