

RICE LAKE MB SERIES BALANCES

- Large 0.64" (16.5mm) Liquid Crystal Display (LCD)
- Measures weight in three units: g, ct and oz (or lb)
- Unit conversion switching (grams to lbs, etc.)
- 115 VAC adapter included or 230 VAC adapter optional
- Glass breeze shield available for all round pan models
- Five year limited warranty



MB-3000E



PART #	MODEL#	DESCRIPTION	PAN SIZE	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
66742	MB-150S	150g x 0.001g	4.3" Ø	6 lb	\$725.00
66741	MB-150E	150g x 0.01g	5.5" Ø	6 lb	595.00
66743	MB-300E	300g x 0.01g	5.5" Ø	6 lb	620.00
66756	MB-600E	600g x 0.02g	5.5" Ø	6 lb	595.00
66744	MB-600P	600g x 0.01g	5.5" Ø	6 lb	645.00
66745	MB-1500E	1500g x 0.1g	6.7" x 5.6"	7 lb	595.00
66746	MB-3000E	3000g x 0.1g	6.7" x 5.6"	7 lb	620.00
66747	MB-6000P	6000g x 0.1g	6.7" x 5.6"	7 lb	645.00

* Built-in calibration weight

All dimensions are approximate

Ø = Diameter

RICE LAKE QB SERIES BALANCES

- Switchable for straightweighing, piece count, over/under checkweighing modes
- Large 0.5" (12.5mm) Liquid Crystal Display (LCD)
- Measures weight in 12 units (g, kg, ct, oz, lbs, ozt, dwt, gr, Taels and mommes)
- 115 VAC adapter included or 230 VAC adapter optional
- Counting mode
- Checkweighing mode
- Glass breeze shield available for all round pan models
- Dust cover
- Five year limited warranty



QB-620E



PART #	MODEL#	DESCRIPTION	PAN SIZE	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
66754	QB-300E	300g x 0.01g	5.5" Ø	9 lb	\$785.00
66755	QB-600E	600g x 0.02g	5.5" Ø	9 lb	735.00
66749	QB-620E	620g x 0.01g	5.5" Ø	9 lb	875.00
66750	QB-1500E	1500g x 0.1g	7.5" x 7.5"	10 lb	765.00
66751	QB-3000E	3000g x 0.1g	7.5" x 7.5"	10 lb	820.00
66752	QB-3000S	3000g x 0.01g	7.5" x 7.5"	10 lb	970.00
66753	QB-6200E	6200g x 0.1g	7.5" x 7.5"	10 lb	920.00

All dimensions are approximate

Ø = Diameter

Balances

RICE LAKE IB SERIES BALANCES

- Large 0.5" (12.5mm) Vacuum Fluorescent Display (VFD)
- Measures weight in 13 units (mg, g, kg, ct, oz, lb, ozt, dwt, gr, Tael and mommes)
- Unit conversion switching (grams to lbs, etc.)
- Output for dedicated printer
- 115 VAC adapter included or 230 VAC adapter optional
- Accumulation function
- Classification function
- Counting mode
- Percent mode
- Glass breeze shield available for all round pan models
- Below balance weighing
- Five year limited warranty



IB-15K



PART #	MODEL#	DESCRIPTION	PAN SIZE	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
66757	IB-1000	1000g x 0.005g	6.7" Ø	7 lb	\$1,275.00
66758	IB-2000	2000g x 0.01g	6.7" Ø	7 lb	1,275.00
66759	IB-5000G	5000g x 0.01g	8.7" x 7.1"	7 lb	1,495.00
66760	IB-10K	10 kg x 0.05g	8.7" x 7.1"	7 lb	1,495.00
66761	IB-15K	15 kg x 0.1g	8.7" x 7.1"	7 lb	1,695.00

*All dimensions are approximate
Ø = Diameter*

RICE LAKE ACCESSORIES

PART #	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
42566	115 Volt adapter for QB & MB Series	2 lb	\$36.00
42167	115 Volt adapter for IB Series	2 lb	36.00
42168	230 Volt adapter for MB, QB, & IB Series	2 lb	60.00
42169	Internal rechargeable battery for MB Series	4 lb	130.00
42170	Internal rechargeable battery for IB Series	4 lb	335.00
42171	Internal rechargeable battery for QB Series	4 lb	455.00
42172	RS-232 bidirectional interface for IB Series	2 lb	365.00
42174	RS-232 bidirectional interface for QB Series	2 lb	195.00
42175	RS-232 bidirectional interface for MB Series	2 lb	160.00
42176	Glass breeze shield for IB-1000 & IB-2000 Series	5 lb	365.00
42177	Glass breeze shield for QB Series (round pan balance only)	5 lb	465.00
42179	Glass breeze shield for MB Series (round pan balance only)	5 lb	295.00
42180	Dust cover for IB Series	2 lb	18.00
42181	Dust cover for QB Series	2 lb	18.00
42183	Carrying case for MB Series	5 lb	120.00
42192	Additional operating manual, MB Series	1 lb	30.00
42193	Additional operating manual, IB Series	1 lb	30.00
42194	Additional operating manual, QB Series	1 lb	30.00
41555	Limit output pack	3 lb	850.00
42347	DAP-01 Statistical Printer	3 lb	850.00

OHAUS NAVIGATOR™ SERIES

- RS-232 bidirectional interface
- Below balance weighing
- Built in application programs for counting, animal weighing, and checkweighing
- Liquid Crystal Display (LCD)
- 115 or 230 VAC adapter included
- Internal battery option (8 AA)
- Housing dimensions: 7.25" W x 10.5" D x 2.25" H (184mm W x 270mm D x 57mm H)
- CE mark available for an additional \$40.00
- Five year limited warranty



PART #	OHAUS MODEL#	DESCRIPTION	PAN SIZE	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
53039	NV32**	32g x 0.002g	3" (76mm) Ø	7 lb	\$495.00
53040	NV32IC*	32g x 0.002g	3" (76mm) Ø	7 lb	579.00
50275	NV210	210g x 0.01g	4.75" (120mm) Ø	7 lb	595.00
50276	NV210IC*	210g x 0.01g	4.75" (120mm) Ø	7 lb	679.00
53041	NV410	410g x 0.01g	4.75" (120mm) Ø	7 lb	695.00
53042	NV410IC*	410g x 0.01g	4.75" (120mm) Ø	7 lb	779.00
50277	NV810	810g x 0.1g	5.5" x 6" (140 x 150mm)	7 lb	495.00
50278	NV810IC*	810g x 0.1g	5.5" x 6" (140 x 150mm)	8 lb	579.00
50279	NV2100	2100g x 0.1g	5.5" x 6" (140 x 150mm)	7 lb	595.00
50280	NV2100IC*	2100g x 0.1g	5.5" x 6" (140 x 150mm)	10 lb	679.00
53043	NV4100	4100g x 0.1g	5.5" x 6" (140 x 150mm)	7 lb	695.00
53044	NV4100IC*	4100g x 0.1g	5.5" x 6" (140 x 150mm)	10 lb	779.00
50281	NV8100	8110g x 0.5g	5.5" x 6" (140 x 150mm)	7 lb	645.00
50282	NV8100IC*	8110g x 0.5g	5.5" x 6" (140 x 150mm)	15 lb	779.00

NEW! NTEP-CERTIFIED MODELS

66500	NO6112	610g x 0.1g	4.75" (120mm) Ø	7 lb	525.00
66501	NOF1A2	6100g x 1.0g	5.5" x 6" (140 x 150mm)	7 lb	675.00

* IC designates internal calibration weight ** Includes draft shield
 All dimensions are approximate Ø = Diameter

OHAUS SCOUT II™ SERIES

- Lightweight, portable
- Weight displayed in grams, ounces, troy ounces, pennyweight and parts counting
- Calibration mass included
- 115 VAC (230 VAC adapter available upon request)
- Battery option (9V)
- Below balance weighing
- Auto calibration
- 0.7" (17.8mm) Liquid Crystal Display (LCD)
- Housing Dimensions 6.75" W x 8.25" D x 2.4" H (171.5mm W x 209.6mm D x 61.0mm H)



PART #	OHAUS MODEL#	DESCRIPTION	PAN SIZE	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
35262 ...	Scout II 200	200g x 0.01g	4.0" (101.6mm) Ø	4 lb	\$295.00
35260 ...	Scout II 400	400g x 0.1g	5" x 5.75" (127.0 x 146.1mm)	4 lb	155.00
35261 ...	Scout II 600	600g x 0.1g	5" x 5.75" (127.0 x 146.1mm)	4 lb	225.00
64443 ...	Scout II 1200	1200g x 0.1g	5" x 5.75" (127.0 x 146.1mm)	4 lb	255.00
64444 ...	Scout II 6000	6000g x 1.0g	5" x 5.75" (127.0 x 146.1mm)	4 lb	225.00
RS-232 MODELS					
64445 ...	Scout II 200	200g x 0.01g	4.0" (101.6mm) Ø	4 lb	375.00
64446 ...	Scout II 400	400g x 0.1g	5" x 5.75" (127.0 x 146.1mm)	4 lb	235.00
64447 ...	Scout II 600	600g x 0.1g	5" x 5.75" (127.0 x 146.1mm)	4 lb	305.00
64448 ...	Scout II 1200	1200g x 0.1g	5" x 5.75" (127.0 x 146.1mm)	4 lb	335.00
64449 ...	Scout II 6000	6000g x 1.0g	5" x 5.75" (127.0 x 146.1mm)	4 lb	305.00

OHAUS PORTABLE CS SERIES

- Battery powered (3-AA alkaline batteries included)
- AC adapter optional (120V—USA, 230V—Europe, 240V—Australia, 240V—UK)
- Liquid Crystal Display (LCD)
- Full tare capacity
- Weight displayed in grams or pound/ounce (toggle)
- Auto shut-off in battery mode
- Durable plastic construction
- Housing Dimensions 5.3" W x 7.6" D x 1.5" H (135mm W x 193mm D x 39mm H)
- Pan size: 5.7" x 5.25" (146mm x 133mm)



PART #	OHAUS MODEL#	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
53493 ...	CS-200	200g x 0.1g, 7 oz x 0.01 oz	2 lb	\$100.00
53494 ...	CS-2000	2000 g x 1g, 4 lb; 6.55 oz x 0.05 oz	2 lb	100.00
53495 ...	CS-5000	5000 g x 2g, 9 lb; 15.9 oz x 0.1 oz	2 lb	115.00
53496 ...	CS-2000P*	Postal 2000 g x 1g, 4 lb; 6.55 oz x 0.05 oz	2 lb	107.00
53497 ...	CS-5000P*	Postal 5000 g x 2g, 9 lb; 15.9 oz x 0.1 oz	2 lb	122.00

* Postal rate chart included

OPTIONS/ACCESSORIES

53518 ...	800500457	120V AC adapter for US	2 lb	18.00
53520 ...	800500459	240V AC adapter for UK	2 lb	18.00
53519 ...	800500458	230V AC adapter for Europe	2 lb	18.00
53521 ...	800500460	240V AC adapter for Australia	2 lb	18.00

All dimensions are approximate
Ø = Diameter

OHAUS HAND HELD SERIES

- Battery operation only (two AAA batteries included)
- Backlit display
- One year limited warranty



PART #	OHAUS MODEL#	DESCRIPTION	PAN SIZE	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
52541	HS-120	0-60g x 0.1g			
		60-120g x 0.2g	3.25" x 3.0"	2 lb	\$110.00
52540	HP-320	320g x 0.1g	3.25" x 3.0"	2 lb	170.00
64055	HP-120	120g x 0.1g	3.25" x 3.0"	2 lb	140.00

*All dimensions are approximate
 Ø = Diameter*

OHAUS MECHANICAL TRIPLE BEAM & DIAL-O-GRAM® BALANCES

- Available in ounces or grams
- Housing dimensions: 18" W x 6.5" D x 6.5" H (457.2mm W x 165.1mm D x 165.1mm H)
- Optional tare beam, 760-00, 860-00, 710-TO, Dial-O-Gram®
- Five year limited warranty



PART #	OHAUS MODEL#	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
33350	710-00	Triple Beam, 610g x 0.1g, SS pan	8 lb	\$135.00
33351	710-TO	Triple Beam, 610g x 0.1g, SS pan, tare	8 lb	150.00
33352	720-00	Triple Beam, 610g x 0.01g, poly scoop	8 lb	140.00
33353	720-SO	Triple Beam, 610g x 0.1g, SS scoop	8 lb	165.00
33354	730-00	Triple Beam, 610g x 0.1g, animal container	8 lb	170.00
33355	750-SO	Triple Beam, 610g x 0.1g, SS plate	8 lb	105.00
33356	750-SW	Triple Beam, 2610g x 0.1g, SS plate with attachment weights	9 lb	125.00
33357	760-00	Triple Beam, 610g, x 0.1g, SS plate tare	8 lb	135.00
33358	860-00	Triple Beam, 1 lb, 2 oz x .01 oz, SS plate, tare	8 lb	165.00
33360	1610-00	Dial-O-Gram® Balance, 610g x 0.1g, SS pan, tare	8 lb	195.00
33361	1650-00	Dial-O-Gram® Balance, 610g x 0.1g, SS plate, tare	8 lb	170.00
33362	1650-W0	Dial-O-Gram® Balance, 2610g x 0.1g, SS plate, tare, w/attachment weights	8 lb	195.00

All dimensions are approximate

OHAUS MECHANICAL HARVARD TRIP & DIAL-O-GRAM® 2000 BALANCES

- Housing dimensions: 14" W x 9.5" D x 6.5" H
(355.6mm W x 241.3mm D x 165.1mm H)
- Five year limited warranty



PART #	OHAUS MODEL#	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
33364 ..	1450-SD	Harvard Trip, 10g x 0.1g, single beam, SS plate	6 lb	\$170.00
33365 ..	1454-SD	Harvard Trip, 2 kg x 0.1g and 5 lb x .01g oz, SS plates	6 lb	180.00
33367 ..	1550-SD	Harvard Trip, 210g x 0.1g, two beam, SS plates, tare	7 lb	190.00
33368 ..	1560-SD	Harvard Trip, 210g x 0.1g, two beam, SS plates, tare	7 lb	195.00
33369 ..	2060-00	Dial-O-Gram® 2000 Balance, 2000g, x 0.1g, SS plates, tare	8 lb	235.00

All dimensions are approximate

OHAUS MECHANICAL CENT-O-GRAM® & DIAL-O-GRAM® BALANCES

- 0.01g sensitivity
- Equipped for specific gravity weighing
- Four-tiered notched beams
- Easy-to-read vernier dial on model 310
- See-through poise on model 311
- Five year limited warranty



PART #	OHAUS MODEL#	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
33370	311-00	Cent-O-Gram® 311 Balance, 311g x 0.01g	5 lb	\$155.00
33371	310-00	Dial-O-Gram® 310 Balance, 310g x 0.01g	5 lb	195.00

All dimensions are approximate

OHAUS MECHANICAL HEAVY DUTY SOLUTION BALANCES

- Magnetic dampening
- Corrosion resistant
- Covered self-aligning bearings
- Unobstructed steel platform
- Lockable tree containers up to 2270g
- Five year limited warranty



PART #	OHAUS MODEL#	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
33378	1119-D0	20 kg x 1g	44 lb	\$985.00

All dimensions are approximate

OHAUS MECHANICAL FIELD-TEST SCALES

- Compact design
- Large, stabilized pan holds oversized samples without tipping
- Single sliding weight beam
- Slotted weights beam
- Reading up to 500g
- Housing dimensions: 19.5" W x 10" D x 10" H (495.3mm W x 254.0mm D x 254.0mm H)
- Five year limited warranty



PART #	OHAUS MODEL#	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
33379	2400-11	16 kg x 5g	24 lb	\$585.00
33380	2400-12	36 lb x 0.01 lb	24 lb	585.00

All dimensions are approximate

OHAUS ACCESSORIES

PART #	OHAUS MODEL#	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
33414	707-00	Metric attachment mass set	5 lb	\$27.00
33413	807-03	Avoirdupois attachment mass set	5 lb	27.00
33423	90524-66	115 VAC AC adapter for Scout, Navigator, CT, C, LS models	2 lb	25.00
33412	AS017-06	Cable to connect impact printer to all balances & 15S	2 lb	62.00
33405	78203-01	Printer ribbon for model AS123	1 lb	16.00
33404	78204-01	Impact printer paper for model AS123 (5-pack), 2.25" wide	1 lb	21.00
33417	183-00	Rod & clamp assembly for Triple Beam & Harvard Trip balances	4 lb	21.00
33420	76912-01	Test tube kit for the 310-00 & 311-00	3 lb	9.00
33440	107-00	Polypropylene scoop, 12" x 6" x 2.75", footed & counterweighted for Harvard Trip & Dial-O-Gram® 2000 balances	2 lb	16.00
33441	107-SO	Stainless steel scoop, 12" x 6" x 2.75" footed & counterweighted for Harvard Trip & Dial-O-Gram® 2000 balances	2 lb	37.00
33442	126-00	Aluminum scoop, 18.38" x 14.13" x 5.63", footed & slotted counterweighted for Heavy Duty Solution balance	2 lb	120.00
33444	170-00	Analytical scoop, 1.25" x 2" & counterweight	2 lb	16.00
33445	171-00	Analytical scoop, 2.25" x 3" & counterweight	2 lb	10.00
33446	703-00	Polypropylene scoop, 12" x 6" x 2.75", footed & counterweighted for Triple Beam balance without tare	2 lb	16.00
33447	703-SO	Stainless steel scoop, 12" x 6" x 2.75" footed & counterweighted for Triple Beam balance without tare	3 lb	37.00
33448	704-00	Polypropylene Maxi-Scoop®, 10" Ø x 2.5" deep with pouring spout & counterweight for Triple Beam balance	3 lb	16.00
33449	1078-03	Stainless steel scoop, 12" x 6" x 2.75", footed	4 lb	30.00
33450	1101-20	Polypropylene scoop, 12" x 6" x 2.75", footed, tare 125g	2 lb	10.00

All dimensions are approximate
 Ø = Diameter

(Continued on next page)


OHAUS ACCESSORIES (CONT.)

PART #	OHAUS MODEL#	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
33451	3369-10	Polypropylene Maxi-Scoop®, 10" Ø x 2.5" deep w/w pouring spout	1 lb	\$9.00
33452	4590-00	Gold scoop, 4" x 3.5"	1 lb	6.00
33453	4590-10	Aluminum scoop, 4" x 3.5"	1 lb	8.00
33454	4590-30	Black scoop, aluminum, 4" x 3.5"	1 lb	8.00
33455	5076-00	Aluminum scoop, 1.5" x 2"	1 lb	5.00
33456	5077-00	Gold scoop, 2.25" x 3"	1 lb	4.00
35263	76288-01	Security device for Scout, Navigator, MB, CT, C, Adventurer (4100g and smaller)	1 lb	30.00
33461	106-00	Vinyl dust cover for Harvard Trip balances	1 lb	10.00
33462	110-00	Vinyl dust cover for 310/311 balances	1 lb	10.00
33463	706-00	Vinyl dust cover for Triple Beam balance	1 lb	10.00

All dimensions are approximate
 Ø = Diameter

ACCULAB LA & LT SERIES BALANCES

- Standard RS-232 bi-directional interface
- 19 weighing modes including: g, kg, ct, lb, oz, tli, tis, tlt, gn, dwt, and mg
- CE mark declaration of conformance
- Glass draft shield on models up to and including 320 g
- Application programs: counting mass unit conversion, percentage, animal weighing, net total formulation
- Two year limited warranty
- Tare memory
- Large Liquid Crystal Display (LCD)
- Below balance weighing
- Level indicator
- Lock down capability
- Battery option
- Optional 230 VAC



PART#	ACCULAB MODEL#	DESCRIPTION	PAN SIZE	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
52357	LA-60	60g x 0.1mg	3.2" (80mm) Ø	16 lb	\$1,495.00
52358	LA-110	110g x 0.1mg	3.2" (80mm) Ø	16 lb	1,695.00
52359	LA-200	200g x 0.1mg	3.2" (80mm) Ø	16 lb	1,995.00
52361	LT-320	320g x 0.001g	4.5" (115mm) Ø	8 lb	995.00
52362	LT-620	620g x 0.01g	7"x7"(180mm x 180mm)	6 lb	895.00
52363	LT-3200	3200g x 0.01g	7"x7"(180mm x 180mm)	10 lb	1,095.00
52364	LT-4200	4200g x 0.1g	7"x7"(180mm x 180mm)	10 lb	950.00
52365	LT-7200	7200g x 0.1g	7"x7"(180mm x 180mm)	10 lb	1,150.00

All dimensions are approximate
 Ø = Diameter

ACCULAB VI SERIES BALANCES

- Two year limited warranty
- 115 VAC adapter included, 230 VAC optional
- 9V battery optional (not available on V-1mg or V-3mg)
- Four weighing modes (g, oz, ct, dwt)
- Parts counting (except V-1mg and V-3mg models)
- Overall size: (.01g + .1g models) 2.75" H x 5.25" W x 9.25" D (69.9mm H x 133.4mm W x 235mm D)
- Overall size: (.001g models) 4.5" H x 5.25" W x 9.25" D (69.9mm H x 133.4mm W x 235mm D)
- CE Mark Declaration of Conformance



VI-1mg



VI-400

All VIR models include the above PLUS these installed features:

- RS-232 bidirectional DB-9 pin serial interface
- Leveling feet
- Please note: These features are not field installable

PART#	ACCULAB MODEL#	DESCRIPTION	PAN SIZE	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
50205	VI-3mg	300g x 0.001g	3.2" (80mm) Ø	5 lb	\$500.00
50206	VI-1mg	120g x 0.001g	3.2" (80mm) Ø	5 lb	400.00
50207	VI-200	200g x 0.01g	4.3" (110mm) Ø	5 lb	275.00
50208	VI-350	350g x 0.01g	4.3" (110mm) Ø	5 lb	375.00
50209	VI-400	400g x 0.1g	5.25" (133mm) Sq	5 lb	150.00
50210	VI-600	600g x 0.1g	5.25" (133mm) Sq	5 lb	200.00
50211	VI-1200	1200g x 0.1g	5.25" (133mm) Sq	5 lb	250.00
50212	VI-2400	2400g x 0.1g	5.25" (133mm) Sq	5 lb	350.00
50213	VI-4800	4800g x 0.1g	5.25" (133mm) Sq	5 lb	425.00
50214	VI-4kg	4000g x 1.0g	5.25" (133mm) Sq	5 lb	150.00
50215	VI-6kg	6000g x 1.0g	5.25" (133mm) Sq	5 lb	200.00
50216	VI-10kg	10 kg x 1.0g	5.25" (133mm) Sq	5 lb	250.00
VIR MODELS					
50217	VIR-3mg	300g x 0.001g	3.2" (80mm) Ø	5 lb	575.00
50218	VIR-1mg	120g x 0.001g	3.2" (80mm) Ø	5 lb	475.00
50219	VIR-200	200g x 0.01g	4.3" (110mm) Ø	5 lb	350.00
50220	VIR-350	350g x 0.01g	4.3" (110mm) Ø	5 lb	450.00
50221	VIR-400	400g x 0.1g	5.25" (133mm) Sq	5 lb	225.00
50222	VIR-600	600g x 0.1g	5.25" (133mm) Sq	5 lb	275.00
50223	VIR-1200	1200g x 0.1g	5.25" (133mm) Sq	5 lb	325.00
50224	VIR-2400	2400g x 0.1g	5.25" (133mm) Sq	5 lb	425.00
50225	VIR-4800	4800g x 0.1g	5.25" (133mm) Sq	5 lb	500.00
50226	VIR-4 kg	4000g x 1.0g	5.25" (133mm) Sq	5 lb	225.00
50227	VIR-6 kg	6000g x 1.0g	5.25" (133mm) Sq	5 lb	275.00
50228	VIR-10 kg	10 kg x 1.0g	5.25" (133mm) Sq	5 lb	325.00

All dimensions are approximate
 Ø = Diameter

Balances

ACCULAB POCKET-PRO SERIES BALANCES

- Optional 9V battery power for models 150B and 250B (not on CRD-150)
- 115 VAC adapter included for 2060D (9V battery optional)
- Four weighing modes (g, oz, dwt, ozt) for PP150B, PP250B, CRD-150
- Overall Size: (2060D) (H x W x D) 1.4" x 3.5" x 5.4"
(35mm x 90mm x 135mm)
- Overall size: (150B and 250B) (H x W x D) 1" x 3" x 4.25"
(25.4mm x 7.62mm x 108mm)
- Overall size: (CRD-150) (H x W x D) 0.3" x 2.4" x 3.54"
(35.6mm x 88.9mm x 134.6mm)
- Two year limited warranty
- Battery only for CRD-150: uses two CR2032 batteries



CRD-150

PART #	ACCULAB MODEL#	DESCRIPTION	PAN SIZE	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
36950	PP-2060D	20/60g x 0.001/0.01g	2.4" x 3.2"	2 lb	\$395.00
36800	PP-250B	250g x 0.1g	3" x 3.25"	2 lb	150.00
51338	CRD-150	150g x 0.1g	2.2" x 2.4"	2 lb	125.00

All dimensions are approximate

ACCULAB GSI SERIES BALANCES

- 9V battery included
- AC adapter optional (115V or 230V)
- 0.5" (12.7mm) Liquid Crystal Display (LCD)
- Two weighing modes (g, oz)
- Overall size: 2.75" H x 5.25" W x 9.25" D
(69.9mm H x 133.4mm W x 235mm D)
- Two year limited warranty



GSI-200

PART #	ACCULAB MODEL#	DESCRIPTION	PAN SIZE	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
50229	GSI-200	200g x 0.1g	5.25" x 5.25"	3 lb	\$99.00
50230	GSI-2001	2000g x 1.0g	5.25" x 5.25"	3 lb	99.00

All dimensions are approximate

Acculab is a registered trademark of Globaltec Corporation

ACCULAB SV SERIES BALANCES

- Designed for light industrial applications
- 9V battery optional
- 115 VAC adapter included, 230 VAC optional
- Parts counting (5, 10, 25 or 50 fixed sample)
- Two weighing modes (kg, lb)
- Detached display head for easy viewing and remote operation
- 0.75" (19.05mm) Liquid Crystal Display (LCD)
- H=2.75" x W=12.5" x D=12"
- Two year limited warranty
- Primary units = kg Secondary units = lb



PART #	ACCULAB MODEL#	DESCRIPTION	PAN SIZE	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
40974	SV-30	66 lb x 0.01 lb 30 kg x 0.005 kg	12" x 12.5"	14 lb	\$350.00
40975	SV-50	110 lb x 0.02 lb 50 kg x 0.01 kg	12" x 12.5"	14 lb	375.00
40976	SV-100	220 lb x 0.05 lb 100 kg x 0.02 kg	12" x 12.5"	14 lb	400.00

All dimensions are approximate

ACCULAB ACCESSORIES

PART #	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
36803	120 VAC adapter for PP, SV, VI, VIR, GSI (2-pin U.S.)	1 lb	\$20.00
36804	220 VAC adapter for PP, SV, VI, VIR, GSI (2-pin Europe)	1 lb	20.00
36805	220 VAC adapter for PP, SV, VI, VIR, GSI (3-pin U.K.)	1 lb	20.00
36806	110 VAC adapter for PP, SV, VI, VIR, GSI (2-pin Japan)	1 lb	20.00
41939	220 VAC adapter for VA (2-pin Europe)	1 lb	75.00
41940	220 VAC adapter for VA (3-pin U.K.)	1 lb	75.00
41941	220 VAC adapter for VA (2-pin Japan)	1 lb	75.00
41942	220 VAC adapter for VA (2-pin Aus./N.Z.)	1 lb	75.00
36807	Carrying case for VI and GSI models	3 lb	40.00
32636	Battery pack for VA models	10 lb	400.00
36907	Data printer with statistics for Sartorius & Acculab	4 lb	745.00
51751	LC-1 lock down cable and padlock for LT, LA, VI, & VIR Series	2 lb	18.00
52366	LA/LT series 110V/60hz adapter USA 2-pin UL/CSA	1 lb	65.00
52367	LA/LT series 220V/50hz adapter Euro 2-pin CE	1 lb	65.00
52368	LA/LT series 220V/50hz adapter UK 3-pin CE	1 lb	75.00
52369	LA/LT series 220V/50hz adapter AUS/NZ 2-pin CE	1 lb	75.00
52370	LA/LT series battery pack	5 lb	375.00

Acculab is a registered trademark of Globaltec Corporation

F.O.B. Rice Lake, Wisconsin • March 1, 2001

© Rice Lake Weighing Systems 2001 • Prices & specifications subject to change without notice

SARTORIUS SUPER-MICRO BALANCES

- Seven Places (0.0000001g)
- **Pan size: 0.8" (20mm) Ø dia**
- Motorized weighing chamber
- Built-in automatic internal calibration with isoCAL software
- 110 or 220 VAC
- Standard RS-232 data interface (bidirectional)
- Four selectable vibration filters for fast stabilization in adverse conditions
- Three year limited warranty



PART #	MODEL	DESCRIPTION	CAL. WEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
50231	SC2	2.1g x 0.1µg	isoCAL	38 lb	\$17,295.00
<i>All dimensions are approximate</i>					

SARTORIUS MICRO BALANCES

- Six Places (0.000001g)
- **Pan size: .87" (22mm) Ø dia**
- Standard RS-232 data interface (bidirectional)
- 110 or 220 VAC
- Three year limited warranty



PART #	MODEL	DESCRIPTION	CAL. WEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
31015	M2P	500/1000/2000mg x 1.0/2.0/5.0µg (Replaces M5P)	2g	16 lb	\$9,795.00
31014	M5P-000V001	500/1000/1500mg x 1.0/2.0/5.0µg Filter Weigher	Int. Cal.	16 lb	10,995.00
33671	MC5	5g x 1µg	Int. Cal.	25 lb	13,495.00
52374	MC21S	21g x 1µg	Int. Cal.	25 lb	11,595.00
<i>All dimensions are approximate</i>					

SARTORIUS SEMI-MICRO BALANCES

- Five Places (0.00001g)
- **Pan size: 3.5" (90mm) Ø dia**
- Motorized, cylindrical glass draft chamber with 170° access
- Automatic internal calibration and linearization with 2 internal calibration weights
- Standard RS-232 data interface (bidirectional)
- Five application programs, including: mass unit conversion, counting, checkweighing, net totaling and % weighing
- 110 or 220 VAC
- Three year limited warranty
- Below balance weighing



PART #	MODEL	DESCRIPTION	CAL. WEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
31017	ME215P	60/110/210g x 0.01/0.02/0.05mg	isoCAL	27 lb	\$6,795.00
31018	ME215S	210g x 0.01mg	isoCAL	27 lb	7,795.00
32633	ME414S	410g x 0.1 mg	isoCAL	27 lb	6,395.00
66498	ME254S	250g x 0.1 mg	isoCAL	27 lb	5,745.00
<i>All dimensions are approximate</i>					

SARTORIUS ANALYTICAL BALANCES

- MCI technology
- **Pan size: 3.5" (90mm) Ø dia**
- Blacklit display with linear range and level indicator
- Oversized glass draft chamber with 3-way access
- Fully automatic internal calibration
- Standard RS-232 data interface (bi-directional)
- 110 or 220 VAC
- 13 application programs, including: mass unit conversion, counting, checkweighing, net totaling and % weighing
- Four selectable vibration filters for fast stabilization in adverse conditions
- Anti-theft lock-down ring
- Three year limited warranty
- Below balance weighing



PART #	MODEL	DESCRIPTION	CAL. WEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
49755	LA120S	120g x 0.1mg	isoCAL	17 lb	\$3,145.00
49751	LA230S	230g x 0.1mg	isoCAL	17 lb	3,695.00
49752	LA230P	60/120/230g x 0.1/0.2/0.5mg	isoCAL	17 lb	3,145.00
49753	LA310S	310g x 0.1mg	isoCAL	17 lb	4,295.00

All dimensions are approximate

SARTORIUS SEMI-MICRO AND ANALYTICAL BASIC PLUS

- Four to five places (0.0001g)
- **Pan size: 3.1" (79mm) Ø dia**
- Easy-access application programs: counting, % weighing, net totaling (Intelligent Filling Mode) & mass unit toggling (19 units)
- Smooth-track large, all-glass draft chamber for easy viewing, excellent draft protection & smooth sliding 3-way access doors
- Standard RS-232 data interface (bidirectional)
- 110 or 220 VAC
- Three year limited warranty
- Below balance weighing



PART #	MODEL	DESCRIPTION	CAL. WEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
43118	BP211D	80/210g x 0.01/0.1mg	Int. Cal	27 lb	\$3,995.00
30899	BP61S	61g x 0.1mg	Int. Cal	16 lb	2,195.00
44695	BP121S	120g x 0.1mg	Int. Cal	16 lb	2,565.00
44707	BP221S	220g x 0.1mg	Int. Cal	16 lb	3,115.00
42102	BP301S	300g x 0.1mg	Int. Cal	27 lb	3,795.00

All dimensions are approximate

SARTORIUS 1MG TOPLOADER BALANCES

- Three Places (0.001g)
- **Pan size: 5" (130 mm) Ø dia**
- Alphanumeric ID input (LP Series only)
- Detachable keyboard (LP Series only)
- IP54 Protection Rating (LP Series only)
- Standard RS-232 data interface (bidirectional)
- Five standard application programs, including: mass unit conversion, counting, checkweighing, net totaling, % weighing, & animal weighing
- LA models include these additional weighing programs: density determination, formulation—with gross, net & tare weights—statistics, counting with reference sample updating
- 110 or 220 VAC
- Three year limited warranty
- Below balance weighing



PART #	MODEL	DESCRIPTION	CAL. WEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
36886	LP220S	220g x 0.001g	isoCAL	13 lb	\$2,675.00
43551	LA220S	220g x 0.001g	isoCAL	13 lb	3,275.00
36889	LP620P	120/240/620 x 0.001/0.002/0.005g	isoCAL	13 lb	2,745.00
43552	LA620P	120/240/620 x 0.001/0.002/0.005g	isoCAL	13 lb	3,345.00
36887	LP620S	620g x 0.001g	isoCAL	13 lb	3,125.00
43553	LA620S	620g x 0.001g	isoCAL	13 lb	4,025.00
36888	LP1200S	1200g x 0.001g	isoCAL	15 lb	4,025.00
43554	LA1200S	1200g x 0.001g	isoCAL	15 lb	4,625.00
36890	LP3200D	1000/3200g x 0.001/0.01g	isoCAL	15 lb	4,195.00
43555	LA3200D	1000/3200g x 0.001/0.01g	isoCAL	15 lb	4,795.00

All dimensions are approximate

SARTORIUS 1MG TOPLOADER BASIC PLUS BALANCES

- Three Places (0.001g)
- **Pan size: 4.5" (114.3mm) Ø dia**
- Easy-access application programs: counting, % weighing, net totaling (Intelligent Filling Mode) & mass unit toggling (19 units)
- Standard RS-232 data interface (bidirectional)
- Cylindrical glass draft ring
- 110 or 220 VAC
- Three year limited warranty
- Below balance weighing



PART #	MODEL	DESCRIPTION	CAL. WEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
50674	BP150	150g x 0.001g	100g	8 lb	\$1,595.00
30975	BP310P	60/120/310g x 0.001/0.002/0.005g	200g	8 lb	1,695.00
30976	BP310S	310g x 0.001g	200g	8 lb	1,795.00
50675	BP410S	410g x 0.001g	200g	8 lb	1,895.00

All dimensions are approximate

SARTORIUS 10MG TOPLOADER BALANCES

- Two Places (0.01g)
- **Pan size: 8.5" x 8" (216mm x 203mm)**
- Alphanumeric ID input (LP Series only)
- Detachable keyboard (LP Series only)
- IP54 Protection Rating (LP Series only)
- Standard RS-232 data interface (bidirectional)
- Five standard application programs, including: mass unit conversion, counting, checkweighing, net totaling & % weighing
- LA models include these additional weighing programs: density determination, formulation—with gross, net & tare weights—statistics, counting with reference sample updating
- 110 or 220 VAC
- Three year limited warranty
- Below balance weighing



PART #	MODEL	DESCRIPTION	CAL. WEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
36891	LP420	420g x 0.01g	isoCAL	8 lb	\$1,945.00
43556	LA420	420g x 0.01g	isoCAL	8 lb	2,545.00
36892	LP820	820g x 0.01g	isoCAL	8 lb	2,275.00
43557	LA820	820g x 0.01g	isoCAL	8 lb	2,875.00
36896	LP2200P	400/800/2200g x 0.01/0.02/0.05g	isoCAL	8 lb	2,395.00
43558	LA2200P	400/800/2200g x 0.01/0.02/0.05g	isoCAL	8 lb	2,995.00
36893	LP2200S	2200g x 0.01g	isoCAL	8 lb	2,525.00
43559	LA2200S	2200g x 0.01g	isoCAL	8 lb	3,225.00
36894	LP4200S	4200g x 0.01g	isoCAL	13 lb	2,645.00
43560	LA4200S	4200g x 0.01g	isoCAL	13 lb	3,245.00
36897	LP5200P	1200/2400/3600/5200g x 0.01/0.02/0.05/0.1g	isoCAL	13 lb	2,675.00
51337	LA5200P	1200/2400/3600/5200g x 0.01/0.02/0.05/0.1g	isoCAL	15 lb	3,595.00
36895	LP6200S	6200g x 0.01g	isoCAL	15 lb	2,845.00
43561	LA6200S	6200g x 0.01g	isoCAL	15 lb	3,445.00
64105	LP8200P	2000/4000/8200g x 0.01/0.02/0.05g	isoCAL	15 lb	2,895.00
64103	LA8200P	2000/4000/8200g x 0.01/0.02/0.05g	isoCAL	15 lb	3,495.00
64102	LP8200S	8200g x 0.01g	isoCAL	15 lb	3,395.00
64104	LA8200S	8200g x 0.01g	isoCAL	15 lb	3,995.00

All dimensions are approximate

SARTORIUS 10MG TOPLOADER BASIC PLUS BALANCES

- Two Places (0.01g)
- Pan size: 3.5" (88.9mm) Ø dia (BP410 & BP610 models)
7" x 7" (177.8 x 177.8mm) (BP1200, BP2100S,
BP3100P, BP3100S models)
- Easy-access application programs: counting, % weighing,
net totaling (Intelligent Filling Mode) & mass unit toggling (19 units)
- Pinwheel pan supports—innovative auto-centering pan supports
that also act as lateral shock absorbers
- Standard RS-232 data interface (bidirectional)
- 110 or 220 VAC
- Three year limited warranty
- Below balance weighing



PART #	MODEL	DESCRIPTION	CAL. WEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
30993	BP410	410g x 0.01g	200g	8 lb	\$1,345.00
30994	BP610	610g x 0.01g	500g	8 lb	1,495.00
30995	BP1200	1200g x 0.01g	1 kg	11 lb	1,645.00
30996	BP2100S	2100g x 0.01g	2 kg	11 lb	1,745.00
30997	BP3100P	600/1200/3100 x 0.01/0.02/0.05g	2 kg	11 lb	1,745.00
30998	BP3100S	3100g x 0.01g	2 kg	11 lb	1,845.00
50676	BP4100S	4100g x 0.01g	2 kg	11 lb	1,945.00

All dimensions are approximate

SARTORIUS 0.1G TOPLOADER BALANCES

- One Place (0.1g)
- Pan size: 8.5" x 8" (216mm x 203mm)
- Alphanumeric ID input (LP Series only)
- Detachable keyboard (LP Series only)
- IP54 Protection Rating (LP Series only)
- Standard RS-232 data interface (bidirectional)
- Five standard application programs including:
mass unit conversion, counting, checkweighing,
net totaling, % weighing, & animal weighing
- LA models include additional weighing programs: density determination,
formulation—with gross, net & tare weights—
statistics, counting with reference sample updating
- 110 or 220 VAC
- Three year limited warranty
- Below balance weighing



PART #	MODEL	DESCRIPTION	CAL. WEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
36900	LP2200	2200g x 0.1g	isoCAL	8 lb	\$1,845.00
43562	LA2200	2200g x 0.1g	isoCAL	8 lb	2,445.00
36901	LP4200	4200g x 0.1g	isoCAL	9 lb	2,045.00
43563	LA4200	4200g x 0.1g	isoCAL	9 lb	2,645.00
36902	LP6200	6200g x 0.1g	isoCAL	9 lb	2,195.00
43564	LA6200	6200g x 0.1g	isoCAL	9 lb	2,795.00
36898	LP12000S	12000g x 0.1g	isoCAL	9 lb	2,995.00
43565	LA12000S	12000g x 0.1g	isoCAL	9 lb	3,595.00
36903	LP12000P	3000/6000/12000g x 0.1/0.2/0.5g	isoCAL	9 lb	2,845.00
43566	LA12000P	3000/6000/12000g x 0.1/0.2/0.5g	isoCAL	9 lb	3,445.00

All dimensions are approximate

SARTORIUS 0.1G TOPLOADER BASIC PLUS BALANCES

- One Place (0.1g)
- IP54/NEMA 12 rated
- **Pan size: 8.25" x 7" (209.6mm x 177.8mm)**
- Easy-access application programs: counting, % weighing, net totaling (Intelligent Filling Mode) & mass unit toggling (19 units)
- Pinwheel pan supports—innovative auto-centering pan supports that also act as lateral shock absorbers
- Standard RS-232 data interface (bidirectional)
- 110 or 220 VAC
- Three year limited warranty
- Below balance weighing



PART #	MODEL	DESCRIPTION	CAL. WEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
31007	BP2100	2100g x 0.1g	1 kg	9 lb	\$1,345.00
31008	BP4100	4100g x 0.1g	2 kg	9 lb	1,445.00
31009	BP6100	6100g x 0.1g	5 kg	9 lb	1,745.00
31010	BP8100	8100g x 0.1g	5 kg	12 lb	1,895.00

All dimensions are approximate

SARTORIUS HIGH-CAPACITY BALANCES

- Zero and One Places (1g & 0.1g)
- **Pan size: 16.5" x 12" (417mm x 307mm)**
- Alphanumeric ID input (LP Series only)
- Detachable display (LP Series only)
- IP54 Protection Rating (LP Series only)
- Standard RS-232 data interface (bidirectional)
- Five standard application programs including: mass unit conversion, counting, checkweighing, net totaling, % weighing, and animal weighing
- Optional battery pack
- LA models include these additional weighing programs: density determination, formulation—with gross, net & tare weights—statistics, counting with reference sample updating, & IP65 Protection Rating
- 110 or 220 VAC
- Three year limited warranty



PART #	MODEL	DESCRIPTION	CAL. WEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
43567	LA16000S	16,000g x 0.1g	isoCAL	33 lb	\$4,195.00
36899	LP16000S	16,000g x 0.1g	isoCAL	33 lb	3,595.00
43568	LA34	34,000g x 1g	isoCAL	33 lb	3,495.00
36905	LP34	34,000g x 1g	isoCAL	33 lb	2,895.00
43569	LA34000P	8000/16,000/34,000g x 0.1/0.2/0.5g	isoCAL	33 lb	4,195.00
36904	LP34000P	8000/16,000/34,000g x 0.1/0.2/0.5g	isoCAL	33 lb	3,595.00

All dimensions are approximate

SARTORIUS BASIC PLUS HIGH-CAPACITY BALANCES

- Zero and One Places (1g & 0.1g)
- IP54 protection rating to withstand dust & moisture
- **Pan size: 16.5" x 12" (419mm x 304.8mm)**
- Easy-access application programs: counting, % weighing, animal weighing, net totaling (Intelligent Filling Mode) & unit toggling (19 units of measure)
- Standard RS-232 data interface (bidirectional)
- Optional battery pack
- 110 or 220 VAC
- Three year limited warranty



PART #	MODEL	DESCRIPTION	CAL. WT	SHIP WT	SUGGESTED LIST PRICE
43550	BP12000S	12000g x 0.1g	10 kg	40 lb	\$2,695.00
32630	BP16000S	16000g x 0.1g	10 kg	40 lb	2,895.00
32631	BP34000P	8/16/34kg x 0.1/0.2/0.5g	10 kg	40 lb	3,095.00
32632	BP34	34kg x 1g	10 kg	40 lb	2,795.00

All dimensions are approximate

SARTORIUS EXPLOSION-PROOF BALANCES

- Capacity up to 12 kg and resolution down to 1 mg
- All models feature "isoTEST"—fully automatic internal calibration
- Choice of safe or hazardous area power supply (must be ordered with scale; see below for part numbers)
- Multiple weighing applications are standard
- **Pan Size: 5.1" Ø dia for FC06BBE-SX
8.6" x 7.9" for FC2CCE-SX,
FC6CCE-SX, FC12CCE-SX
9" Ø dia for PMA Series**
- Factory Mutual Approved for use in Class 1, Division 1, Groups ABCD hazardous environments
- 13 built-in application programs including: counting, net-totalling, % weighing, over/under checkweighing, averaging, mass unit conversions, statistics, formulation, timer function, calculation, preset tare, density determination, and 300 product data memory



PMA-X Balances:

- PMA7500-X Explosion Proof Scale is rated for Class 1, Division 1, Groups CD
- PMA-X scales come standard with a non-hazardous power supply (no options)
- Two year limited warranty

PART #	MODEL	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
46512	FC06BBE-SX	600g x 0.001g	14 lb	\$4,145.00
46513	FC2CCE-SX	2200g x 0.01g	17 lb	3,695.00
46514	FC6CCE-HX	6200g x 0.01g	20 lb	3,895.00
46515	FC6CCE-SX	6200g x 0.1g	15 lb	3,595.00
46516	FC12CCE-SX	12000g x 0.1g	20 lb	3,895.00
34303*	PMA7500-X	7500g x 0.1g	20 lb	2,495.00
48131*	PMA7500-X	900/7500g x .05/.1g	20 lb	3,495.00

(Continued on next page)

All dimensions are approximate

* Safe area power supply included. Not available with hazardous area power supply.

SARTORIUS EXPLOSION-PROOF BALANCES (CONT.)

PART#	DESCRIPTION	SUGGESTED LIST PRICE
OPTIONS/ACCESSORIES		
36955 PMACom Kit-2X,RS-232 output for PMA7500 for non-hazardous areas	\$495.00
46517 65 cable, safe area power supply, YPS02-ZKR, 110 VAC only	1,045.00
46518 Hazardous area power supply, YPS02-XKR, 110 VAC only	1,495.00
46519 Zener barrier (4x data lines), YD102-Z	825.00
46520 Zener barrier (4x data/ 4x control lines), YD103-Z	995.00
46521 T-Connector, YTE02-X	525.00
46522 Foot Switch, YPE05-X	295.00

SARTORIUS PRINTERS, SUPPLIES, SOFTWARE, CABLES

PART #	MODEL	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
36907 YDP03-OCE	... Data printer with statistics	4 lb \$745.00
31103 YPPO1 Standard size printer paper, 45'/roll, 5 rolls/pack	1 lb 17.00
31104 YPPO2 Extra-long printer paper 165'/roll, 5 rolls/pack	1 lb 20.00
31105 6971173 Power adapter for YDP03-OCE	2 lb 60.00
31106 YPRO1 Ribbon for printer YDP02/YDP03	1 lb 22.00
32638 72US1010.3	... Wedge software, 3.5" x 5.25" disks (DOS & Windows®)	2 lb 275.00
31109 72602 9-pin & 25-pin interfacing cable, 5' length (IBM compatible)	2 lb 50.00
31110 72602.10 9-pin & 25-pin interfacing cable, 10' length (IBM compatible)	2 lb 80.00

All dimensions are approximate

RECHARGEABLE BATTERY PACKS & POWER ADAPTERS

PART #	MODEL	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
31071 YRB05Z Battery pack for all MC, RC, AC & LA, LP, BP series less than 16kg	5 lb \$425.00
32636 YRB06Z Battery pack for all QS, QC, LA, LP & LA, LP & BP series over 12kg	10 lb 400.00
50232 6971413 Adapter 110V for BP and LC models under 12 kg; All EA, EB, YOP03-OCE, MC, PT, QT, AC, BA, Series ..	2 lb 74.00
31075 6971412 Adapter 220V for PT, AC, LC, BA & BP models	2 lb 85.00
31077 6971480 Adapter 110V for RC models	5 lb 150.00
31078 6971476 Adapter 220V for RC models	5 lb 175.00
31079 6971500 Adapter 110V BP and LC models 12 kg and higher, all QS models	5 lb 130.00
31080 6971899 Adapter 220V (IP65) for high- capacity LC & QS models	5 lb 195.00
31081 6970903 Adapter with adjustable voltage for M2P & M5P-00V0001 models	5 lb 125.00
50233 6971947 Adapter 110V for BL Series	2 lb 48.00
65358 6971887 Power supply for LA & LP Series	2 lb 74.00

SARTORIUS DENSITY DETERMINATION KIT

- Includes hardware to measure solids with a density less than 1
- Specially-designed glass plummet for easy, accurate measurement of liquids
- Compatible with RC, MC, AC 1mg LC and BP (210S/110S/160P/61/210D & 300S) models

PART #	MODEL	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
31082	YDK01	Density kit for MC210S, MC210P, MC410S, BP111S, BP161P, BP211D, BP301S, LC221S, LC621S, LC621P, LC1201S, LC3201D, AC & RC series	5 lb	\$495.00
43549	YDKO1LP	Density kit for LA/LP220S, LA/LP620P, LA/LP620S, LA/LP1200S, LA/LP3200D	5 lb	495.00

SARTORIUS MOISTURE ANALYZER SUPPLIES

PART #	MODEL	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
31084	6906940	Glass fiber filters, 90mm dia., 80/pkg.	1 lb	\$45.00
31085	6965542US	Aluminum dishes, 50/pkg.	2 lb	38.00

All dimensions are approximate

SARTORIUS ANTI-THEFT LOCKING DEVICES

PART #	MODEL	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
32637	LD2	Anti-theft lock-down cable & padlock, fits all balance models	5 lb	\$55.00

SARTORIUS DRAFT CHAMBERS/SHIELDS

PART #	MODEL	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
31087	YDS01BP	Square chamber for all BP 1 mg balances	7 lb	\$495.00
43548	YDS01LP	For all LA & LP 1 mg balances	7 lb	495.00

SARTORIUS DUST COVERS

PART #	MODEL	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
31135	6960LC01	In-use cover for LC series with round pan	1 lb	Consult Factory
31136	690BP04	Overnight cover for BP analytical series	1 lb	Consult Factory
31137	690BP03	In-use cover for 100mg toploading BP models	1 lb	Consult Factory
31138	690BP02	In-use cover for 10mg toploading BP models	1 lb	Consult Factory
31142	YDC02BA	In-use cover for toploading BA models with square pans	1 lb	Consult Factory

SARTORIUS BL SERIES PORTABLE TOPLOADERS

- High-grade stainless steel weighing pans
- Easy-to-read Liquid Crystal Display (LCD)
- Five application programs including: mass unit conversion, counting, animal weighing, net totaling and % weighing
- Optional RS-232 data interface (bidirectional)
- Optional commercial 9V battery, internal, for portable use (except BL150S)
- Optional external battery pack
- **Pan Size: 3.9" Dia with glass draft shield (BL150S)**
 - 4.6" Dia (BL 610, BL310, BL150)
 - 6.9" x 5.6" (BL1500S, BL6100, BL3100, BL1500, BL600, BL12, BL6, BL3)
- 110 or 220 VAC optional
- Weighs in 19 different units
- Three year limited warranty



PART #	MODEL	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
45749	BL150S	150g x 0.001g	5 lbs	\$995.00
45750	BL1500S	1500g x 0.01g	5 lbs	1,175.00
45751	BL610	610g x 0.01g	5 lbs	945.00
45752	BL310	310g x 0.01g	5 lbs	695.00
45753	BL150	150g x 0.01g	5 lbs	595.00
45754	BL6100	6100g x 0.1g	5 lbs	1,225.00
45755	BL3100	3100g x 0.1g	5 lbs	795.00
45756	BL1500	1500g x 0.1g	5 lbs	645.00
45757	BL600	600g x 0.1g	5 lbs	545.00
45758	BL12	12000g x 1g	8 lbs	895.00
45759	BL6	6000g x 1g	8 lbs	645.00
45760	BL3	3000g x 1g	8 lbs	525.00

OPTIONS/ACCESSORIES

45761	RS-232 bidirectional interface, YDO01BL	170.00
45762	Battery pack, YRB072Z	275.00
45763	Carrying case for BL balance and external battery	230.00
45764	In-use dust cover for BL150, BL150S, BL310, BL610	25.00
45765	In-use dust cover for BL1500, BL1500S, BL12, BL3, BL3100, BL6, BL600, BL6100, YDC01BL	25.00
50233	Adapter 110V for BL models	48.00
52373	Data printer, YDPO4 for BL models	495.00

All dimensions are approximate

SARTORIUS BL ANALYTICAL BALANCES

- Optional RS-232 data interface (bidirectional)
- Optional external battery pack
- Five application programs including: mass unit conversion, counting, animal weighing, net totaling and % weighing
- High-grade stainless steel weighing pans
- Easy-to-read Liquid Crystal Display (LCD)
- Glass draft chamber
- Pan Size: 3.15 Ø
- 110 or 220 VAC optional
- Three year limited warranty



PART #	MODEL	CAPACITY	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
61158	BL60S	60g x 0.1mg	12 lb	\$1,685.00
61159	BL120S	120g x 0.1mg	12 lb	1,845.00
61160	BL210S	210g x 0.1mg	12 lb	2,195.00

All dimensions are approximate

SARTORIUS EXPRESS SERIES

- Speed-up technology produces high-speed weighing in 0.5 second
 - Bidirectional RS-232 interface is standard for easy transfer of data to a printer or computer
 - Backlit Liquid Crystal Display (LCD)
 - Rugged construction with overload protection up to two times scale capacity
 - Generous-sized stainless steel weighing platforms
 - Clearly marked function keys for easy operation
 - Capable of generating printout for tare/net/gross values
 - IP54 Protection Rating
- EB Scales with Applications**
- Parts counting
 - Percent weighing
 - Animal weighing (averaging)
 - Toggling between two units of measure
 - Calculation by a factor (8 factory preset calculations from x 0.25 to x 5)
 - Toggling between gross/net values
 - 110 or 220 VAC optional
 - Two year warranty
 - Below balance weighing (not available on FEG models)
 - IP54 Protection Rating



PART #	MODEL	DESCRIPTION	PLATFORM SIZE	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
47095	EB6DCE-LOUR	6 kg x 1g			
		13 lb x 0.002 lb	12.6" x 9.4"	11 lb	\$795.00
47097	EB12DCE-LOUR	12 kg x 2g			
		26 lb x 0.005 lb	12.6" x 9.4"	11 lb	795.00
47099	EB30EDE-LOUR	30 kg x 5g			
		66 lb x 0.01 lb	15.7" x 11.8"	18 lb	895.00
47101	EB60EDE-LOUR	60 kg x 10g			
		132 lb x 0.02 lb	15.7" x 11.8"	18 lb	895.00
47103	EB60FEG-LOUR	60 kg x 10g			
		132 lb x 0.02 lb	19.7" x 15.7"	53 lb	1,095.00
47105	EB120FEG-LOUR	120 kg x 20g			
		264 lb x 0.05 lb	19.7" x 15.7"	53 lb	1,095.00

HIGH RESOLUTION

47106	EA6DCE-IOUR	6 kg x 0.2g			
		13 lb x 0.0005 lb	12.6" x 9.4"	11 lb	995.00

(Continued on next page)

SARTORIUS EXPRESS SERIES (CONT.)

PART #	MODEL	DESCRIPTION	PLATFORM SIZE	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
HIGH RESOLUTION (CONT.)					
47108	EA15DCE-IOUR	15 kg x 0.5g 33 lb x 0.001 lb	12.6" x 9.4"	11 lb	\$995.00
47110	EA35EDE-IOUR	35 kg x 1g 77 lb x 0.002 lb	15.7" x 11.8"	18 lb	1,125.00
47112	EA60EDE-IOUR	60 kg x 2g 132 lb x 0.005 lb	15.7" x 11.8"	18 lb	1,125.00
47114	EA60FEG-IOUR	60 kg x 2g 132 lb x 0.005 lb	19.7" x 15.7"	53 lb	1,395.00
47116	EA150FEG-IOUR	150 kg x 5g 330 lb x 0.01 lb	19.7" x 15.7"	53 lb	1,395.00
47107	EB6DCE-IOUR	6 kg x 0.2g 13 lb x 0.0005 lb	12.6" x 9.4"	11 lb	1,145.00
47109	EB15DCE-IOUR	15 kg x 0.5g 33 lb x 0.001 lb	12.6" x 9.4"	11 lb	1,145.00
47111	EB35EDE-IOUR	35 kg x 1g 77 lb x 0.002 lb	15.7" x 11.8"	18 lb	1,275.00
47113	EB60EDE-IOUR	60 kg x 2g 132 lb x 0.005 lb	15.7" x 11.8"	18 lb	1,275.00
47115	EB60FEG-IOUR	60 kg x 2g 132 lb x 0.005 lb	19.7" x 15.7"	53 lb	1,545.00
47117	EB150FEG-IOUR	150 kg x 5g 330 lb x 0.01 lb	19.7" x 15.7"	53 lb	1,545.00

OPTIONS/ACCESSORIES

46523	Strip and Label Printer, YDP01IS	975.00
36907	Statistical Data Printer, with statistics and time/date functions, 1.5m cable, YDP03-OCE	745.00
46524	Column for display on DCE platform models (325mm = 12.8" high), YDH01EA	75.00
46525	Column for display EDE platform models (500mm = 19.7" high), YDH02EA	75.00
46527	Display holder for wall or bench mount, YDH03EA	85.00
31071	External rechargeable battery pack, approx. 48 hours of operation, YRB05Z	425.00
46526	Column for display on FEG platform models (750mm = 29.5" high), YDH04EA	145.00
46528	T-connector, YTC01	215.00
46529	Foot Switch, including T-connector, YFS01	265.00
46530	Hand Switch, including T-connector, YHS01	265.00
46531	EADust Cover, for all EA/EB displays, YDC01EA	30.00
31103	Paper, for TDPO3-OCE printer (5 pack), YPP02	17.00
31106	Replacement ribbon for YDP03-OCE printer, YPR01	22.00
31075	Power Supply for use with YDP03-OCE, 6971413, 220 VAC	85.00
50232	Adapter 110 VAC for EA, EB and YDP03-OCE	74.00
52373	Data printer, YDP04 for EA/EB models	495.00

All dimensions are approximate

SARTORIUS HIGH RESOLUTION INDUSTRIAL BALANCE

- IP65 protection rating for washdown and dust tight environment
- Counting, checkweighing and accumulation programs
- Standard post mount display
- Cast aluminum base with solvent resistant epoxy coating
- **Pan size: 12.6" x 9.5" (320.4mm x 241.3mm)**
- Removable display: up to 2.5"
- 110 or 220 VAC



PART #	MODEL	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
52841	QC5DCE-SOUR	5kg x 0.1g	10 lb	\$1,445.00

F.O.B. Rice Lake, Wisconsin • March 1, 2001