

ROUGHDECK™ ROUGH-N-READY

- Four NTEP-certified alloy steel, welded seal, shear beam load cells
- All-inclusive FIVE YEAR limited warranty on RoughDeck only
- Heavy-duty industrial design
- Rugged diamond safety treadplate deck
- Rigid structural steel channel frame
- Four adjustable stainless steel SUREFOOT™ support feet
- Signal trim summing board
- Threaded eyebolt holes for easy lifting
- Four corner overload stops (Canadian versions only)
- Level bubble (Canadian versions only)
- 20 ft SURVIVIOR® EL147HE hostile environment load cell cable
- FM-approved load cells



(Shown with optional RoughDeck floor stand for indicator. Set-up calibration is done at Rice Lake Weighing Systems. Package includes 4 x 4 RoughDeck only 5,000 lb and 10,000 lb capacities.)



Measurement
Canada
Approved**

Choice of 3 Quality Indicators



IQ plus 355

IQ plus 390-DC

IQ plus 590-DC

PART#	FLOOR SCALE CAPACITY	INDICATOR	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
4' X 4' ROUGHDECK™ INDICATOR PACKAGE WITH TILT STAND				
53423	5,000 lb	IQ plus 590, 115 VAC	405 lb	\$1,995.00
53424	5,000 lb	IQ plus 390, 115 VAC	405 lb	1,910.00
53425	5,000 lb	IQ plus 355, 115 VAC	405 lb	1,825.00
53429	5,000 lb	IQ plus 590, 230 VAC	405 lb	2,025.00
53430	5,000 lb	IQ plus 390, 230 VAC	405 lb	1,940.00
53431	5,000 lb	IQ plus 355, 230 VAC	405 lb	1,825.00
53420	10,000 lb	IQ plus 590, 115 VAC	405 lb	1,995.00
53421	10,000 lb	IQ plus 390, 115 VAC	405 lb	1,910.00
53422	10,000 lb	IQ plus 355, 115 VAC	405 lb	1,825.00
53426	10,000 lb	IQ plus 590, 230 VAC	405 lb	2,025.00
53427	10,000 lb	IQ plus 390, 230 VAC	405 lb	1,940.00
53428	10,000 lb	IQ plus 355, 230 VAC	405 lb	1,825.00

**** Consult factory for Canadian Legal-For-Trade versions.**

OPTIONS/ACCESSORIES

18777	Floor anchor plates, mild steel (set of two)	24.00
18803	4 drilled deck holes for scale height adjustment	40.00
19352	RoughDeck floor stand for indicator, 36.3" high, mild steel	195.00
66662	Additional operating manual	10.00

IQ PLUS 355, 390-DC OR 590-DC INDICATOR:

43381	Analog output: selectable 0-10V, 4-20mA, IQ plus 355 only	250.00
52948	Panel mount kit, IQ plus 355 only	65.00
46030	Revolution Scaleware™ software	No Charge
51980	Additional operating manual, IQ plus 355	35.00
43544	Additional operating manual, IQ plus 390-DC	35.00
51778	Additional operating manual, IQ plus 590-DC	35.00

Access Ramps and Pit Frames available. See price page 78.

ROUGHDECK™ HP FLOOR SCALE

NEW!

- Four NTEP-certified alloy steel, welded seal, shear beam load cells
- Unique side-entry "integral" aluminum J-box with quick disconnect
- All-inclusive five year limited warranty on all parts
- Rugged diamond safety treadplate deck
- Rigid structural steel channel frame
- Four adjustable stainless steel SUREFOOT™ support feet
- Threaded eyebolt holes for easy lifting
- Measurement Canada Approved



Measurement
Canada
Approved

PART #	SIZE (W x L x H)	CAPACITY	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
66320*	3' x 3' x 3.5"	1000 lb	232 lb	\$1,410.00
66319*	4' x 4' x 3.5"	1000 lb	375 lb	1,740.00
66318†	2.5' x 2.5' x 3.5"	2000 lb	173 lb	1,410.00
66317†	3' x 3' x 3.5"	2000 lb	232 lb	1,410.00
66316	4' x 4' x 3.5"	5000 lb	375 lb	1,510.00
66315	4' x 4' x 3.5"	10,000 lb	375 lb	1,510.00
66314	4' x 5' x 3.5"	5000 lb	437 lb	1,660.00
66313	4' x 5' x 3.5"	10,000 lb	567 lb	1,910.00
66312	4' x 6' x 3.5"	5000 lb	510 lb	1,810.00
66311	4' x 6' x 3.5"	10,000 lb	656 lb	2,100.00
66310	5' x 5' x 3.5"	5000 lb	541 lb	1,840.00
66309	5' x 5' x 3.5"	10,000 lb	696 lb	2,150.00
66308	5' x 6' x 3.5"	5000 lb	646 lb	2,030.00
66307	5' x 6' x 3.5"	10,000 lb	821 lb	2,380.00
66306	5' x 7' x 3.5"	5000 lb	734 lb	2,210.00
66305	5' x 7' x 3.5"	10,000 lb	929 lb	2,610.00

* Special load cells and feet to achieve 5000d NTEP certification, please consult factory for additional pricing. † Not recommended for use with pallet jacks

**CANADIAN WEIGHTS & MEASURES CERTIFIED

66464	3' x 3' x 3.5"	1000 kg	232 lb	1,410.00
66465	4' x 4' x 3.5"	2500 kg	375 lb	1,510.00
66466	4' x 4' x 3.5"	5000 kg	375 lb	1,510.00
66467	5' x 5' x 3.5"	2500 kg	541 lb	1,840.00
66468	5' x 5' x 3.5"	5000 kg	696 lb	2,150.00
66469	5' x 7' x 3.5"	2500 kg	934 lb	2,210.00
66470	5' x 7' x 3.5"	5000 kg	929 lb	2,610.00

** Includes four corner overload stops and level bubble.

OPTIONS/ACCESSORIES

18777	Floor anchor plates, mild steel (set of two)	24.00
18778	Floor anchor plates, stainless steel (set of two)	30.00
18803	4 drilled deck holes for scale height adjustment	40.00
19352	RoughDeck floor stand for indicator, 36.3" high, mild steel	195.00
66662	Additional operating manual	10.00
MS-1*	Mild steel deck with stainless steel load cells, junction box, and hardware	+800.00 list price adder
MS-2*	Mild steel deck with welded seal stainless steel load cells, junction box, and hardware	+1,300.00 list price adder
MS-3	Mild steel deck with Sensortronics Factory Mutual-Approved load cells, junction box, and hardware (Contact Intrinsically Safe Specialist for WS900 system approved load cells)	+500.00 list price adder
MS-4	Mild steel deck with Sensortronics Factory Mutual-Approved junction box and load cells	+600.00 list price adder

(Continued on next page)

Access Ramps and Pit Frames available. See price page 78.

* Load cell and junction box substitution.

ROUGHDECK™ HP (CONT.)

PART #	DESCRIPTION	SUGGESTED LIST PRICE
MS-5*	Mild steel deck with Sensortronics Factory Mutual-Approved stainless steel load cells (Contact Intrinsically Safe Specialist for WS900 system approved load cells)	+850.00 list price adder
MS-6*	Mild steel deck with Sensortronics Factory Mutual-Approved junction box and stainless steel load cells	+1,250.00 list price adder
MS-8*	Mild steel deck with Sensortronics Factory Mutual-Approved junction box and HE load cells	+1,750.00 list price adder
MS-9	Mild steel deck with NEMA 4X stainless steel junction box ...	+125.00 list price adder
MS-11	Top access J-box	+395.00 list price adder
MS-12	Forklift channel option(up to 5' x 7' 10K, accomodates fork tines no larger than 5" W and 2" H)	+235.00 list price adder

Access Ramps and Pit Frames available. See price page 78.

* Load cell and junction box substitution.

ROUGHDECK™ HP-H HEAVY CAPACITY FLOOR SCALE

NEW!

- Four NTEP-certified alloy steel, welded seal, shear beam load cells
- Unique side-entry "integral" aluminum J-box with quick disconnect
- All-inclusive five year limited warranty on all parts
- Rugged diamond safety treadplate deck
- Rigid structural steel channel frame
- Four adjustable stainless steel SUREFOOT™ support feet
- Threaded eyebolt holes for easy lifting



PART #	SIZE (W x L x H)	CAPACITY	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
20K MODELS: (MILD STEEL ONLY)				
66474	4' x 4' x 4"	20,000 lb	601 lb	\$2,650.00
66475	4' x 5' x 4"	20,000 lb	775 lb	2,850.00
66476	4' x 6' x 4"	20,000 lb	926 lb	3,050.00
66477	4' x 7' x 4"	20,000 lb	1135 lb	3,250.00
66478	5' x 5' x 4"	20,000 lb	926 lb	3,150.00
66479	5' x 6' x 4"	20,000 lb	1104 lb	3,350.00
66480	5' x 7' x 4"	20,000 lb	1377 lb	3,550.00
66481	6' x 6' x 4"	20,000 lb	1319 lb	3,650.00
66482	6' x 8' x 4"	20,000 lb	1861 lb	4,250.00
66483	7' x 9' x 4"	20,000 lb	2408 lb	5,350.00
66484	7' x 10' x 4"	20,000 lb	2959 lb	5,750.00
66485	8' x 10' x 4"	20,000 lb	3108 lb	6,000.00
30K MODELS: (MILD STEEL ONLY)				
66486	4' x 4' x 5"	30,000 lb	675 lb	2,950.00
66487	4' x 5' x 5"	30,000 lb	839 lb	3,150.00
66488	4' x 6' x 5"	30,000 lb	1071 lb	3,350.00
66489	4' x 7' x 5"	30,000 lb	1200 lb	3,550.00
66490	5' x 5' x 5"	30,000 lb	1021 lb	3,450.00
66491	5' x 7' x 5"	30,000 lb	1448 lb	3,850.00
66492	6' x 6' x 5"	30,000 lb	1438 lb	3,950.00
66493	7' x 10' x 5"	30,000 lb	3372 lb	6,350.00
66494	8' x 10' x 5"	30,000 lb	3699 lb	6,750.00

(Continued on next page)

ROUGHDECK™ HP-H (CONT.)

PART #	DESCRIPTION	SUGGESTED LIST PRICE
OPTIONS/ACCESSORIES		
40387	Mounting plate, mild steel, 20K capacity models (optional)	\$40.00
40388	Mounting plate, mild steel, 30K capacity models (optional)	40.00
19352	RoughDeck floor stand for indicator, 36.3" high, mild steel	195.00
66662	Additional operating manual	10.00
MS-1*	Mild steel deck with stainless steel load cells, junction box, and hardware	+800.00 list price adder
MS-2*	Mild steel deck with welded seal stainless steel load cells, junction box, and hardware	+1,300.00 list price adder
MS-3*	Mild steel deck with Sensortronics Factory Mutual-Approved load cells, junction box, and hardware (Contact Intrinsically Safe Specialist for WS900 system approved load cells)	+900.00 list price adder
MS-4*	Mild steel deck with Sensortronics Factory Mutual-Approved junction box and load cells	+1,050.00 list price adder
MS-5*	Mild steel deck with Sensortronics Factory Mutual-Approved stainless steel load cells (Contact Intrinsically Safe Specialist for WS900 system approved load cells)	+1,285.00 list price adder
MS-6*	Mild steel deck with Sensortronics Factory Mutual-Approved junction box and stainless steel load cells	+1,600.00 list price adder
MS-8*	Mild steel deck with Sensortronics Factory Mutual-Approved junction box and HE load cells	+1,750.00list price adder
MS-9	Mild steel deck with NEMA 4X stainless steel junction box	+125.00 list price adder
MS-10	Epoxy paint	+90.00 list price adder
MS-11	Top access J- box	+385.00 list price adder
* Load cell and junction box substitution.		

ROUGHDECK™ HP-H ACCESS RAMPS/PIT FRAMES

PART # 20K	SIZE	CAPACITY	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
ACCESS RAMPS				
20K: (W x *L x H)				
39585	4' x 4' x 4"	20,000 lb	487 lb	\$700.00
39586	5' x 4' x 4"	20,000 lb	591 lb	800.00
39587	6' x 4' x 4"	20,000 lb	689 lb	850.00
39588	7' x 4' x 4"	20,000 lb	822 lb	990.00
39589	8' x 4' x 4"	20,000 lb	1005 lb	1,100.00
30K: (W x *L x H)				
39590	4' x 5' x 5"	30,000 lb	666 lb	875.00
39591	5' x 5' x 5"	30,000 lb	806 lb	975.00
39592	6' x 5' x 5"	30,000 lb	942 lb	1,075.00
39593	7' x 5' x 5"	30,000 lb	1116 lb	1,225.00
39594	8' x 5' x 5"	30,000 lb	1337 lb	1,425.00
* Approach length				
NOTE: match width of ramp with width of scale.				
PIT FRAMES				
20K:				
39595	4' x 4'	20,000 lb	309 lb	440.00
39596	4' x 5'	20,000 lb	352 lb	470.00
39597	4' x 6'	20,000 lb	391 lb	515.00
39598	4' x 7'	20,000 lb	459 lb	590.00
39599	5' x 5'	20,000 lb	411 lb	540.00
39600	5' x 6'	20,000 lb	460 lb	620.00
39601	5' x 7'	20,000 lb	473 lb	640.00
39602	6' x 6'	20,000 lb	583 lb	730.00
39603	6' x 7'	20,000 lb	597 lb	760.00
39604	6' x 8'	20,000 lb	610 lb	800.00

(Continued on next page)

ROUGHDECK™ HP-H HEAVY CAPACITY (CONT.)

PART # 20K	SIZE	CAPACITY	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
PIT FRAMES				
20K:				
39605	7' x 9'	20,000 lb	683 lb	\$855.00
39606	7' x 10'	20,000 lb	781 lb	900.00
39607	8' x 10'	20,000 lb	795 lb	940.00
30K:				
39608	4' x 4'	30,000 lb	356 lb	530.00
39609	4' x 5'	30,000 lb	402 lb	560.00
39610	4' x 6'	30,000 lb	444 lb	610.00
39611	4' x 7'	30,000 lb	516 lb	680.00
39612	5' x 5'	30,000 lb	464 lb	640.00
39614	5' x 7'	30,000 lb	533 lb	730.00
39615	6' x 6'	30,000 lb	643 lb	850.00
39619	7' x 10'	30,000 lb	850 lb	950.00
39620	8' x 10'	30,000 lb	875 lb	990.00

ROUGHDECK™ HP ACCESS RAMPS & PIT FRAMES



Access Ramp



Pit Frame

PART #	SIZE (W x L x H)	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
ACCESS RAMPS - STRUCTURAL STEEL; DIAMOND TREADPLATE STANDARD**			
18779*	2.5' x 3' x 3.5"	115 lb	\$275.00
18781*	3' x 3' x 3.5"	133 lb	295.00
18783*	4' x 3' x 3.5"	177 lb	325.00
18785*	5' x 3' x 3.5"	226 lb	375.00
18789	2.5' x 4' x 3.5"	152 lb	325.00
18791	3' x 4' x 3.5"	177 lb	350.00
18793	4' x 4' x 3.5"	224 lb	395.00
18795	5' x 4' x 3.5"	272 lb	425.00
PIT FRAMES - STRUCTURAL STEEL**			
18757	2.5' x 2.5'	88 lb	230.00
18759	3' x 3'	102 lb	280.00
18761	4' x 4'	127 lb	370.00
18763	5' x 5'	154 lb	460.00
18765	4' x 5'	140 lb	420.00
18767	4' x 6'	157 lb	460.00
18769	5' x 6'	172 lb	510.00
18771	5' x 7'	185 lb	550.00

NOTE: match width of ramp with width of scale.


* Not recommended for use with pallet jacks.

** These are not compatible with RoughDeck QC or SD products.

† Approach length

ROUGHDECK™ SS-STAINLESS STEEL FLOOR SCALE

- Rugged non-corrosive design
- 304 stainless steel construction
- Smooth surface deck finish
- Four adjustable stainless steel support feet
- EL604STA stainless steel NEMA 4X junction box
- Four stainless steel NTEP-certified shear beam load cells
- 20 ft of SURVIVOR® EL147HE hostile environment load cell cable



Measurement
Canada
Approved

PART #	SIZE (W x L x H)	CAPACITY	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
18663*	2.5' x 2.5' x 3.5"	2000 lb	173 lb	\$2,880.00
46239	3' x 3' x 3.5"	1000 lb	232 lb	2,880.00
18664*	3' x 3' x 3.5"	2000 lb	232 lb	2,880.00
46240†	4' x 4' x 3.5"	500 lb	375 lb	3,810.00
46241	4' x 4' x 3.5"	1000 lb	375 lb	3,810.00
18665	4' x 4' x 3.5"	5000 lb	375 lb	3,810.00
18666	4' x 4' x 3.5"	10,000 lb	490 lb	5,210.00
18667	4' x 5' x 3.5"	5000 lb	437 lb	4,350.00
18668	4' x 5' x 3.5"	10,000 lb	567 lb	6,010.00
18671	5' x 5' x 3.5"	5000 lb	541 lb	5,010.00
18672	5' x 5' x 3.5"	10,000 lb	696 lb	7,010.00
18676	5' x 7' x 3.5"	10,000 lb	929 lb	9,010.00

* Not recommended for use with pallet jacks.

† NTEP certified to 2500d.

OPTIONS/ACCESSORIES

18778	Floor anchor plates, stainless steel (set of two)	30.00
18803	4 drilled deck holes for scale height adjustment	40.00
28740	RoughDeck floor stand for indicator, 36.3" high, stainless steel	295.00
16960	Additional operating manual	10.00
S-1*	Stainless steel deck with Sensortronics Factory Mutual-Approved stainless steel underdeck (for use with WS900 indicators)	+250.00 list price adder
S-2*	Stainless steel deck with Sensortronics Factory Mutual-Approved junction box and stainless steel load cells	+480.00 list price adder
S-3	Stainless steel diamond treadplate safety deck	Consult Factory
N/A	Canadian Legal-For-Trade versions	Consult Factory

Access Ramps and Pit Frames available. See price page 81.

* Load cell and junction box substitution.

ROUGHDECK™ HE-HOSTILE ENVIRONMENT SS FLOOR SCALE

- Rugged washdown design
- 304 stainless steel construction
- Smooth stainless steel deck
- Four stainless steel, welded seal shear beam load cells
- Remote EL604STA stainless steel NEMA 4X junction box
- Four adjustable stainless steel support feet
- 20 ft of SURVIVOR® EL147HE hostile environment load cell cable



PART #	SIZE (W x L x H)	CAPACITY	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
18680*	2.5' x 2.5' x 3.5"	2000 lb	173 lb	\$3,140.00
18681*	3' x 3' x 3.5"	2000 lb	232 lb	3,540.00
18682	4' x 4' x 3.5"	5000 lb	375 lb	4,470.00
18683	4' x 4' x 3.5"	10,000 lb	490 lb	5,540.00
18684	4' x 5' x 3.5"	5000 lb	437 lb	5,010.00
18685	4' x 5' x 3.5"	10,000 lb	567 lb	6,340.00
18688	5' x 5' x 3.5"	5000 lb	541 lb	5,670.00
18689	5' x 5' x 3.5"	10,000 lb	696 lb	7,340.00
18693	5' x 7' x 3.5"	10,000 lb	929 lb	9,340.00

* Not recommended for use with pallet jacks

OPTIONS/ACCESSORIES

18778	Floor anchor plates, stainless steel (set of two)	30.00
18803	4 drilled deck holes for scale height adjustment	40.00
28740	RoughDeck floor stand for indicator, 36.3" high, stainless steel	295.00
16960	Additional operating manual	10.00
HE-3	Stainless steel diamond treadplate safety deck	Consult Factory

Access Ramps and Pit Frames available. See price page 81.

AUTOLIFT HE LOW PROFILE LIFT FLOOR SCALE

- Low-profile lift design
- 304 stainless steel construction
- Smooth stainless steel deck
- Four stainless steel, welded seal shear beam load cells
- Load cell protected on all four sides
- Rigid 304 stainless steel channel frame
- Remote EL604 stainless steel NEMA 4X junction box
- Four adjustable stainless steel SUREFOOT™ support feet
- 20 ft of SURVIVOR® hostile environment load cell cable
- Requires 85-100 PSI Air Pressure



PART #	SIZE	CAPACITY	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
42207	4' x 4'	2000 lb	640 lb	\$11,200.00
42208	4' x 4'	5000 lb	640 lb	11,200.00
42209	4' x 4'	10,000 lb	750 lb	11,600.00
42211	5' x 5'	2000 lb	830 lb	13,500.00
42212	5' x 5'	5000 lb	830 lb	13,500.00
42213	5' x 5'	10,000 lb	1050 lb	13,900.00

OPTIONS/ACCESSORIES

44169	4 drilled deck holes for scale height adjustment	40.00
28740	Floor stand for indicator, 36.3" high, structural steel	295.00

ROUGHDECK™ SS & HE ACCESS RAMPS & PIT FRAMES



Access Ramp



Pit Frame

PART #	SIZE (W x †L x H)	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
ACCESS RAMPS - STAINLESS STEEL; DIAMOND TREADPLATE STANDARD**			
18780*	2.5' x 3' x 3.5"	115 lb	\$895.00
18782*	3' x 3' x 3.5"	133 lb	895.00
18784*	4' x 3' x 3.5"	177 lb	1,095.00
18786*	5' x 3' x 3.5"	226 lb	1,395.00
18790	2.5' x 4' x 3.5"	152 lb	995.00
18792	3' x 4' x 3.5"	177 lb	1,095.00
18794	4' x 4' x 3.5"	224 lb	1,295.00
18796	5' x 4' x 3.5"	272 lb	1,695.00
PIT FRAMES - STAINLESS STEEL**			
18758	2.5' x 2.5'	88 lb	860.00
18760	3' x 3'	102 lb	860.00
18762	4' x 4'	127 lb	1,150.00
18764	5' x 5'	154 lb	1,430.00
18766	4' x 5'	140 lb	1,290.00
18772	5' x 7'	185 lb	1,710.00

NOTE: match width of ramp with width of scale.

† Approach length

* Not recommended for use with pallet jacks.

** These are not compatible with RoughDeck QC or SD products.

ROUGHDECK™ QC QUICK CLEAN STAINLESS STEEL FLOOR SCALE

- Rugged washdown design
- Smooth 304 stainless steel top deck
- Four stainless steel welded seal shear beam load cells
- Rigid 304 stainless steel tube frame
- Remote EL604 stainless steel NEMA 4X junction box
- Four adjustable stainless steel SUREFOOT™ support feet
- 20 ft of SURVIVOR® EL147HE hostile environment load cell cable
- Manual drop-in-place safety bar



PART #	SIZE (W x L x H)	CAPACITY	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
50402	2.5' x 2.5' x 3.5"	2000 lb	Platform only	158 lb	\$3,995.00
50403	3' x 3' x 3.5"	2000 lb	Platform only	208 lb	4,395.00
50404	4' x 4' x 3.5"	2000 lb	Platform only	338 lb	4,995.00
50405	4' x 4' x 3.5"	5000 lb	Platform only	338 lb	4,995.00
50406	4' x 4' x 4.5"	10,000 lb	Platform only	447 lb	5,395.00
50407	4' x 5' x 3.5"	2000 lb	Platform only	406 lb	5,595.00
50408	4' x 5' x 4.5"	5000 lb	Platform only	406 lb	5,595.00
50409	4' x 5' x 4.5"	10,000 lb	Platform only	540 lb	6,195.00
50410	4' x 6' x 4.5"	2000 lb	Platform only	477 lb	6,195.00
50411	4' x 6' x 4.5"	5000 lb	Platform only	477 lb	6,195.00

(Continued on next page)

ROUGHDECK™ QC (CONT.)

PART #	SIZE (W x L x H)	CAPACITY	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
50412 ...	4' x 6' x 5.5"	10,000 lb	Platform only	637 lb	\$6,795.00
50413 ...	5' x 5' x 4.5"	2000 lb	Platform only	478 lb	6,195.00
50414 ...	5' x 5' x 4.5"	5000 lb	Platform only	478 lb	6,195.00
50415 ...	5' x 5' x 4.5"	10,000 lb	Platform only	637 lb	6,795.00
50416 ...	5' x 7' x 5.5"	2000 lb	Platform only	705 lb	8,495.00
50417 ...	5' x 7' x 5.5"	5000 lb	Platform only	705 lb	8,495.00
50418 ...	5' x 7' x 5.5"	10,000 lb	Platform only	908 lb	9,495.00
OPTIONS/ACCESSORIES					
28740	Floor stand for indicator, 36.3" high, stainless steel, suitable for IQ plus® 310A, IQ plus® 355, IQ plus® 390, IQ plus® 590, IQ plus® 800, IQ700, IQ plus® 510, IQ plus® 710, UMC444 and UMC555				295.00

CONSULT FACTORY FOR THIS ADDITIONAL OPTION

- Treadplate stainless steel top deck

ROUGHDECK™ QC ACCESS RAMPS AND PIT FRAMES

PART #	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
ACCESS RAMPS			
64759	2.5' W x 4.0' L x 3.5" H (works w/pn 50402)	152 lb	\$995.00
64760	3.0' W x 4.0' L x 3.5" H (works w/pn 50403)	177 lb	1,095.00
64761	4.0' W x 4.0' L x 3.5" H (works w/pns 50404, 50405 and 50407)	224 lb	1,295.00
64762	4.0' W x 4.0' L x 4.5" H (works w/pns 50406, 50408, 50410 and 50411)	234 lb	1,335.00
64763	4.0' W x 4.0' L x 4.5" H (works w/pn 50409)	234 lb	1,335.00
64764	4.0' W x 5.0' L x 5.5" H (works w/pn 50412)	330 lb	1,720.00
64765	5.0' W x 4.0' L x 4.5" H (works w/pn 50413 and 50414)	272 lb	1,540.00
64766	5.0' W x 4.0' L x 4.5" H (works w/pn 50415)	272 lb	1,540.00
64767	5.0' W x 5.0' L x 5.5" H (works w/pn 50416, 50417 and 50418)	380 lb	2,115.00
PIT FRAMES			
64768	2.5' W x 2.5' L x 4" D (works w/pn 50402)	89 lb	860.00
64769	3.0' W x 3.0' L x 4" D (works w/pn 50403)	102 lb	860.00
64770	4.0' W x 4.0' L x 4" D (works w/pn 50404 and 50405)	127 lb	1,150.00
64771	4.0' W x 4.0' L x 5" D (works w/pn 50406)	158 lb	1,195.00
64772	4.0' W x 5.0' L x 4" D (works w/pn 50407)	140 lb	1,195.00
64773	4.0' W x 5.0' L x 5" D (works w/pn 50408)	175 lb	1,295.00
64774	4.0' W x 5.0' L x 5" D (works w/pn 50409)	175 lb	1,295.00
64775	4.0' W x 6.0' L x 5" D (works w/pn 50410 and 50411)	191 lb	1,340.00
64776	4.0' W x 6.0' L x 6" D (works w/pn 50412)	225 lb	1,440.00
64777	5.0' W x 5.0' L x 5" D (works w/pn 50413 and 50414)	191 lb	1,340.00
64778	5.0' W x 5.0' L x 5" D (works w/pn 50415)	191 lb	1,340.00
64779	5.0' W x 7.0' L x 6" D (works w/pn 50416, 50417 and 50418)	270 lb	1,675.00

ROUGHDECK™ SD SANITARY DECK FLOOR SCALE

- Rugged washdown design
- 304 stainless steel construction
- Removable polyethylene deck
(Deck weight: 80 lb (36.6 kg) on 4' x 4' size)
- Four stainless steel, welded seal shear beam load cells
- Side brackets to hold deck during washdown
- Remote EL604 stainless steel NEMA 4X/IP66 junction box
- Four adjustable stainless steel SUREFOOT™ support feet
- 20 ft (6m) of SURVIVOR® EL147HE hostile environment load cell cable



PART #	SIZE (W x L x H)	CAPACITY	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
50385	2.5' x 2.5' x 4.4"	2000 lb	158 lb	\$3,295.00
50386	3' x 3' x 4.4"	2000 lb	208 lb	3,395.00
50387	4' x 4' x 4.4"	2000 lb	338 lb	3,595.00
50388	4' x 4' x 4.4"	5000 lb	338 lb	3,595.00
50389	4' x 4' x 5.4"	10,000 lb	447 lb	3,795.00
50390	4' x 5' x 4.4"	2000 lb	406 lb	3,995.00
50391	4' x 5' x 5.4"	5000 lb	406 lb	3,995.00
50392	4' x 5' x 5.4"	10,000 lb	540 lb	4,195.00
50393	4' x 6' x 5.4"	2000 lb	477 lb	4,395.00
50394	4' x 6' x 5.4"	5000 lb	477 lb	4,395.00
50395	4' x 6' x 6.4"	10,000 lb	637 lb	4,895.00
50396*	5' x 5' x 5.4"	2000 lb	478 lb	4,395.00
50397*	5' x 5' x 5.4"	5000 lb	478 lb	4,395.00
50398*	5' x 5' x 5.4"	10,000 lb	637 lb	4,895.00
50399*	5' x 7' x 6.4"	2000 lb	705 lb	6,295.00
50400*	5' x 7' x 6.4"	5000 lb	705 lb	6,295.00
50401*	5' x 7' x 6.4"	10,000 lb	908 lb	7,195.00

Do not use this scale in a pit application.

* Constructed of two pieces of polyethylene to make up the top deck.

OPTIONS/ACCESSORIES

28740 RoughDeck floor stand for indicator, 36.3" high, stainless steel 295.00

CONSULT FACTORY FOR THESE ADDITIONAL OPTIONS

- Access ramps
- Pit frames

IMPORTANT NOTE: Applications where oily substances may be spilled could cause the deck to become slippery—caution should be used. The RoughDeck QC is recommended in these instances. Not for use in pits.

ROUGHDECK™ BPS LOW PROFILE BARREL/DRUM SCALE

- Easy-access integral live ramps
- Diamond treadplate safety deck
- Side-entry integral junction box with 4-channel trimming
- Portable models include wheel assemblies and integral indicator stand with transport grips

BPS-A1K



PART #	SIZE	CAPACITY	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
26953	BPS-A1K mild steel	1000 lb	180 lb	\$1,695.00
26952	BPS-B1K mild steel, portable ...	1000 lb	215 lb	2,390.00
26954	BPS-C1K SS	1000 lb	180 lb	3,295.00
26951	BPS-D1K SS, portable	1000 lb	215 lb	4,190.00
26955*	BPS-E1K SS	1000 lb	180 lb	3,555.00
26950*	BPS-F1K SS, portable	1000 lb	215 lb	4,450.00

* Hostile environment

OPTIONS/ACCESSORIES

19352	RoughDeck stand-alone (floor mount) indicator stand, 36.3" high, mild steel ...	195.00
28740	RoughDeck stand-alone (floor mount) indicator stand, 36.3" high, stainless steel ...	295.00
28001	Scale-mounted indicator stand with transport grips, mild steel	237.00
28002	Scale-mounted indicator stand with transport grips, stainless steel	294.00
18777	Floor anchor plates, mild steel (set of two)	24.00
18778	Floor anchor plates, stainless steel (set of two)	30.00
28082	Additional operating manual	10.00

ALTRALITE™ PORTABLE LOW PROFILE FLOOR SCALE

- Lightweight low-profile design
- Black anodized aluminum construction
- Diamond treadplate safety deck



WEIGHS ONLY 120 LB!

PART #	SIZE (W x L x H)	CAPACITY	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
18677	4' x 4' x 3.5"	5000 lb	150 lb	\$2,495.00


OPTIONS/ACCESSORIES

22290	Additional operating manual	5.00
-------------	-----------------------------------	------

* Consult factory for availability of other sizes.

DECKHAND™ PORTABLE SCALE

- General industrial applications
- 500 lb, 1000 lb, 2000 lb capacities
- Standard indicator mount with integral handles for the IQ plus® 310A, IQ plus® 390-DC, IQ plus® 510, IQ plus® 710, and IQ plus® 800 indicators, painted or stainless steel available
- Column height: 59"
- NTEP certified, Legal-For-Trade
- Mild steel or stainless wheeled frame, base, and indicator stand
- Large rubber wheels simplify movement on uneven floors
- One-person portability



*Shown with optional ramp.
Indicator sold separately;
shown for illustration only.*



*Measurement
Canada
Approved*

PART #	OVERALL SIZE IN (W X L X H)	CAPACITY	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
--------	--------------------------------	----------	---------------------	-------------------------

PAINTED MILD STEEL

41293	31" x 41" x 4.5"	500 lb	336 lb [†]	\$1,895.00
41294	31" x 41" x 4.5"	1000 lb	356 lb [†]	1,895.00
41295	31" x 41" x 4.5"	2000 lb	373 lb [†]	1,995.00

STAINLESS STEEL

41296	31" x 41" x 4.5"	500 lb	336 lb [†]	2,995.00
41297	31" x 41" x 4.5"	1000 lb	356 lb [†]	2,995.00
41298	31" x 41" x 4.5"	2000 lb	373 lb [†]	3,195.00

[†]Approximate weight without ramp and indicator

OPTIONS/ACCESSORIES

41292*	Clam shell for 1260 load cell, stainless steel	80.00
43376	Ramp assembly, 500/1000 lb, painted steel, 25" x 27"	210.00
43377	Ramp assembly, 500/1000 lb, stainless steel, 25" x 27"	625.00
43378	Ramp assembly, 2000 lb, 25" x 27"	250.00
43379	Ramp assembly, 2000 lb, stainless steel, 25" x 27"	725.00
43978	Additional operating manual	25.00

OPTIONAL INDICATOR MOUNTS

41371	Mounting bracket for IQ 700 IS, stainless steel, 4" x 9.12"	90.00
43938	Mounting bracket for CW-80-I, stainless steel, 4" x 9.12"	90.00

* Must order in quantities of two

ROUGHDECK™ FXB FLEXURE LEVER FLOOR SCALE

- Rugged all-steel construction
- Unique flexure design filters motion and shock loading
- Spring steel flexures
- One Rice Lake Weighing Systems brand RL20000 Series nickel-plated S-beam load cell & plated wire rope
- NTEP-certified models in sizes 24" x 24" 500 lb through 72" x 96" up to 10,000 lb capacity
- FM-approved load cells



PART #	DESCRIPTION	CAPACITY	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
33134	FXB-1824-.5K*	500 lb	120 lb	\$1,660.00
33066	FXB-1824-1K*	1000 lb	125 lb	1,660.00
33136	FXB-1830-1K*	1000 lb	133 lb	1,680.00
33067	FXB-2424-.5K*	500 lb	135 lb	1,690.00
33068	FXB-2424-1K*	1000 lb	155 lb	1,690.00
33138	FXB-3030-.5K*	500 lb	177 lb	1,995.00
33069	FXB-3030-1K*	1000 lb	177 lb	1,995.00
33139	FXB-3030-1.5K*	1500 lb	197 lb	1,995.00
33070	FXB-3030-2K*	2000 lb	280 lb	2,295.00
33140	FXB-3636-1K*	1000 lb	320 lb	2,315.00
33071	FXB-3636-2K*	2000 lb	390 lb	2,315.00
33072	FXB-3636-5K*	5000 lb	420 lb	2,315.00
33141	FXB-3846-1K*	1000 lb	610 lb	2,535.00
33073	FXB-4848-2K*	2000 lb	690 lb	2,710.00
33074	FXB-4848-5K*	5000 lb	725 lb	2,710.00
33075	FXB-4848-10K*	10,000 lb	780 lb	2,875.00
33076	FXB-4848-20K	20,000 lb	1020 lb	3,560.00
33077	FXB-4860-5K*	5000 lb	935 lb	3,150.00
33078	FXB-4860-10K*	10,000 lb	1015 lb	3,360.00
33149	FXB-4872-5K*	5000 lb	1005 lb	3,495.00
33080	FXB-4872-10K*	10,000 lb	1085 lb	3,495.00
33150	FXB-4872-20K	20,000 lb	1435 lb	4,785.00
33081	FXB-6060-5K*	5000 lb	1110 lb	3,565.00
33082	FXB-6060-10K*	10,000 lb	1180 lb	3,885.00
33152	FXB-6060-20K	20,000 lb	1500 lb	4,980.00
33083	FXB-6072-10K*	10,000 lb	1290 lb	3,775.00
33156	FXB-6084-10K*	10,000 lb	1400 lb	4,360.00
33157	FXB-6084-20K	20,000 lb	1900 lb	5,635.00
33159	FXB-7296-10K*	10,000 lb	1920 lb	5,520.00
33160	FXB-7296-20K	20,000 lb	2340 lb	6,604.00
33163	FXB-84108-20K	20,000 lb	3550 lb	7,685.00
33166	FXB-96120-30K	30,000 lb	5600 lb	10,630.00

OPTIONS/ACCESSORIES

32958 Additional operating manual 10.00

Pit frame drawings and specifications available upon request

**NTEP certified, CC# 95-62, Class III 5000d*

SURVIVOR® FB ELECTRONIC FLEXURE BASE FLOOR SCALE

- Superior shock-load protection
- Utilizes one S-type double plated load cell
- FM-approved load cells
- NTEP certified



PART #	DESCRIPTION	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
18696	FB2424-500 lb	180 lb	\$1,695.00
18697	FB2424-1000 lb	180 lb	1,695.00
18728	FB3030-1000 lb	215 lb	1,895.00
18733	FB3030-2000 lb*	232 lb	1,995.00
18730	FB3030-5000 lb	300 lb	2,095.00
18698	FB3636-3000 lb*	347 lb	2,295.00
18732	FB4848-3000 lb	740 lb	2,650.00
18699	FB4848-5000 lb*	740 lb	2,750.00
18700	FB4848-10,000 lb*	770 lb	2,795.00
18701	FB4848-20,000 lb*	1175 lb	4,395.00
18702	FB4860-5000 lb*	850 lb	2,995.00
18703	FB4860-10,000 lb*	888 lb	3,095.00
18704	FB4860-20,000 lb*	1300 lb	4,695.00
18705	FB4872-5000 lb*	1275 lb	3,495.00
18706	FB4872-10,000 lb*	1325 lb	3,595.00
18708	FB6060-5000 lb*	1025 lb	3,695.00
18709	FB6060-10,000 lb*	1045 lb	3,750.00
18710	FB6060-20,000 lb*	1400 lb	4,995.00
18712	FB6072-20,000 lb*	1575 lb	5,495.00
18713	FB6084-10,000 lb*	1600 lb	4,495.00
18714	FB6084-20,000 lb*	1850 lb	5,695.00
18717	FB7272-30,000 lb	2000 lb	8,295.00
18722	FB8484-30,000 lb	2900 lb	8,995.00
18727	FB96120-30,000 lb	4700 lb	12,495.00

* NTEP certified

OPTIONS/ACCESSORIES

19352	RoughDeck floor stand for indicator	195.00
16940	Additional operating manual	10.00

FORK LIFT SKID WITH FIXED PEDESTALS

PART #	DESCRIPTION	WIDTH	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
18747	FBP48	48"	52 lb	\$265.00
18748	FBP60	60"	64 lb	275.00
18749	FBP72	72"	75 lb	295.00
18750	FBP84	84"	86 lb	315.00

SURVIVOR® FB Series F.O.B. Santa Rosa, CA