

BENCHMARK™ SL SERIES BENCH SCALES

- 304 stainless steel construction
- Exclusive LifeGuard™ shock-absorbing base design
- Lift-up protection screw prevents load cell damage when transported
- RL1042-N5 encapsulated, single-point, NTEP-certified aluminum load cell
- Adaptable to CW-80 columns



Measurement
Canada
Approved



PART #	CAPACITY	PLATFORM DIMENSIONS	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
18575*	2 lb	10" x 10" x 3.15"	13 lb	\$515.00
18576	5 lb	10" x 10" x 3.15"	13 lb	515.00
18577	10 lb	10" x 10" x 3.15"	13 lb	515.00
18578	20 lb	10" x 10" x 3.15"	13 lb	515.00
18579	30 lb	10" x 10" x 3.15"	13 lb	515.00
32914	30 lb	12" x 12" x 3.25"	14 lb	585.00
32913	50 lb	12" x 12" x 3.25"	14 lb	585.00
35198	100 lb	12" x 12" x 3.25"	14 lb	585.00

OPTIONS/ACCESSORIES

53001	304 stainless steel clamshell for added load cell protection	60.00
64574	12" column for IQ plus® 355 or IQ plus® 210	100.00
64575	12" column for IQ plus® 390-DC or IQ plus® 590-DC	100.00
66691**	18" column for IQ plus® 355 or IQ plus® 210	135.00
66692**	18" column for IQ plus® 390-DC or IQ plus® 590-DC	135.00
64576	Attachment bracket for IQ plus® 355 or IQ plus® 210	35.00
64577	Attachment bracket for IQ plus® 390-DC or IQ plus® 590-DC	35.00
35196	10" x 10" cutting board, white food-grade plastic	35.00
35197	12" x 12" cutting board, white food-grade plastic	40.00
22125	Additional operating manual	5.00

* Non-NTEP

** Not recommended for use with scale bases smaller than 12" x 12"

BENCHMARK™ CW-80B SERIES BENCH SCALES

- 304 stainless steel construction
- Exclusive LifeGuard™ shock-absorbing base design
- RL1380 single-point, stainless steel load cell
- Specially-designed adjustable support feet provide exceptional traction and won't scratch surfaces
- Adaptable to CW-80 columns



Measurement
Canada
Approved



PART #	CAPACITY	PLATFORM DIMENSIONS	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
35075	6 lb	10" x 10" x 3.15"	13 lb	\$595.00
35076	10 lb	10" x 10" x 3.15"	13 lb	595.00
35077	15 lb	10" x 10" x 3.15"	13 lb	595.00
35078	30 lb	10" x 10" x 3.15"	13 lb	595.00
35079	30 lb	12" x 12" x 3.25"	14 lb	695.00
35080	60 lb	12" x 12" x 3.25"	14 lb	695.00

OPTIONS/ACCESSORIES

53001	304 stainless steel clamshell for added load cell protection	60.00
64574	12" column for IQ plus® 355 or IQ plus® 210	100.00
64575	12" column for IQ plus® 390-DC or IQ plus® 590-DC	100.00
66691*	18" column for IQ plus® 355 or IQ plus® 210	135.00
66692*	18" column for IQ plus® 390-DC or IQ plus® 590-DC	135.00
64576	Attachment bracket for IQ plus® 355 or IQ plus® 210	35.00
64577	Attachment bracket for IQ plus® 390-DC or IQ plus® 590-DC	35.00
35196	10" x 10" cutting board, white food-grade plastic	35.00
35197	12" x 12" cutting board, white food-grade plastic	40.00
22125	Additional operating manual	5.00

* Not recommended for use with scale bases smaller than 12" x 12"

BENCHMARK™ SERIES BENCH SCALES

- Steel construction with 304 stainless steel cover
- Optional 304 stainless steel construction
- RL1042-N5 encapsulated, single-point, aluminum load cell (12" x 12" and 12" x 18");
RL1260-N5 encapsulated, single-point, aluminum load cell (18" x 18", 18" x 24" and 24" x 24");
RL1250-N5 encapsulated, single-point, aluminum load cell on all 1,000 lb bases
- Adaptable to CW-80 columns



Measurement
Canada
Approved



PART #	CAPACITY	PLATFORM DIMENSIONS	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
MILD STEEL				
18580	30 lb	12" x 12" x 4.12"	23 lb	\$600.00
18582	50 lb	12" x 12" x 4.12"	23 lb	600.00
18584	100 lb	12" x 12" x 4.12"	23 lb	600.00
18586	50 lb	12" x 18" x 4.12"	30 lb	650.00
18588	100 lb	12" x 18" x 4.12"	30 lb	650.00
18590	50 lb	18" x 18" x 5.25"	62 lb	795.00
18592	100 lb	18" x 18" x 5.25"	62 lb	795.00
18594	150 lb	18" x 18" x 5.25"	62 lb	795.00
18596	200 lb	18" x 18" x 5.25"	62 lb	795.00
18598	250 lb	18" x 18" x 5.25"	62 lb	795.00
18600	300 lb	18" x 18" x 5.25"	62 lb	795.00
18602	500 lb	18" x 18" x 5.25"	62 lb	895.00
18604	1000 lb	18" x 18" x 5.25"	62 lb	895.00
18606	50 lb	18" x 24" x 5.25"	78 lb	895.00
18608	100 lb	18" x 24" x 5.25"	78 lb	895.00
18610	150 lb	18" x 24" x 5.25"	78 lb	895.00
18612	200 lb	18" x 24" x 5.25"	78 lb	895.00
18614	250 lb	18" x 24" x 5.25"	78 lb	895.00
18616	300 lb	18" x 24" x 5.25"	78 lb	895.00
18618	500 lb	18" x 24" x 5.25"	78 lb	995.00
18620	1000 lb	18" x 24" x 5.25"	78 lb	995.00
18622	100 lb	24" x 24" x 5.25"	85 lb	995.00
18624	150 lb	24" x 24" x 5.25"	85 lb	995.00
18626	200 lb	24" x 24" x 5.25"	85 lb	995.00
18628	250 lb	24" x 24" x 5.25"	85 lb	995.00
18630	300 lb	24" x 24" x 5.25"	85 lb	995.00
18632	500 lb	24" x 24" x 5.25"	85 lb	1,095.00
18634	1000 lb	24" x 24" x 5.25"	85 lb	1,095.00
STAINLESS STEEL				
32918	50 lb	12" x 18" x 3.62"	28 lb	730.00
32919	100 lb	12" x 18" x 3.62"	28 lb	730.00
18591	50 lb	18" x 18" x 5.25"	62 lb	1,025.00
18593	100 lb	18" x 18" x 5.25"	62 lb	1,025.00
18595	150 lb	18" x 18" x 5.25"	62 lb	1,025.00
18597	200 lb	18" x 18" x 5.25"	62 lb	1,025.00
18599	250 lb	18" x 18" x 5.25"	62 lb	1,025.00
18601	300 lb	18" x 18" x 5.25"	62 lb	1,025.00
18603	500 lb	18" x 18" x 5.25"	62 lb	1,150.00
18605	1000 lb	18" x 18" x 5.25"	62 lb	1,150.00
18607	50 lb	18" x 24" x 5.25"	78 lb	1,225.00
18609	100 lb	18" x 24" x 5.25"	78 lb	1,225.00
18611	150 lb	18" x 24" x 5.25"	78 lb	1,225.00
18613	200 lb	18" x 24" x 5.25"	78 lb	1,225.00
18615	250 lb	18" x 24" x 5.25"	78 lb	1,225.00
18617	300 lb	18" x 24" x 5.25"	78 lb	1,225.00
18619	500 lb	18" x 24" x 5.25"	78 lb	1,475.00

(Continued on next page)

BENCHMARK™ SERIES BENCH SCALES (CONT.)

PART #	CAPACITY	PLATFORM DIMENSIONS	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
STAINLESS STEEL (CONT.)				
18621	1000 lb	18" x 24" x 5.25"	78 lb	\$1,475.00
18623	100 lb	24" x 24" x 5.25"	85 lb	1,525.00
18625	150 lb	24" x 24" x 5.25"	85 lb	1,525.00
18627	200 lb	24" x 24" x 5.25"	85 lb	1,525.00
18629	250 lb	24" x 24" x 5.25"	85 lb	1,525.00
18631	300 lb	24" x 24" x 5.25"	85 lb	1,525.00
18633	500 lb	24" x 24" x 5.25"	85 lb	1,595.00
18635	1000 lb	24" x 24" x 5.25"	85 lb	1,595.00

OPTIONS/ACCESSORIES

53001	304 stainless steel clamshell for added load cell protection	60.00
41292	304 stainless steel clamshell for added load cell protection (18" x 18", 18" x 24" and 24" x 24"), except not 1,000 lb capacity	80.00
18805	304 stainless steel clamshell for added load cell protection (18" x 18", 18" x 24" and 24" x 24"), 1,000 lb capacity only	80.00
64574	12" column for IQ plus® 355 or IQ plus® 210	100.00
64575	12" column for IQ plus® 390-DC or IQ plus® 590-DC	100.00
66691*	18" column for IQ plus® 355 or IQ plus® 210	135.00
66692*	18" column for IQ plus® 390-DC or IQ plus® 590-DC	135.00
64576	Attachment bracket for IQ plus® 355 or IQ plus® 210	35.00
64577	Attachment bracket for IQ plus® 390-DC or IQ plus® 590-DC	35.00
22125	Additional operating manual	5.00

* Not recommended for use with scale bases smaller than 12" x 12"

LOAD CELL OPTIONS—NON-NTEP

(Suggested list price represents the price adder applied when substituting for the RL1042)

N/A	RL1140 potted, single-point, stainless steel load cell (50 kg capacity, 12" x 12" or 12" x 18")	+60.00 list price adder
N/A	RL1140 potted single-point, stainless steel load cell (100 kg capacity, 12" x 12" or 12" x 18")	+60.00 list price adder

IQ PLUS® 2100 DIGITAL BENCH SCALE

- NEMA 4X, 304 stainless steel
- Large, bold 0.8" Light Emitting Diode (LED) Display
- Status annunciators: lb, kg, oz, g, negative, motion, center of zero
- One full duplex RS-232 port
- Two digital inputs for remote zero, print, and units
- 12" column, attachment bracket, or tilt stand for table, wall or under counter mounting
- 115 VAC operation, 230 VAC available
- RL1042 aluminum, single point load cell
- Overload and upload stops on scale base
- Stainless steel, tactile feel, piezo zero and units buttons
- Displays units in decimal lb, kg, oz, lb & oz, and grams



*IQ plus 2100
with column*



Measurement
Canada
Approved

Indicator only

PART #	SIZE*	CAPACITY (LB/KG/GM/OZ)	DESCRIPTION	EST. SHIP WT	SUGGESTED LIST PRICE
115 VAC					
63043 ...	10" x 10"	5 x 0.001 lb/2.5 x 0.0005 kg/ 2,500 x 0.5 gm/80 x 0.02 oz	attach. bracket	23 lb	\$875.00
63048 ...	10" x 10"	5 x 0.001 lb, 2.5 x 0.0005 kg/ 2,500 x 0.5 gm/80 x 0.02 oz	12" column	25 lb	945.00
63053 ...	10" x 10"	5 x 0.001 lb, 2.5 x 0.0005 kg/ 2,500 x 0.5 gm/80 x 0.02 oz	tilt stand	23 lb	845.00
63042 ...	10" x 10"	10 x 0.002 lb/5 x 0.001 kg/ 5,000 x 1 gm/160 x 0.05 oz	attach. bracket	23 lb	875.00

* 10" x 10" (254mm x 254mm) and 12" x 12" (304.8mm x 304.8mm)

(Continued on next page)

PART #	SIZE*	CAPACITY (LB/KG/GM/OZ)	DESCRIPTION	EST. SHIP WT	SUGGESTED LIST PRICE
115 VAC					
63047	... 10" x 10"	10 x 0.002 lb/5 x 0.001 kg/ 5,000 x 1 gm/160 x 0.05 oz	12" column	25 lb	\$945.00
63052	... 10" x 10"	10 x 0.002 lb/5 x 0.001 kg/ 5,000 x 1 gm/160 x 0.05 oz	tilt stand	23 lb	845.00
63041	... 10" x 10"	25 x 0.005 lb/10 x 0.002 kg/ 10,000 x 2 gm/400 x 0.10 oz	attach. bracket	23 lb	875.00
63046	... 10" x 10"	25 x 0.005 lb/10 x 0.002 kg/ 10,000 x 2 gm/400 x 0.10 oz	12" column	25 lb	945.00
63051	... 10" x 10"	25 x 0.005 lb/10 x 0.002 kg/ 10,000 x 2 gm/400 x 0.10 oz	tilt stand	23 lb	845.00
63040	... 12" x 12"	50 x 0.01 lb/25 x 0.005 kg/ 25,000 x 5 gm/800 x 0.20 oz	attach. bracket	26 lb	975.00
63045	... 12" x 12"	50 x 0.01 lb/25 x 0.005 kg/ 25,000 x 5 gm/800 x 0.20 oz	12" column	28 lb	1,045.00
63050	... 12" x 12"	50 x 0.01 lb/25 x 0.005 kg/ 25,000 x 5 gm/ 800 x 0.20 oz	tilt stand	26 lb	945.00
63039	... 12" x 12"	100 x 0.02 lb/50 x 0.01 kg/ 50,000 x 10 gm/ 1,600 x 0.50 oz	attach. bracket	26 lb	975.00
63044	... 12" x 12"	100 x 0.02 lb/50 x 0.01 kg/ 50,000 x 10 gm/ 1,600 x 0.50 oz	12" column	28 lb	1,045.00
63049	... 12" x 12"	100 x 0.02 lb/50 x 0.01 kg/ 50,000 x 10 gm/ 1,600 x 0.50 oz	tilt stand	26 lb	945.00
230 VAC					
63058	... 10" x 10"	5 x 0.001 lb/2.5 x 0.0005 kg/ 2,500 x 0.5 gm/80 x 0.02 oz	attach. bracket	23 lb	875.00
63063	... 10" x 10"	5 x 0.001 lb/2.5 x 0.0005 kg/ 2,500 x 0.5 gm/80 x 0.02 oz	12" column	25 lb	945.00
63068	... 10" x 10"	5 x 0.001 lb/2.5 x 0.0005 kg/ 2,500 x 0.5 gm/80 x 0.02 oz	tilt stand	23 lb	845.00
63057	... 10" x 10"	10 x 0.002 lb/5 x 0.001 kg/ 5,000 x 1 gm/160 x 0.05 oz	attach. bracket	23 lb	875.00
63062	... 10" x 10"	10 x 0.002 lb/5 x 0.001 kg/ 5,000 x 1 gm/160 x 0.05 oz	12" column	25 lb	945.00
63067	... 10" x 10"	10 x 0.002 lb/5 x 0.001 kg/ 5,000 x 1 gm/160 x 0.05 oz	tilt stand	23 lb	845.00
63056	... 10" x 10"	25 x 0.005 lb/10 x 0.002 kg/ 10,000 x 2 gm/400 x 0.10 oz	attach. bracket	23 lb	875.00
63061	... 10" x 10"	25 x 0.005 lb/10 x 0.002 kg/ 10,000 x 2 gm/400 x 0.10 oz	12" column	25 lb	945.00
63066	... 10" x 10"	25 x 0.005 lb/10 x 0.002 kg/ 10,000 x 2 gm/400 x 0.10 oz	tilt stand	23 lb	845.00
63055	... 12" x 12"	50 x 0.01 lb/25 x 0.005 kg/ 25,000 x 5 gm/800 x 0.20 oz	attach. bracket	26 lb	975.00
63060	... 12" x 12"	50 x 0.01 lb/25 x 0.005 kg/ 25,000 x 5 gm/800 x 0.20 oz	12" column	28 lb	1,045.00
63065	... 12" x 12"	50 x 0.01 lb/25 x 0.005 kg/ 25,000 x 5 gm/800 x 0.20 oz	tilt stand	26 lb	945.00
63054	... 12" x 12"	100 x 0.02 lb/50 x 0.01 kg/ 50,000 x 10 gm/ 1,600 x 0.50 oz	attach. bracket	26 lb	975.00
63059	... 12" x 12"	100 x 0.02 lb/50 x 0.01 kg/ 50,000 x 10 gm/ 1,600 x 0.50 oz	12" column	28 lb	1,045.00
63064	... 12" x 12"	100 x 0.02 lb/50 x 0.01 kg/ 50,000 x 10 gm/ 1,600 x 0.50 oz	tilt stand	26 lb	945.00

* 10" x 10" (254mm x 254mm) and 12" x 12" (304.8mm x 304.8mm)

(Continued on next page)

IQ PLUS® 2100 (CONT.)

PART #	DESCRIPTION	EST. SHIP WT	SUGGESTED LIST PRICE
Indicator Only			
65137	 IQ plus 210 w/tilt stand, 115 VAC	9.3 lb	\$495.00
65138	 IQ plus 210 w/tilt stand, 230 VAC	9.3 lb	495.00
OPTIONS/ACCESSORIES			
53001	 304 stainless steel clamshell for added load cell protection		60.00
64126	 Load cell quick disconnect		95.00
64123	 Remote switch for zero, units, and print (non-washdown)		65.00
N/A	 Print button mounted on the top of the enclosure (not field installable) ...		65.00
N/A	 RL1380 stainless steel load cell**	+60.00 list price adder**	
N/A**	 18" column replacing standard 12" column	+35.00 list price adder**	
53415	 Additional operation manual		30.00
** Suggested list price represents the price adder applied when substituting for the RL1042 aluminum load cell.			
*** Not recommended for use with scale bases smaller than 12" x 12"			

IQ PLUS® 2100SL DIGITAL BENCH SCALE

For harsh washdown applications, the IQ plus 2100SL package offers the same benefits as the IQ plus 2100 with added features of the legendary BenchMark SL base. The unique Life Guard breakaway base of the SL incorporates extra load cell protection from overloads.

PART #	SIZE*	CAPACITY (LB/KG/GM/OZ)	DESCRIPTION	EST. SHIP WT	SUGGESTED LIST PRICE
115 VAC					
65175	... 10" x 10"	 5 x 0.001 lb/2.5 x 0.0005 kg/			
		2,500 x 0.5 gm/80 x 0.02 oz attach. bracket	21 lb		\$975.00
65182	... 10" x 10"	 5 x 0.001 lb, 2.5 x 0.0005 kg/			
		2,500 x 0.5 gm/80 x 0.02 oz 12" column	23 lb		1,045.00
65168	... 10" x 10"	 5 x 0.001 lb, 2.5 x 0.0005 kg/			
		2,500 x 0.5 gm/80 x 0.02 oz tilt stand	21 lb		945.00
65176	... 10" x 10"	 10 x 0.002 lb/5 x 0.001 kg/			
		5,000 x 1 gm/160 x 0.05 oz attach. bracket	21 lb		975.00
65183	... 10" x 10"	 10 x 0.002 lb/5 x 0.001 kg/			
		5,000 x 1 gm/160 x 0.05 oz 12" column	23 lb		1045.00
65169	... 10" x 10"	 10 x 0.002 lb/5 x 0.001 kg/			
		5,000 x 1 gm/160 x 0.05 oz tilt stand	21 lb		945.00
65177	... 10" x 10"	 20 x 0.005 lb/10 x 0.002 kg/			
		10,000 x 2 gm/320 x 0.1 oz attach. bracket	21 lb		975.00
65184	... 10" x 10"	 20 x 0.005 lb/10 x 0.002 kg/			
		10,000 x 2 gm/320 x 0.1 oz 12" column	23 lb		1,045.00
65170	... 10" x 10"	 20 x 0.005 lb/10 x 0.002 kg/			
		10,000 x 2 gm/320 x 0.1 oz tilt stand	21 lb		945.00
65178	... 10" x 10"	 30 x 0.01 lb/15 x 0.005 kg/			
		15,000 x 5gm/480 x 0.1 oz attach. bracket	21 lb		975.00
65185	... 10" x 10"	 30 x 0.01 lb/15 x 0.005 kg/			
		15,000 x 5gm/480 x 0.1 oz 12" column	23 lb		1,045.00
65171	... 10" x 10"	 30 x 0.01 lb/15 x 0.005 kg/			
		15,000 x 5gm/480 x 0.1 oz tilt stand	21 lb		945.00
65179	... 12" x 12"	 30 x 0.01 lb/15 x 0.005 kg/			
		15,000 x 5gm/480 x 0.1 oz attach. bracket	24 lb		1,045.00
65186	... 12" x 12"	 30 x 0.01 lb/15 x 0.005 kg/			
		15,000 x 5gm/480 x 0.1 oz 12" column	26 lb		1,115.00
65172	... 12" x 12"	 30 x 0.01 lb/15 x 0.005 kg/			
		15,000 x 5gm/480 x 0.1 oz tilt stand	24 lb		1,015.00
65180	... 12" x 12"	 50 x 0.01 lb/25 x 0.005 kg/			
		25,000 x 5 gm/800 x 0.20 oz ... attach. bracket	24 lb		1,075.00
* 10" x 10" (254mm x 254mm) and 12" x 12" (304.8mm x 304.8mm)					

(Continued on next page)

PART #	SIZE*	CAPACITY (LB/KG/GM/OZ)	DESCRIPTION	EST. SHIP WT	SUGGESTED LIST PRICE
115 VAC					
65187 ... 12" x 12"	50 x 0.01 lb/25 x 0.005 kg/ 25,000 x 5 gm/800 x 0.20 oz ... 12" column	26 lb			\$1,145.00
65173 ... 12" x 12"	50 x 0.01 lb/25 x 0.005 kg/ 25,000 x 5 gm/800 x 0.20 oz ... tilt stand	24 lb			1,045.00
65181 ... 12" x 12"	100 x 0.02 lb/50 x 0.01 kg/ 50,000 x 10 gm/ 16,000 x 0.50 oz	attach. bracket	24 lb		\$1,075.00
65188 ... 12" x 12"	100 x 0.02 lb/50 x 0.01 kg/ 50,000 x 10 gm/ 16,000 x 0.50 oz	12" column	26 lb		1,145.00
65174 ... 12" x 12"	100 x 0.02 lb/50 x 0.01 kg/ 50,000 x 10 gm/ 16,000 x 0.50 oz	tilt stand	24 lb		1,045.00
230 VAC					
65196 ... 10" x 10"	5 x 0.001 lb/2.5 x 0.0005 kg/ 2,500 x 0.5 gm/80 x 0.02 oz attach. bracket	21 lb			975.00
65203 ... 10" x 10"	5 x 0.001 lb/2.5 x 0.0005 kg/ 2,500 x 0.5 gm/80 x 0.02 oz 12" column	23 lb			1,045.00
65189 ... 10" x 10"	5 x 0.001 lb/2.5 x 0.0005 kg/ 2,500 x 0.5 gm/80 x 0.02 oz tilt stand	21 lb			945.00
65197 ... 10" x 10"	10 x 0.002 lb/5 x 0.001 kg/ 5,000 x 1 gm/160 x 0.05 oz attach. bracket	21 lb			975.00
65204 ... 10" x 10"	10 x 0.002 lb/5 x 0.001 kg/ 5,000 x 1 gm/160 x 0.05 oz 12" column	23 lb			1,045.00
65190 ... 10" x 10"	10 x 0.002 lb/5 x 0.001 kg/ 5,000 x 1 gm/160 x 0.05 oz tilt stand	21 lb			945.00
65198 ... 10" x 10"	20 x 0.005 lb/10 x 0.002 kg/ 10,000 x 2 gm/320 x 0.1 oz attach. bracket	21 lb			975.00
65205 ... 10" x 10"	20 x 0.005 lb/10 x 0.002 kg/ 10,000 x 2 gm/320 x 0.1 oz 12" column	23 lb			1,045.00
65191 ... 10" x 10"	20 x 0.005 lb/10 x 0.002 kg/ 10,000 x 2 gm/320 x 0.1 oz tilt stand	21 lb			945.00
65199 ... 10" x 10"	30 x 0.01 lb/15 x 0.005 kg/ 15,000 x 5gm/480 x 0.1 oz attach. bracket	21 lb			975.00
65206 ... 10" x 10"	30 x 0.01 lb/15 x 0.005 kg/ 15,000 x 5gm/480 x 0.1 oz 12" column	23 lb			1,045.00
65192 ... 10" x 10"	30 x 0.01 lb/15 x 0.005 kg/ 15,000 x 5gm/480 x 0.1 oz tilt stand	21 lb			945.00
65200 ... 12" x 12"	30 x 0.01 lb/15 x 0.005 kg/ 15,000 x 5gm/480 x 0.1 oz attach. bracket	24 lb			1,045.00
65207 ... 12" x 12"	30 x 0.01 lb/15 x 0.005 kg/ 15,000 x 5gm/480 x 0.1 oz 12" column	26 lb			1,115.00
65193 ... 12" x 12"	30 x 0.01 lb/15 x 0.005 kg/ 15,000 x 5gm/480 x 0.1 oz tilt stand	24 lb			1,015.00
65201 ... 12" x 12"	50 x 0.01 lb/25 x 0.005 kg/ 25,000 x 5 gm/800 x 0.20 oz ... attach. bracket	24 lb			1,075.00
65208 ... 12" x 12"	50 x 0.01 lb/25 x 0.005 kg/ 25,000 x 5 gm/800 x 0.20 oz ... 12" column	26 lb			1,145.00
65194 ... 12" x 12"	50 x 0.01 lb/25 x 0.005 kg/ 25,000 x 5 gm/800 x 0.20 oz ... tilt stand	24 lb			1,045.00
65202 ... 12" x 12"	100 x 0.02 lb/50 x 0.01 kg/ 50,000 x 10 gm/ 16,000 x 0.50 oz	attach. bracket	24 lb		1,075.00
65209 ... 12" x 12"	100 x 0.02 lb/50 x 0.01 kg/ 50,000 x 10 gm/ 16,000 x 0.50 oz	12" column	26 lb		1,145.00
65195 ... 12" x 12"	100 x 0.02 lb/50 x 0.01 kg/ 50,000 x 10 gm/ 16,000 x 0.50 oz	tilt stand	24 lb		1,045.00

* 10" x 10" (254mm x 254mm) and 12" x 12" (304.8mm x 304.8mm)

(Continued on next page)

IQ PLUS® 2100SL (CONT.)

PART #	DESCRIPTION	SUGGESTED LIST PRICE
--------	-------------	----------------------

OPTIONS/ACCESSORIES

53001	304 stainless steel clamshell for added load cell protection	\$60.00
64126	Load cell quick disconnect	95.00
64123	Remote switch for zero, units, and print (non-washdown)	65.00
N/A	Print button mounted on the top of the enclosure (not field installable) ...	65.00
N/A	RL1380 stainless steel load cell**	+60.00 list price adder**
N/A***	18" column replacing standard 12" column	+35.00 list price adder**
53415	Additional operation manual	30.00

** Suggested list price represents the price adder applied when substituting for the RL1042 aluminum load cell.

*** Not recommended for use with scale bases smaller than 12" x 12"

SURVIVOR® CW-80 OVER/UNDER CHECKWEIGHER

- Large, bold 0.8" LED rapid-response display
- Industrial-quality 304 stainless steel construction
- Rugged 5-point overload protection on platform bases
- LifeGuard™ shock-absorbing bases on capacities up to 100 lb
- Highly-durable and corrosion-resistant stainless steel load cell on capacities up to 60 lb
- Field-proven aluminum load cell on capacities of 100 lb and over
- NEMA 4X/IP66 indicator enclosure
- ToughTouch™ industrial front panel with keys for over, under, tare, zero, units, print, target and ID
- Front-panel "Independent Key Disabling" for: OVER, UNDER, TARE, PRINT and UNITS keys
- Displays units in decimal lb, kg, oz, lb & oz, grams
- Annunciator lights for unit selection
- High-intensity LED for Over, Under and Accept
- Storage for up to 300 tare and tolerance settings
- Automatic zero tracking
- 115 VAC operation, 230 VAC available
- Bidirectional RS-232 and/or simplex 20 mA current loop communication



Measurement
Canada
Approved



PART #	CAPACITY	PLATFORM DIMENSIONS	COLUMN HEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
35113	6 lb x .002	10" x 10" x 3"	12"	20 lb	\$1,345.00
35114	10 lb x .005	10" x 10" x 3"	12"	20 lb	1,345.00
35115	15 lb x .005	10" x 10" x 3"	12"	20 lb	1,345.00
35116	30 lb x .01	10" x 10" x 3"	12"	20 lb	1,345.00
35121	30 lb x .01	12" x 12" x 3"	12"	23 lb	1,445.00
35122	60 lb x .02	12" x 12" x 3"	12"	23 lb	1,445.00
35175	100 lb x .02	24" x 12" x 3"	12"	23 lb	1,445.00
35176	100 lb x .02	18" x 18" x 5.25"	18"	78 lb	1,895.00
35177	200 lb x .05	18" x 18" x 5.25"	18"	78 lb	1,895.00
35178	300 lb x .1	18" x 18" x 5.25"	18"	78 lb	1,895.00
35179	500 lb x .1	18" x 18" x 5.25"	18"	78 lb	1,995.00
35181	200 lb x .05	24" x 18" x 5.25"	18"	95 lb	2,095.00
35182	300 lb x .1	24" x 18" x 5.25"	18"	95 lb	2,095.00
35183	500 lb x .1	24" x 18" x 5.25"	18"	95 lb	2,195.00
35184	1000 lb x .2	24" x 18" x 5.25"	18"	95 lb	2,195.00
35185	200 lb x .05	24" x 24" x 5.25"	18"	110 lb	2,195.00
35186	300 lb x .1	24" x 24" x 5.25"	18"	110 lb	2,195.00
35187	500 lb x .1	24" x 24" x 5.25"	18"	110 lb	2,295.00

(Continued on next page)

SURVIVOR® CW-80 (CONT.)

PART #	CAPACITY	PLATFORM DIMENSIONS	COLUMN HEIGHT	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
35188	1000 lb x .2	24" x 24" x 5.25"	18"	110 lb	\$2,295.00
KG ONLY (230 VAC)					
66682	3 kg x .001	10" x 10" x 3"	12"	20 lb	1,345.00
66681	5 kg x .002	10" x 10" x 3"	12"	20 lb	1,345.00
66680	7.5 kg x .005	10" x 10" x 3"	12"	20 lb	1,345.00
OIML CERTIFIED (230 VAC)					
51200	15 kg x 0.005 kg ...	10" x 10" x 3"	12"	20 lb	1,345.00
51201	15 kg x 0.005 kg ...	12" x 12" x 3"	12"	23 lb	1,445.00
51202	30 kg x 0.01 kg	12" x 12" x 3"	12"	23 lb	1,445.00

OPTIONS/ACCESSORIES

ELECTRONICS

Option A ... 230 VAC operation No Extra Charge

OUTPUTS

Option B ... 3 TTL level setpoints 195.00

Option C ... 3 normally-open relays 215.00

Option D ... 3 normally-closed relays 215.00

Option E ... 6V battery backup power supply includes 3 TTL level setpoints 395.00

Option F ... 6V battery backup power supply includes 3 normally-open relays 415.00

Option G ... 6V battery backup power supply includes 3 normally-closed relays 415.00

SOFTWARE

Option H ... RS-485 communication 185.00

HARDWARE

Option I** ... 12" indicator column replacing standard column No Extra Charge

Option J** ... 18" indicator column replacing standard column No Extra Charge

Option K** ... 24" indicator column replacing standard column 20.00

Option L** ... 30" indicator column replacing standard column 30.00

Option M ... Combination desk/wall mount bracket replacing std column ... No Extra Charge

Option N ... 10" x 10" cutting board, white food-grade plastic 35.00

Option O ... 12" x 12" cutting board, white food-grade plastic 40.00

Option P ... 304 stainless steel clamshell load cell protection
(12" x 12", 100 lb capacity only) 60.00

41292 ... 304 stainless steel clamshell load cell protection
(18" x 18" - 24" x 24") 80.00

18805 ... 304 stainless steel clamshell for added load cell protection
(18" x 18", 18" x 24" and 24" x 24"), 1,000 lb capacity only 80.00

32291 ... Additional operating manual 15.00

33752 ... Supervisor's operating guide (includes operator's card) 10.00

Please consult factory if your application requires hermetically sealed load cells

***Please note if you are ordering the column w/o scale refer to the replacement parts catalog for necessary components and pricing*

KUBOTA KA-100 SERIES BATTERY-POWERED PLATFORM SCALES

- Lightweight for easy portability
- Over/under checkweighing
- Counting function
- High-visibility Liquid Crystal Display (LCD), displays weight in lb, kg, or piece count



PART #	CAPACITY	PLATFORM DIMENSIONS	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
51059	150 lb	20" x 15" x 4"	32 lb	\$825.00
51060	300 lb	20" x 15" x 4"	32 lb	825.00
OPTIONS/ACCESSORIES				
16413	AC adapter, model 5268			40.00
52858	Additional operating manual			35.00

KUBOTA KA-10HB SERIES PLATFORM SCALES

- Low power consumption—140-300 hours on six C-cell batteries
- Lightweight for easy portability
- Over/under checkweighing
- Counting function
- Stainless steel platform
- High-visibility Liquid Crystal Display (LCD), displays weight in lb, kg or piece count



PART #	CAPACITY	PLATFORM DIMENSIONS	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
19695	70 lb	20" x 14" x 4"	33 lb	\$895.00
19696	150 lb	20" x 14" x 4"	33 lb	895.00
19697	300 lb	20" x 14" x 4"	37 lb	895.00
OPTIONS/ACCESSORIES				
16413	AC adapter, model 5268			40.00
19867	Tape printer			695.00
19869	RS-232 interface			295.00
19870	12' (3.7m) cable kit for remote indicator mounting			160.00

ISHIDA MTX/MTB SERIES BENCH SCALES

- Easy-to-read adjustable display
- Liquid Crystal Display (LCD) (MTB models)
- Vacuum Fluorescent Display (VFD) (MTX models)
- Stainless steel platform cover
- Multiple weighing ranges
- Weight verification
- Counting & checkweighing modes
- Battery operated (MTB-300L, MTB-60L)



PART #	DESCRIPTION	CAPACITY	PLATFORM DIMENSIONS	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
41450 ...	MTB-60L	60 lb, 30 lb	13" x 12.25" x 3.5" ...	27 lb	\$795.00
41446 ...	MTX-60L	60 lb, 30 lb, 15 lb ...	13" x 12.25" x 3.5" ...	27 lb	895.00
41451 ...	MTB-300L	300 lb, 150 lb	13.8" x 19.6" x 4.5" ..	42 lb	895.00
41447 ...	MTX-300L	300 lb, 150 lb, 60 lb ..	13.8" x 19.6" x 4.5" ..	42 lb	995.00
OPTIONS/ACCESSORIES					
41817	Built-in journal printer (MTX models)				319.00
42574	Paper roll, box of 10				23.50
41814	RS-232 interface (MTX-models)				200.00
45101	Roller conveyor (MTX-300L)				575.00
42231	Additional operating manual				30.00

ISHIDA MTX-W SERIES STAINLESS STEEL "SPASH-PROOF" BENCH SCALES

- Easy-to-read adjustable display
- Adjustable Vacuum Fluorescent Display (VFD)
- Stainless steel platform cover
- Multiple weighing ranges
- Weight verification
- Product counting



PART #	DESCRIPTION	CAPACITY	PLATFORM DIMENSIONS	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
41448	MTX-60W	60 lb	13" x 12.25" x 3.5" ..	27 lb	\$1,150.00
41449	MTX-300W	300 lb	13.8" x 19.6" x 4.5" ..	42 lb	1,350.00
OPTIONS/ACCESSORIES					
42233	Additional operating manual				30.00

ISHIDA MTE SERIES BENCH SCALE

- Easy-to-read Vacuum Fluorescent Display (VFD)
- Weight verification
- Simple tare function
- Stainless steel or die cast platform base
- 115 VAC power cord



PART #	DESCRIPTION	CAPACITY	PLATFORM DIMENSIONS	SHIP WEIGHT	SUGGESTED LIST PRICE
41452	MTE-300d, fixed "head," die cast base	300 lb	15.5" x 21.6" x 3.2" ..	50 lb	\$499.00
41453	MTE-300, fixed "head," SS base	300 lb	15.5" x 21.6" x 3.2" ..	50 lb	599.00
OPTIONS/ACCESSORIES					
48716	Tilt stand				39.00
42230	Additional operating manual				30.00

ISHIDA MG-3000 SERIES CHECKWEIGHER

- Color bar graph display
- Over/under weight verifier
- Large Liquid Crystal Display (LCD)
- Stainless steel exterior & platform
- Compact design
- Easy dual-range selection
- AC adapter
- Set tare by weight or digital entry



PART #	DESCRIPTION	CAPACITY	PLATFORM DIMENSIONS	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
41445	MG-3000	15 lb/6.8 kg	9.84" x 7.87"	12 lb	\$995.00
OPTIONS/ACCESSORIES					
41635	Built-in NiCad battery				95.00
42227	RS-232 interface board				395.00
42234	Additional operating manual				30.00

ISHIDA CWS SERIES PORTABLE BENCH SCALE

- Liquid Crystal Display (LCD)
- Stand-by mode
- Auto power-off function
- Low battery indicator
- Platform dimensions (7.9" x 8.9")
- Battery-powered, low power consumption design (1,000-hour life cycle with 6 "D"-cell batteries)



PART #	DESCRIPTION	CAPACITY	OVERALL DIMENSIONS	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
41466	CWS-5 lb	5 lb	9.5" x 7.1" x 9.7"	6 lb	\$235.00
41467	CWS-10 lb	10 lb	9.5" x 7.1" x 9.7"	6 lb	235.00
41468	CWS-20 lb	20 lb	9.5" x 7.1" x 9.7"	6 lb	235.00
41469	CWS-50 lb	50 lb	9.5" x 7.1" x 9.7"	6 lb	235.00

LBS/OZ UNITS*

41923	CWS-oz-05	5 lb x 0.1 oz	9.5" x 7.1" x 9.7"	6 lb	235.00
41924	CWS-oz-10	10 lb x 0.2 oz	9.5" x 7.1" x 9.7"	6 lb	235.00
41925	CWS-oz-19	19 lb x 0.5 oz	9.5" x 7.1" x 9.7"	6 lb	235.00

* Lb/oz display versions cannot be converted to kg-only or lb-only display. Lb/oz versions are NTEP for postal use only.

OPTIONS/ACCESSORIES

44063	Stainless steel top plate	50.00
42228	Additional operating manual	30.00

IQ 9500 SERIES COUNTING SCALE

- 1/1,000,000 counting (internal) resolution
- 1/10,000 weighing resolution
- Three fluorescent displays for weight, unit weight and quantity
- Up to four scale operation (three scales and one force balance)
- AC or battery operation (battery is optional)
- Three RS-232 ports for connecting to peripherals such as Eltron bar code printers, ticket/tape printers, bar code laser/pen scanners, PCs, and a force balance
- 200-item recall
- Up to six setpoints (TTL logic)



IQ 9500
Single Platform



IQ 9500
Dual Platform

PART #	CAPACITY	PLATTER DIMENSIONS	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
Single Scale - 115 VAC (Includes scale platform & console)				
53802	0.5 lb (0.25 kg)	6" x 8" (152 x 203mm)	27 lb	\$1,290.00
53803	1 lb (0.5 kg)	6" x 8" (152 x 203mm)	27 lb	1,290.00
53804	2.5 lb (1.0 kg)	7" x 10" (177 x 254mm)	27 lb	1,290.00
53805	5 lb (2.5 kg)	11" x 16" (279 x 406mm)	27 lb	1,290.00
53806	10 lb (5.0 kg)	11" x 16" (279 x 406mm)	27 lb	1,290.00
53807	25 lb (10.0 kg)	11" x 16" (279 x 406mm)	27 lb	1,290.00
53808	50 lb (25.0 kg)	11" x 16" (279 x 406mm)	27 lb	1,290.00
53809	100 lb (50.0 kg)	11" x 16" (279 x 406mm)	27 lb	1,290.00
Single Scale - 230 VAC (Includes scale platform & console)				
65152	0.5 lb (0.25 kg)	6" x 8" (152 x 203mm)	27 lb	1,290.00
65151	1 lb (0.5 kg)	6" x 8" (152 x 203mm)	27 lb	1,290.00
65150	2.5 lb (1.0 kg)	7" x 10" (177 x 254mm)	27 lb	1,290.00
65148	10 lb (5.0 kg)	11" x 16" (279 x 406mm)	27 lb	1,290.00

(Continued on next page)

PART #	CAPACITY	PLATTER DIMENSIONS	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
Single Scale - 230 VAC (Includes scale platform & console)				
65147	25 lb (10.0 kg)	11" x 16" (279 x 406mm)	27 lb	1,290.00
65146	50 lb (25.0 kg)	11" x 16" (279 x 406mm)	27 lb	1,290.00
65145	100 lb (50.0 kg)	11" x 16" (279 x 406mm)	27 lb	1,290.00
Dual Scale - 115 VAC (Includes scale platform & console)				
53794	0.5/10 lb (0.25/5.0 kg)	4" x 6"/9" x 12" (101 x 152/228 x 304mm)	28 lb	1,490.00
53795	0.5/25 lb (0.25/10.0 kg)	4" x 6"/9" x 12" (101 x 152/228 x 304mm)	28 lb	1,490.00
53796	0.5/50 lb (0.25/25.0 kg)	4" x 6"/9" x 12" (101 x 152/228 x 304mm)	28 lb	1,490.00
53797	1/10 lb (0.5/5.0 kg)	4" x 6"/9" x 12" (101 x 152/228 x 304mm)	28 lb	1,490.00
53798	1/25 lb (0.5/10.0 kg)	4" x 6"/9" x 12" (101 x 152/228 x 304mm)	28 lb	1,490.00
53799	1/50 lb (0.5/25.0 kg)	4" x 6"/9" x 12" (101 x 152/228 x 304mm)	28 lb	1,490.00
65336	2.5/10 lb (1.0/5.0 kg)	4" x 6"/9" x 12" (101 x 152/228 x 304mm)	28 lb	1,490.00
53800	2.5/25 lb (1.0/10.0 kg)	4" x 6"/9" x 12" (101 x 152/228 x 304mm)	28 lb	1,490.00
53801	2.5/50 lb (1.0/25.0 kg)	4" x 6"/9" x 12" (101 x 152/228 x 304mm)	28 lb	\$1,490.00
65335	5.0/10 lb (2.5/5.0 kg)	4" x 6"/9" x 12" (101 x 152/228 x 304mm)	28 lb	1,490.00
65334	5.0/25 lb (2.5/10.0 kg)	4" x 6"/9" x 12" (101 x 152/228 x 304mm)	28 lb	1,490.00
65333	5.0/50 lb (2.5/25.0 kg)	4" x 6"/9" x 12" (101 x 152/228 x 304mm)	28 lb	1,490.00

Dual Scale - 230 VAC

Consult factory for pricing and delivery.

Console Only

64842 IQ 9500 (Requires part number 31793 or 32479 for power) 7 lb 795.00

OPTIONS/ACCESSORIES

31793	AC power supply adapter, 115 VAC (only required when ordering part number 64842)	55.00
32479	AC power supply adapter, 230 VAC (only required when ordering part number 64842)	150.00
53826	20" high column assembly	150.00
53827	Rechargeable battery pack 4 hrs. continuous use (lead acid type)	100.00
53828 [†]	Multi-scale "Y" cable	75.00
32375**	Remote scale connector (connector only, price doesn't include labor for installation)	15.00
35319	20' RoughDeck home run cable w/remote scale connector installed	65.00
23113	TM-U295 ticket printer, 115 VAC/230 VAC	695.00
34492	TM-U200 tape printer, 115 VAC	395.00
34469	TM-U200 tape printer, 230 VAC	485.00
53120	Eltron LP-2722 direct thermal printer (115 VAC)	545.00
53124	Eltron LP-2722 direct thermal printer (230 VAC)	579.00
65617	Direct Thermal labels, 2.25" W x 4.50" L, 5" roll diameter, 600 labels/roll, perforated, 1" core size	10.00/roll
64660	5' RS-232 cable, 9-pin D-sub male to 9-pin D-sub male (Eltron printer)	49.00
64661	5' RS-232 cable, 8-pin DIN male to 9-pin D-sub male (Eltron printer)	49.00

Please refer to our BenchMark™ bench scales and RoughDeck™ floor scales for remote platform options.

[†] Required in three-channel system when channels #1 and #2 are not a dual channel platform.

** This connector needs to be installed on the load cell cable of any remote base. (i.e. bench scale load cell, or floor scale)

(Continued on next page)

IQ 9500 SERIES (CONT.)

PART #	DESCRIPTION	SUGGESTED LIST PRICE
OPTIONS/ACCESSORIES		
41279	5' RS-232 cable, 9-pin D-sub male to 25-pin D-sub male (TM-U295 or TM-U200)	\$49.00
32810	5' RS-232 cable, 8-pin DIN male to 25-pin D-sub male (TM-U295 or TM-U200)	49.00
65616	Wand, RS-232 decoded, 6 mil visable light	195.00
65317	CCD Scanner, Densei, scan width up to 4.5", RS-232 w/8-pin DIN connector	397.00
65619	QS6000, KBN, RS-232 cable, power supply, cable to connect to IQ 9500	895.00
53785	Additional operating manual***	30.00
<i>Please refer to our BenchMark™ bench scales and RoughDeck™ floor scales for remote platform options.</i>		
<i>*** Authorized distributors can download for free from www.rlws.com</i>		

CONDEC™ ECS 5000 DIGITAL COUNTING CONSOLE

- Full function numerical keyboard
- Full duplex serial output, configurable to provide up to seven fields of information including a keyed entry six-digit ID number
- Bright Light Emitting Diode (LED) Display
- Negative counting
- Sample enhancement



ECS5000 Part Numbering Guide

ECS5000

LOCAL SCALE CAPACITY

- A = 2 lb x 0.0002 lb
 B = 5 lb x 0.0005 lb
 C = 10 lb x 0.001 lb
 D = 25 lb x 0.002 lb
 E = 50 lb x 0.005 lb
 F = 75 lb x 0.005 lb
 G = 100 lb x 0.01 lb

POWER SOURCE

- A = 115 VAC, 50/60 Hz
 B = 230 VAC, 50/60 Hz
 C = 115 VAC, 50/60 Hz with battery base
 D = 230 VAC, 50/60 Hz with battery base
 E = 115 VAC, 50/60 Hz with internal battery
 F = 230 VAC, 50/60 Hz with internal battery

OPERATING MODE SELECTION

- A = Local scale only
 B = Local scale only with lb/kg switch
 C = Remote scale option (AC only)
 D = Remote scale option with lb/kg switch (AC only)

OPTIONS

- A = Standard

PART #	DESCRIPTION*	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
115 VAC			
57125	ECS5000AAAA	21 lb	\$1,391.00
57172	ECS5000AACA	40 lb	1,623.00
62016	ECS5000CADA	21 lb	1,571.00

(Continued on next page)

ECS5000 Part Numbering Guide
ECS5000
LOCAL SCALE CAPACITY

- A = 2 lb x 0.0002 lb
 B = 5 lb x 0.0005 lb
 C = 10 lb x 0.001 lb
 D = 25 lb x 0.002 lb
 E = 50 lb x 0.005 lb
 F = 75 lb x 0.005 lb
 G = 100 lb x 0.01 lb

POWER SOURCE

- A = 115 VAC, 50/60 Hz
 B = 230 VAC, 50/60 Hz
 C = 115 VAC, 50/60 Hz with battery base
 D = 230 VAC, 50/60 Hz with battery base
 E = 115 VAC, 50/60 Hz with internal battery
 F = 230 VAC, 50/60 Hz with internal battery

OPERATING MODE SELECTION

- A = Local scale only
 B = Local scale only with lb/kg switch
 C = Remote scale option (AC only)
 D = Remote scale option with lb/kg switch (AC only)

OPTIONS

- A = Standard

PART #	DESCRIPTION*	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
115 VAC			
61172	ECS5000DAAA	21 lb	\$1,339.00
61218	ECS5000DADA	21 lb	1,571.00
61941	ECS5000EAAA	21 lb	1,339.00
61973	ECS5000EACA	21 lb	1,571.00
61992	ECS5000EADA	21 lb	1,571.00
60592	ECS5000FAAA	21 lb	1,339.00
54007	ECS5000FACA	21 lb	1,571.00
61929	ECS5000GAAA	21 lb	1,339.00
62546	ECS5000GEAA	40 lb	1,602.00
61949	ECS5000GACA	21 lb	1,571.00
61972	ECS5000GADA	21 lb	1,571.00

All other part number configurations are available as special order units.

OPTIONS/ACCESSORIES

16815	Service manual	85.00
55522	Additional operating manual	35.00

ISHIDA NCS SERIES COUNTING SCALE

- .5" (11.5 mm) Vacuum Fluorescent Display (VFD)
- 15 preset keys for average piece weight storage
- 6-digit display for count
- 5-digit weight display
- 5-digit average piece weight display



PART #	DESCRIPTION	CAPACITY	PLATFORM DIMENSIONS	EST. SHIP WEIGHT	SUGGESTED LIST PRICE
41456	NCS 6 lb	6 lb x .001	13.8" x 9.6"	10 lb	\$495.00
41457	NCS 12 lb	12 lb x .002	13.8" x 9.6"	10 lb	495.00
41458	NCS 30 lb	30 lb x .005	13.8" x 9.6"	10 lb	495.00
41459	NCS 60 lb	60 lb x .01	13.8" x 9.6"	10 lb	495.00

OPTIONS/ACCESSORIES

42232	Additional operating manual	30.00
-------	-----------------------------	-------

F.O.B. Rice Lake, Wisconsin • March 1, 2001

© Rice Lake Weighing Systems 2001 • Prices & specifications subject to change without notice