STANDARDS BRANCH

S-WA-393

APPROVAL LISTING

AVERY - AUTOMATIC HOPPER SCALES

Under the provisions of the Weights and Measures Act, Chapter 292, R.S.C. 1952, and Regulations thereunder (F.C. 6894), the apparatus specified and illustrated herein have been listed as approved devices and may be used in Canada in accordance with the conditions applicable.

Apparatus Listed: Automatic continuous weighing and recording hopper scales Models 41N, 42N, 43N, 45N, 51N and 53N with capacities ranging from 500 lbs. to 50,000 lbs., manufactured by W & T Avery Company Limited, Soho Foundry, Birmingham 40, England.

Application: Bulk weighing of free flowing material in wholesale trade.

Conditions: As prescribed in P.C. 6894 with the added requirement that saddles or other means for supporting test weights conveniently, be incorporated in the assembly.

Description: These devices are heavy duty hopper scales automatically operated for continuous weighing of a Predetermined quantity. The weigh hopper and feed hopper are each hydraulically operated by a closed circuit unit. The weigh hopper is supported by the hopper suspension frame which may be either suspended or supported by pipe levers which through a connecting rod are connected to an inverted lever within the recorder control cabinet.

Test weight cradles are supplied, and may be raised or lowered by push button operation. Signal lights indicate: (1) hydraulic motor operating (2) excess load in hopper (3) excess tare (4) automatic cycle operating (5) supply of recording tape finished (6) test condition prevails.

Testing: apply.


The standard tests for a hopper scale shall

C. S. Fhillips, Assistant Director, W&M, Standards Branch.

Reference: A-544

R. W. MacLean, Director, Stendards Branch.

.



AVERY - AUTOMATIC HOPPER SCALE