

DEPARTMENT OF TRADE AND COMMERCE

STANDAROS DIRANCH

OTTAWA, September 16, 1963.

RESTRICTED APPROVAL LISTING

ARCA - DELT CONVEYOR SCALE

Under the provisions of the Weights and Measures Act, Chapter 292 R.S.C. 1952 and Regulations thereunder (P.C. 6894) the apparatus specified and illustrated herein he been listed as an approved device for restricted use and may be used in Canada in ac dance with the conditions applicable.

Apparatus Listed: Belt Conveyor Scale Model SV menufactured by ABCs Scale Division, McDowell Company, Inc., 113 St. Clair Ave., N.E. Cleveland 14, Ohio, U.S.A.

Rating of Apparatus: The capacities in pounds or tons per hour may vary from 5 tons to 2500 tons per hour depending on the requirements of the particular application.

Normal loading should not be less than 50 per cent of the declared capacity.

Application: Bulk weighing of crude or chenp material such as crude ore, salt, fertilizer, coment and similar products.

Conditions: As prescribed in P.C. 6894.

Note: (1) Maximum applicable tolerance .5%

2) These devices are required to bear a permanently affixed plate bearing the words "Restricted--Trade and Commerce" or the mark "Restricted--T&C".

Description: This device is a belt conveyor type scale designed to integrate the speed of the belt with the belt load and totalize the weight in pounds or tone and decimals f tone.

The Integrating head is of the pendulum type with a cone and tilting whoel.

The main levers are class two type of fabricated cold roll steel consisting
of two parallel torsion shafts. A splicer arm is assembled to one end of each shaft
connecting them to the integrator beam which in turn is connected to the integrator
head.

Testing: The standards tests for conveyor scales are prescribed in the Inspectors Handbook part 11 Chapter 2 pages 20 to 24 shall apply.

Chief, Weights and Measures Division,


Standards Branch.

Director,

Standards Branch.

			,
	€.		•

ABCs - BELT CONVEYOR SCALE



Self-in displayments, non-situate the property of the passes of the pass
•
and the second of the second o
The same and the same of the s
A COLOR OF THE COL

(