ICS42

ICS44

ICS43

ICS46

Produced in a facility that is ISO 9001 certified

ICS4_5 Series

Terminals

COMMERCIAL

Standard Features:

- Graphic LCD display with backlights
- Die-cast aluminium housing, IP65
- 2 selectable display modes
- Fully Automated Calibration Technology (FACT) for monoBloc Scales
- 5 Configurable Softkeys (ICS445 and ICS465 only)
- ColorWeight function (ICS465 only)
- Numeric keypad (ICS435 & ICS465 only)
- Date and time
- Optional exchangeable battery
- Counting, Over/Under Checkweighing, Totalizing (ICS445 & ICS465 only)
- Alibi Memory (ICS445 & ICS465 only)
- User Prompting (ICS465 only)
- Database (up to 100 articles) (ICS465 only)
- Standard: 1 RS232 plus 1 optional field installable option: RS232, RS422/485, USB device, USB host, Ethernet, WLAN, Digital I/O

ICS4_5 Terminal Configuration



Ordering Information

ICS4_5 Analog Terminals

Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
425SI000A0	ICS425a		$840
435SI000A0	ICS435a		$1,010
445CI000A0	ICS445a-Count		$1,010
465CI000A0	ICS465a-Count		$1,226

ICS4_5 Digital Terminals

Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
425SI000J0	ICS425d		$670
435SI000J0	ICS435d		$840
445CI000J0	ICS445d-Count		$840
465CI000J0	ICS465d-Count		$1,055

ICS4_5 Series Terminals

First & Second Interface Options (select 1)			
Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
A00	RS-232 + No Option	-	$0
A0X	RS-232 + 2nd Analog Scale	-	$378
Power Options			
A	120 VAC, North American Plug		$0
B	230 VAC, Schuko Plug		$0
M	Battery, North American Plug		$0
N	Battery, Schuko Plug		$0
Other Options Options			
3	IP65		$0
4	IP65 + Alibi Memory		$51
9	Exchange, Battery Pack (IP54)		$523
B	Exchange, Battery Pack (IP54) + Alibi Memory		$572

ICS4_5 Series Field Installable Kits			
Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
22023619	22023619	Field kit for RS232	$241
22023626	22023626	Field kit for 2nd Analog Scale	$378
22023620	22023620	Field kit for RS422/485 (Dig Scale)	$301
22023621	22023621	Field kit for Ethernet	$504
22023622	22023622	Field kit for USB Device (slave)	$301
22023624	22023624	Field kit for Digital I/O	$301
22023625	22023625	Field kit for WLAN	$811
ICS4_5 Accessories			
30029402	30029402	Option Internal Alibi Memory	$51
30032637	30032637	Terminal Bracket (ICSxx5, for stand/wall/desk)	$99
72198699	72198699	Column, CS, Open Back rectangular, 13"/330mm, Flat Top, M8 Hole	$93
72198700	72198700	Column, CS, Open Back rectangular, 26"/660mm, Flat Top, M8 Hole	$109
72243747	72243747	Power Cord ext. US	$35
ICSxx5 Complete Cables (straight)			
22018967	22018967	Cable M12 USB Male Type A 3.0m (USB Device)	$126
22017601	22017601	Cable M12 RS-232 Female SUB D9	$126
22017602	22017602	Cable M12 RS-232 Male SUB D9	$126
22017603	22017603	Cable M12 RS422/485 - Open Ends	$126
22018969	22018969	Cable M12 Digital I/O - Open Ends	$126
22017610	22017610	Cable M12 Ethernet - RJ45 5.0m	$126
22017604	22017604	Cable M12 USB Female Type A 0.2m (USB Host)	$121
30029387	30029387	M12 Cable, straight, PQ16 Printer Cable	$125
30029388	30029388	M12 Cable, bend, PQ16 Printer Cable	$125
30029400	30029400	M12 Cable, Printer Cable, straight	$126
30029401	30029401	M12 Cable, Printer Cable, bend	$126
ICSxx5 Cable Plugs Only			
22022056	22022056	RS232 Counter Plug (8pin, M12, IP67)	$154
22022058	22022058	Ethernet Counter Plug (4pin, coding D, M12, IP67)	$120
22022059	22022059	USB Counter Plug (4pin, coding A, M12, IP67)	$120
ICSxx5 Battery Options			
72263693	72263693	Battery Charger M12 straight (power supply external) w/o power cord	$149
30032647	30032647	ICSxx5 Battery Pack (snap in)	$262
30035339		External battery charging station	$266

©Mettler-Toledo, LLC

XS

SM



LA

ICS445

Basic Weigh Compact Scale

Standard Features:

- Graphic LCD display with backlights
- Die-cast aluminium housing, IP54
- 2 selectable display modes
- 5 configurable softkeys
- Date and time
- Optional exchangeable battery
- Counting
- Alibi Memory
- Fully Automated Calibration Technology (FACT) for MonoBloc® scale
- Standard: 1 RS232 plus 1 optional field installable options: RS232, RS422/485, USB device, USB host, Ethernet, WLAN, Digital I/O

ICS445 Model Configuration



Ordering Information

COMMERCIAL

ICS445 Compact Units - Counting - Strain Gauge (base model, capacity, platform size)

Order Number	Description	Platform Size	Capacity	Readability (1x6000d)	Shipping Weight (lb)	Suggested List Price (CDN$)
445CF2B4H0	ICS445d-count-3SM/f	8 x 10 in	6lb / 3 kg	0.001lb / 0.0005kg	12.1 lb	$1,452
445CF3B4H0	ICS445d-count-6SM/f		12lb / 6 kg	0.002lb / 0.001kg	12.1 lb	$1,452
445CF4C4H0	ICS445d-count-15LA/f	10 x 14 in	30lb / 15 kg	0.005lb / 0.002kg	12.1 lb	$1,566
445CF7C4H0	ICS445d-count-35LA/f		60lb / 35 kg	0.01lb / 0.005kg	12.1 lb	$1,566

APPLIED

ICS445 Compact Units - Counting - MonoBloc (base model, capacity, platform size)

Order Number	Description	Platform Size	Capacity	Readability (1x6000d)	Shipping Weight (lb)	Suggested List Price (CDN$)
445CF1AUM0	ICS445k-count-0.6XS/f	6 x 5 in	1.2 lb / 0.6 kg	0.00002 lb / 0.000001 kg	12.5 lb	$3,663
445CF2AUM0	ICS445k-count-3XS/f		6lb / 3 kg	0.0002lb / 0.00001kg	12.5 lb	$2,711
445CF3AUM0	ICS445k-count-6XS/f		12lb / 6 kg	0.0002lb / 0.00001kg	12.5 lb	$3,233
445CF3BUM0	ICS445k-count-6SM/f	8 x 10 in	12lb / 6 kg	0.002lb / 0.0001kg	12.5 lb	$3,063
445CF4CUM0	ICS445k-count-15LA/f	10 x 14 in	30 lb / 15 kg	0.002lb / 0.0001kg	19.8 lb	$3,313
445CF7CUM0	ICS445k-count-35LA/f		60lb / 35 kg	0.002lb / 0.0001kg	19.8 lb	$3,663

ICS445 Basic Weigh

First & Second Interface Options (select 1)			
Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
A00	RS-232 + No Option	-	$0
A0X	RS-232 + 2nd Analog Scale	-	$378
Power Options			
A	120 VAC, North American Plug		$0
B	230 VAC, Schuko Plug		$0
M	Battery, North American Plug		$0
N	Battery, Schuko Plug		$0
Other Options Options			
1	IP54		$0
2	IP54 + Alibi Memory		$51
9	Exchange, Battery Pack (IP54)		$527
B	Exchange, Battery Pack (IP54) + Alibi Memory		$578

ICS4_5 Series Field Installable Kits			
Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
22023619	22023619	Field kit for RS232	$241
22023626	22023626	Field kit for 2nd Analog Scale	$378
22023620	22023620	Field kit for RS422/485 (Dig Scale)	$301
22023621	22023621	Field kit for Ethernet	$504
22023622	22023622	Field kit for USB Device (slave)	$301
22023624	22023624	Field kit for Digital I/O	$301
22023625	22023625	Field kit for WLAN	$811
ICS4_5 Accessories			
30029402	30029402	Option Internal Alibi Memory	$51
30032637	30032637	Terminal Bracket (ICSxx5, for stand/wall/desk)	$99
72198699	72198699	Column, CS, Open Back rectangular, 13"/330mm, Flat Top, M8 Hole	$93
72198700	72198700	Column, CS, Open Back rectangular, 26"/660mm, Flat Top, M8 Hole	$109
72243747	72243747	Power Cord ext. US	$35
ICSxx5 Complete Cables (straight)			
22018967	22018967	Cable M12 USB Male Type A 3.0m (USB Device)	$126
22017601	22017601	Cable M12 RS-232 Female SUB D9	$126
22017602	22017602	Cable M12 RS-232 Male SUB D9	$126
22017603	22017603	Cable M12 RS422/485 - Open Ends	$126
22018969	22018969	Cable M12 Digital I/O - Open Ends	$126
22017610	22017610	Cable M12 Ethernet - RJ45 5.0m	$126
22017604	22017604	Cable M12 USB Female Type A 0.2m (USB Host)	$121
30029387	30029387	M12 Cable, straight, PQ16 Printer Cable	$125
30029388	30029388	M12 Cable, bend, PQ16 Printer Cable	$125
30029400	30029400	M12 Cable, Printer Cable, straight	$126
30029401	30029401	M12 Cable, Printer Cable, bend	$126
ICSxx5 Cable Plugs Only			
22022056	22022056	RS232 Counter Plug (8pin, M12, IP67)	$154
22022058	22022058	Ethernet Counter Plug (4pin, coding D, M12, IP67)	$120
22022059	22022059	USB Counter Plug (4pin, coding A, M12, IP67)	$120
ICSxx5 Battery Options			
72263693	72263693	Battery Charger M12 straight (power supply external) w/o power cord	$149
30032647	30032647	ICSxx5 Battery Pack (snap in)	$262
30035339		External battery charging station	$266

©Mettler-Toledo, LLC

XS

SM

LA

ICS465

Basic Weigh Compact Scale

Standard Features:

- Graphic LCD display with backlights
- Die-cast aluminium housing, IP54
- 2 selectable display modes
- 5 configurable softkeys
- Numeric Keypad
- ColorWeight® function
- Date and time
- Optional exchangeable battery
- Counting, Over/Under Checkweighing, Totalizing
- Alibi Memory
- User Prompting
- Database (up to 100 articles)
- Fully Automated Calibration Technology (FACT) for MonoBloc® scale
- Standard: 1 RS232 plus 1 optional field installable option: RS232, RS422/485, USB device, USB host, Ethernet, WLAN, Digital I/O

ICS465 Model Configuration



Ordering Information

COMMERCIAL

ICS465 Compact Units - Counting - Strain Gauge (base model, capacity, platform size)

Order Number	Description	Platform Size	Capacity	Readability (1x6000d)	Shipping Weight (lb)	Suggested List Price (CDN$)
465CF2B4H0	ICS465d-count-3SM/f	8 x 10 in	6lb / 3 kg	0.001lb / 0.0005kg	12.1 lb	$1,668
465CF3B4H0	ICS465d-count-6SM/f		12lb / 6 kg	0.002lb / 0.001kg	12.1 lb	$1,668
465CF4C4H0	ICS465d-count-15LA/f	10 x 14 in	30lb / 15 kg	0.005lb / 0.002kg	16.3 lb	$1,781
465CF7C4H0	ICS465d-count-35LA/f		60lb / 35 kg	0.01lb / 0.005kg	16.3 lb	$1,781

APPLIED

ICS465 Compact Units - Counting - MonoBloc (base model, capacity, platform size)

Order Number	Description	Platform Size	Capacity	Readability (1x6000d)	Shipping Weight (lb)	Suggested List Price (CDN$)
465CF1AUM0	ICS465k-count-0.6XS/f	6 x 5 in	1.2 lb / 0.6 kg	0.00002 lb / 0.000001 kg	12.5 lb	$3,879
465CF2AUM0	ICS465k-count-3XS/f		6lb / 3 kg	0.0002lb / 0.00001kg	12.5 lb	$2,926
465CF3AUM0	ICS465k-count-6XS/f		12lb / 6 kg	0.0002lb / 0.00001kg	12.5 lb	$3,449
465CF3BUM0	ICS465k-count-6SM/f	8 x 10 in	12lb / 6 kg	0.002lb / 0.0001kg	12.5 lb	$3,278
465CF4CUM0	ICS465k-count-15LA/f	10 x 14 in	30 lb / 15 kg	0.002lb / 0.0001kg	19.8 lb	$3,528
465CF7CUM0	ICS465k-count-35LA/f		60lb / 35 kg	0.002lb / 0.0001kg	19.8 lb	$3,879

ICS465 Basic Weigh

First & Second Interface Options (select 1)			
Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
A00	RS-232 + No Option	-	$0
A0X	RS-232 + 2nd Analog Scale	-	$378
Power Options			
A	120 VAC, North American Plug		$0
B	230 VAC, Schuko Plug		$0
M	Battery, North American Plug		$0
N	Battery, Schuko Plug		$0
Other Options Options			
1	IP54		$0
2	IP54 + Alibi Memory		$51
9	Exchange, Battery Pack (IP54)		$527
B	Exchange, Battery Pack (IP54) + Alibi Memory		$578

ICS4_5 Series Field Installable Kits			
Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
22023619	22023619	Field kit for RS232	$241
22023626	22023626	Field kit for 2nd Analog Scale	$378
22023620	22023620	Field kit for RS422/485 (Dig Scale)	$301
22023621	22023621	Field kit for Ethernet	$504
22023622	22023622	Field kit for USB Device (slave)	$301
22023624	22023624	Field kit for Digital I/O	$301
22023625	22023625	Field kit for WLAN	$811
ICS4_5 Accessories			
30029402	30029402	Option Internal Alibi Memory	$51
30032637	30032637	Terminal Bracket (ICSxx5, for stand/wall/desk)	$99
72198699	72198699	Column, CS, Open Back rectangular, 13"/330mm, Flat Top, M8 Hole	$93
72198700	72198700	Column, CS, Open Back rectangular, 26"/660mm, Flat Top, M8 Hole	$109
72243747	72243747	Power Cord ext. US	$35
ICSxx5 Complete Cables (straight)			
22018967	22018967	Cable M12 USB Male Type A 3.0m (USB Device)	$126
22017601	22017601	Cable M12 RS-232 Female SUB D9	$126
22017602	22017602	Cable M12 RS-232 Male SUB D9	$126
22017603	22017603	Cable M12 RS422/485 - Open Ends	$126
22018969	22018969	Cable M12 Digital I/O - Open Ends	$126
22017610	22017610	Cable M12 Ethernet - RJ45 5.0m	$126
22017604	22017604	Cable M12 USB Female Type A 0.2m (USB Host)	$121
30029387	30029387	M12 Cable, straight, PQ16 Printer Cable	$125
30029388	30029388	M12 Cable, bend, PQ16 Printer Cable	$125
30029400	30029400	M12 Cable, Printer Cable, straight	$126
30029401	30029401	M12 Cable, Printer Cable, bend	$126
ICSxx5 Cable Plugs Only			
22022056	22022056	RS232 Counter Plug (8pin, M12, IP67)	$154
22022058	22022058	Ethernet Counter Plug (4pin, coding D, M12, IP67)	$120
22022059	22022059	USB Counter Plug (4pin, coding A, M12, IP67)	$120
ICSxx5 Battery Options			
72263693	72263693	Battery Charger M12 straight (power supply external) w/o power cord	$149
30032647	30032647	ICSxx5 Battery Pack (snap in)	$262
30035339		External battery charging station	$266

©Mettler-Toledo, LLC

ICS685

ICS685 Series

Smart Counting Terminal

APPLIED

Standard Features:

- Color TFT Display (320 x 240 pixels)
- Die-cast aluminium housing, IP65
- 2 selectable display modes
- Fully Automated Calibration Technology (FACT) for monoBloc Scales
- 5 Configurable Softkeys
- Numeric keypad
- User management function
- Temperature check function
- Routine tests: calibration checks, linearity, corner load test
- Hardkeys can be deactivated to prevent incorrect key press
- Standard: 2 RS232
- Date and time
- Optional exchangeable battery
- Counting, Over/Under Checkweighing, Totalizing
- Alibi Memory/Transaction memory
- User Prompting
- Scale embedded database (up to 30,000 articles)
- Software to administer/manage database
- Statistics software
- ColorWeight® function
- 2 optional field installable options: RS232, RS422/485, USB device, USB host, Ethernet, WLAN, Digital I/O, digital/analog 2nd scale

ICS685 Terminal Configuration



Ordering Information

ICS685 Analog Terminals

Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
685MI000A0	ICS685a-Smart Count		$1,884

ICS685 Digital Terminals

Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
685MI000J0	ICS685d-Smart Count		$1,713
First & Second Interface Option			
B	RS-232 + RS232	-	$0
Third Interface Option			
0	No Option	-	$0
Fourth Interface Option			
0	No Option	-	$0
X	2nd Analog Scale	-	$378

ICS685 Series Terminal

Power Options			
Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
A	120 VAC, North American Plug		$0
B	230 VAC, Schuko Plug		$0
M	Battery, North American Plug		$0
N	Battery, Schuko Plug		$0
Other Options			
4	IP65 + Alibi Memory		$51
B	Exchange, Battery Pack (IP54) + Alibi Memory		$572

ICS685 Series Field Installable Kits			
Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
22023619	22023619	Field kit for RS232	$241
22023626	22023626	Field kit for 2nd Analog Scale	$378
22023620	22023620	Field kit for RS422/485 (Dig Scale)	$301
22023621	22023621	Field kit for Ethernet	$504
22023622	22023622	Field kit for USB Device (slave)	$301
22023624	22023624	Field kit for Digital I/O	$301
22023625	22023625	Field kit for WLAN	$811
ICS685 Accessories			
30029402	30029402	Option Internal Alibi Memory	$51
30032637	30032637	Terminal Bracket (ICSxx5, for stand/wall/desk)	$99
72198699	72198699	Column, CS, Open Back rectangular, 13"/330mm, Flat Top, M8 Hole	$93
72198700	72198700	Column, CS, Open Back rectangular, 26"/660mm, Flat Top, M8 Hole	$109
72243747	72243747	Power Cord ext. US	$35
ICSxx5 Complete Cables (straight)			
22018967	22018967	Cable M12 USB Male Type A 3.0m (USB Device)	$126
22017601	22017601	Cable M12 RS-232 Female SUB D9	$126
22017602	22017602	Cable M12 RS-232 Male SUB D9	$126
22017603	22017603	Cable M12 RS422/485 - Open Ends	$126
22018969	22018969	Cable M12 Digital I/O - Open Ends	$126
22017610	22017610	Cable M12 Ethernet - RJ45 5.0m	$126
22017604	22017604	Cable M12 USB Female Type A 0.2m (USB Host)	$121
30029387	30029387	M12 Cable, straight, PQ16 Printer Cable	$125
30029388	30029388	M12 Cable, bend, PQ16 Printer Cable	$125
30029400	30029400	M12 Cable, Printer Cable, straight	$126
30029401	30029401	M12 Cable, Printer Cable, bend	$126
ICSxx5 Cable Plugs Only			
22022056	22022056	RS232 Counter Plug (8pin, M12, IP67)	$154
22022058	22022058	Ethernet Counter Plug (4pin, coding D, M12, IP67)	$120
22022059	22022059	USB Counter Plug (4pin, coding A, M12, IP67)	$120
ICSxx5 Battery Options			
72263693	72263693	Battery Charger M12 straight (power supply external) w/o power cord	$149
30032647	30032647	ICSxx5 Battery Pack (snap in)	$262
30035339		External battery charging station	$266

©Mettler-Toledo, LLC

Produced in a facility that is ISO 9001 certified

ICS685

Smart Counting Compact Scale

APPLIED

Standard Features:

- Color TFT Display (320 x 240 pixels)
- Die-cast aluminium housing, IP54
- 2 selectable display modes
- Fully Automated Calibration Technology (FACT) for monoBloc Scales
- 5 Configurable Softkeys
- Numeric keypad
- User management function
- Temperature check function
- Routine tests: calibration checks, linearity, corner load test
- Hardkeys can be deactivated to prevent incorrect key press
- Standard: 2 RS232
- 2 optional field instalable options: RS232, RS422/485, USB device, USB host, Ethernet, WLAN, Digital I/O, digital/analog 2nd scale
- Date and time
- Optional exchangeable battery
- Counting, Over/Under Checkweighing, Totalizing
- Alibi Memory/Transaction memory
- User Prompting
- Scale embedded database (up to 30,000 articles)
- Software to administer/manage database
- Statistics software
- ColorWeight® function

ICS685 Model Configuration

Model	Capacity	Platform Size	Resolution	Interface Options 1st & 2nd	Interface Options 3rd	Interface Options 4th	Power Option	Other Options
685MF	1,2,3,4,7	A,B,C	4H0, UM0	B	0	0,X	A,B,M,N	2,B
685MF	2	B	4H0	B	0	0	A	2

Ordering Information

Order Number	Description	Platform Size	Capacity	Readability (1x6000d)	Shipping Weight (lb)	Suggested List Price (CDN$)
ICS685 Compact Units - Smart Counting - Strain Gauge (base model, capacity, platform size)						
685MF2B4H0	ICS685d-count-3SM/f	8 x 10 in	6lb / 3 kg	0.001lb / 0.0005kg		$2,326
685MF3B4H0	ICS685d-count-6SM/f		12lb / 6 kg	0.002lb / 0.001kg		$2,326
685MF4C4H0	ICS685d-count-15LA/f	10 x 14 in	30lb / 15 kg	0.005lb / 0.002kg		$2,439
685MF7C4H0	ICS685d-count-35LA/f		60lb / 35 kg	0.01lb / 0.005kg		$2,439
ICS685 Compact Units - Smart Counting - MonoBloc (base model, capacity, platform size)						
685MF1AUM0	ICS685k-count-0.6XS/f	6 x 5 in	1.2 lb / 0.6 kg	0.00002 lb / 0.000001 kg		$4,537
685MF2AUM0	ICS685k-count-3XS/f		6lb / 3 kg	0.0002lb / 0.00001kg		$3,584
685MF3AUM0	ICS685k-count-6XS/f		12lb / 6 kg	0.0002lb / 0.00001kg		$4,106
685MF3BUM0	ICS685k-count-6SM/f	8 x 10 in	12lb / 6 kg	0.002lb / 0.0001kg		$3,936
685MF4CUM0	ICS685k-count-15LA/f	10 x 14 in	30 lb / 15 kg	0.002lb / 0.0001kg		$4,186
685MF7CUM0	ICS685k-count-35LA/f		60lb / 35 kg	0.002lb / 0.0001kg		$4,537
First & Second Interface Option						
B	RS-232 + RS-232				-	$0
Third Interface Option						
0	No Option					$0
Fourth Interface Option						
0	No Option					$0
X	2nd Analog Option					$378

ICS685 Smart Counting Compact Scale

Power Options		
A	120 VAC, North American Plug	$0
B	230 VAC, Schuko Plug	$0
M	Battery, North American Plug	$0
N	Battery, Schuko Plug	$0

Other Options Options		
2	IP54 + Alibi Memory	$51
B	Exchange, Battery Pack (IP54) + Alibi Memory	$572

ICS685 Series Field Installable Kits			
Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
22023619	22023619	Field kit for RS232	$241
22023626	22023626	Field kit for 2nd Analog Scale	$378
22023620	22023620	Field kit for RS422/485 (Dig Scale)	$301
22023621	22023621	Field kit for Ethernet	$504
22023622	22023622	Field kit for USB Device (slave)	$301
22023624	22023624	Field kit for Digital I/O	$301
22023625	22023625	Field kit for WLAN	$811

ICS685 Accessories			
30029402	30029402	Option Internal Alibi Memory	$51
30032637	30032637	Terminal Bracket (ICSxx5, for stand/wall/desk)	$99
72198699	72198699	Column, CS, Open Back rectangular, 13"/330mm, Flat Top, M8 Hole	$93
72198700	72198700	Column, CS, Open Back rectangular, 26"/660mm, Flat Top, M8 Hole	$109
72243747	72243747	Power Cord ext. US	$35

ICSxx5 Complete Cables (straight)			
22018967	22018967	Cable M12 USB Male Type A 3.0m (USB Device)	$126
22017601	22017601	Cable M12 RS-232 Female SUB D9	$126
22017602	22017602	Cable M12 RS-232 Male SUB D9	$126
22017603	22017603	Cable M12 RS422/485 - Open Ends	$126
22018969	22018969	Cable M12 Digital I/O - Open Ends	$126
22017610	22017610	Cable M12 Ethernet - RJ45 5.0m	$126
22017604	22017604	Cable M12 USB Female Type A 0.2m (USB Host)	$121
30029387	30029387	M12 Cable, straight, PQ16 Printer Cable	$125
30029388	30029388	M12 Cable, bend, PQ16 Printer Cable	$125
30029400	30029400	M12 Cable, Printer Cable, straight	$126
30029401	30029401	M12 Cable, Printer Cable, bend	$126

ICSxx5 Cable Plugs Only			
22022056	22022056	RS232 Counter Plug (8pin, M12, IP67)	$154
22022058	22022058	Ethernet Counter Plug (4pin, coding D, M12, IP67)	$120
22022059	22022059	USB Counter Plug (4pin, coding A, M12, IP67)	$120

ICSxx5 Battery Options			
72263693	72263693	Battery Charger M12 straight (power supply external) w/o power cord	$149
30032647	30032647	ICSxx5 Battery Pack (snap in)	$262
30035339		External battery charging station	$266

©Mettler-Toledo, LLC



PBD655

Powder Coated Steel with Stainless Steel Platter

COMMERCIAL

Approvals:

- NTEP Class III, 10,000d, COC #12-052 (30024750 is not NTEP approved)
- Measurement Canada Approval PENDING
- OIML TC8048

Standard Features:

- Digital high-resolution signal
- 6 kg to 600 kg capacities
- IP65 ingress protection
- Rectangular Sizes
- 304 Stainless Steel platter, rounded corners
- Powder coated steel frame
- Six overload stops

Ordering Information

PBD655 Analog Scale Base

Order Number	SAP Order Number	Platform Size mm (in)	Standard Maximum Capacity	Approved Maximum Capacity	Approved Minimum Readability	Cable Length	Shipping Weight (lb)	Suggested List Price (CDN$)
30024638	30024638	240 x 300 x 80 (9.5" x 12") - A	6 kg	5 kg/10 lb	0.5 g/0.001 lb	2.5 m/ 8.5 ft	16 lb	$978
30024639	30024639		12 kg	10 kg/20 lb	1.0 g/0.002 lb		16 lb	$978
30024740	30024740	300 x 400 x 86 (12" x 16") - BB	30 kg	20 kg/50 lb	2.0 g/0.005 lb		28 lb	$1,142
30024741	30024741		60 kg	50 kg/100 lb	5.0 g/0.01 lb		28 lb	$1,142
30024742	30024742	400 x 500 x 86 (16" x 20") - B	60 kg	50 kg/100 lb	5.0 g/0.01 lb		51 lb	$1,368
30024743	30024743		120 kg	100 kg/200 lb	10.0 g/0.02 lb		51 lb	$1,368
30024744	30024744	500 x 650 x 110 (20" x 26") - BC	60 kg	50 kg/100 lb	5.0 g/0.01 lb		60 lb	$1,514
30024745	30024745		120 kg	100 kg/200 lb	00.0 g/0.02 lb		60 lb	$1,514
30024746	30024746		300 kg	200 kg/500 lb	20.0 g/0.05 lb		609 lb	$1,514
30024747	30024747	600 x 800 x 120 (24" x 32") - CC	60 kg	50 kg/100 lb	5.0 g/0.01 lb		103 lb	$1,881
30024748	30024748		120 kg	100 kg/200 lb	10.0 g/0.02 lb		103 lb	$1,881
30024749	30024749		300 kg	200 kg/500 lb	20.0 g/0.05 lb		103 lb	$1,881
30024750	30024750		600 kg	600 kg/1000 lb	N/A		103 lb	$1,881

PBD655 Digital Scale Bases

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
PBD655 Accessories				
A082534020	68012730	Splice box, plastic for extending load cell cable (TYPE 4X)	2 lb	$114
TB100448	72999960	Splice box, Stainless Steel for extending load cell cable	2 lb	$261
30024758	30024758	E-Box including feet		$0
30024759	30024759	10 meter cable extension (two M12 plugs)		$0
30024768	30024768	5 meter cable extension (M12 plug to pig tail)		$0
PBD655 Accessories - Columns				
72198699	72198699	Column, CS, open back rectangular, 13"/330 mm, flat top, tapped M8 hole		$93
72198700	72198700	Column, CS, open back rectangular, 26"/660 mm, flat top, tapped M8 hole		$109
72198701	72198701	Column, CS, open back rectangular, 35.5"/900 mm, flat top, tapped M8 hole		$127
72198702	72198702	Column, SS, open back rectangular, 13"/330 mm, flat top, tapped M8 hole		$127
72198703	72198703	Column, SS, open back rectangular, 26"/660 mm, flat top, tapped M8 hole		$149
72198704	72198704	Column, SS, open back rectangular, 35.5"/900 mm, flat top, tapped M8 hole		$171
503700	503700	Freestanding Carbon Steel Base Plate (Provides added stability)		$247
503701	503701	Freestanding Stainless Steel Base Plate		$447
PBD655 Accessories - Stands and Carts				
503631	503631	Wheeled stand, CS, open top, 16" x 20"/400 x 500 mm, 'B'		$414
504853	504853	Wheeled stand, CS, open top, 24" x 32"/600 x 800 mm, 'CC'		$624
503632	503632	Wheeled stand, SS, open top, 16" x 20"/400 x 500 mm, 'B'		$658
504854	504854	Wheeled stand, SS, open top, 24" x 32"/600 x 800 mm, 'CC'		$964
72198696	72198696	Cart, Painted Mild Steel, low profile, open top for mobile weighing, 500 x 650 x 130 mm		$596
72198697	72198697	Cart, Painted Mild Steel, low profile, open top for mobile weighing, 600 x 800 x 130 mm		$630
09240070000	64049717	Stainless Steel cart, solid top with holes for 9 in, 12 in, 18 in platforms	45 lb	$1,287
PBD655 Accessories - Special Tops				
72198705	72198705	Roller conveyor, galvanized rollers, painted Mild Steel, 16" x 20"/400 x 500 mm		$387
72198707	72198707	Roller conveyor, galvanized rollers, painted Mild Steel, 20" x 26"/500 x 650 mm		$545
72198709	72198709	Roller conveyor, galvanized rollers, painted Mild Steel, 24" x 32"/600 x 800 mm		$601
72198691	72198691	Ball top, galvanized balls, painted Mild Steel, 16" x 20"/400 x 500 mm		$409
72198692	72198692	Ball top, galvanized balls, painted Mild Steel, 20" x 26"/500 x 650 mm		$494
72198693	72198693	Ball top, galvanized balls, painted Mild Steel, 24" x 32"/600 x 800 mm		$545

©Mettler-Toledo, LLC

IND4x5

Weighing Terminals

Approvals:

- USA: Class II 100,000d; Class III/IIIL 10,000d; COC#05-010
- Measurement Canada Approval: Class II 100,000d; Class III/III HD 10,000d; #AM-5588

IND425 Standard Features:

(Note: The IND425 does not include counting software)

- One analog scale interface
- Drives up to four 350 Ohm load cells
- Die-cast aluminum housing
- Fast LCD display with back-light
- Bi-directional RS232 interface
- IP65/TYPE 4 environmental protection

IND435 Count Standard Features:

- One analog scale interface
- Drives up to four 350 Ohm load cells
- Die-cast aluminum housing
- Fast LCD display with back-light
- Bi-directional RS232 interface

IND445 Count + Standard Features:

All IND435 Count features plus:

- Accumulation and Time & Date
- Numeric Keypad for APW, or manual Tare
- 2 numeric identification number
- 100 memory locations

IND465 Smart + Standard Features:

All IND445 Count + features plus:

- 1500 memory locations
- 3 RS232 interfaces
- PS2 port for barcode or keyboard
- Configurable soft keys

Planned Phase Out June 2013

IND4x5 Model Configuration



Ordering Information

4 Series Remote

Order Number	Application Software	Internal Resolution	NTEP Class III/IIIL Resolution	NTEP Class II Resolution	Overall Dimensions	Shipping Weight (lb)	Suggested List Price (CDN$)
COMMERCIAL							
IND43500RL	Count	300,000d	10,000d	100,000d	10.9" x 7.9" x 2.8"	6 lb	$1,050
IND44500RD	Count +	300,000d	10,000d	100,000d		6 lb	$1,331
APPLIED							
IND46500RT	Smart +	300,000d	10,000d	100,000d	10.9" x 7.9" x 2.8"	6 lb	$1,954

Power Option

Order Number	Description	Applicable Models	Shipping Weight (lb)	Suggested List Price (CDN$)
0	none	L,D,T		$0
1	30 hour NiMH rechargable battery pack	L,D,T	2 lb	$377

Software Option (choose one only)

00	none	L,D,T		$0

IND4x5

Second Interface Option (choose one only)

Order Number	Description	Applicable Models	Shipping Weight (lb)	Suggested List Price (CDN$)
00	none	L,D,T		$0
01	RS232	L,D		$191
02	Digital I/O	L,D,T		$502
03	RS485	L,D,T		$502
04	USB (slave)	L,D,T		$502
05	Ethernet TCP/IP (Connection to PC) (not IP65 environmentally prote	L,D,T		$502
06	Analog second scale interface	L,D,T		$347
07	Analog second scale interface and digital I/O	T		$845
08	Analog second scale interface and RS485	T		$845
09	Analog second scale interface and USB (slave)	T		$845
10	Analog second scale interface and ethernet	T		$845

IND4x5 Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
22013159	22013159	30 hour NiMH rechargable battery pack kit		$377
21255045	21255045	IND4x5 Terminal protective cover		$25
21203903	21203903	W&M sealing kit (required kit for preparing IND425 for legal-for-trade)		$62

IND4x5 Documentation

22011473	22011473	IND4x5 Installation Information (English)		$9.34
22013192	22013192	IND425 User Manual (English)		$9.34
22013193	22013193	IND435 User Manual (English)		$9.34
22013194	22013194	IND445 User Manual (English)		$9.34
22013195	22013195	IND465 User Manual (English)		$9.34
22011358	22011358	BBx4xx / IND4x5 Service Manual (English)		$16.82
22013407	22013407	IND4x5 Literature (English)		$0.00

Planned Phase Out June 2013

 ©Mettler-Toledo, Inc.

BBA432 / BBK432

4 Series Compact Scale Count

Approvals:
- NTEP Class II 60,000d (Monobloc); Class III 7,500d (Analog); COC #01-050A6
- Measurement Canada Approval: #AM-5437 Revision 2

Common Standard Features:
- Backlit 7-digit LC display
- Die-cast aluminum housing
- 1-RS232 interface
- 10 operational keys
- % Accuracy and % Capacity Indicators
- Hands-free counting, one touch sampling

Analog Features:
- Certifiable to NTEP Class III up to 7500d
- 1 part in 3 million internal resolution

MonoBloc Features
- Certifiable to NTEP Class II up to 60,000d
- up to 1 part in 17.5 million internal resolution

Options
- Internal battery power pack
- Protective in-use cover

Planned Phase Out June 2013

BBA432 / BBK432 Model Configuration

Model	Protection	Capacity (kg)	Size	Application	Power Option	Software	Interface Option
Count	2	03,06,15,35,60	P, S	L (Count)	0,1	00	00,01,02,03 04,05,06
B B A 4 3	2	1 5	S	L	0	0 0	0 2

Ordering Information

COMMERCIAL

4 Series Count with Analog Load Cell

Order Number	Standard Configuration		Overall Dimensions (in)	Weigh Pan Size (in)	Shipping Weight (lb)	Suggested List Price (CDN$)
BBA43203PL	6 lb/3 kg	0.0005 lb/0.0002 kg	10.4" x 13.2" x 4.0"	7.9" x 9.5"	13 lb	$1,366
BBA43206PL	12 lb/6 kg	0.001 lb/0.0005 kg			13 lb	$1,366
BBA43215SL	30 lb/15 kg	0.002 lb/0.001 kg	14.2" x 14.6" x 4.5"	9.5" x 13.8"	21 lb	$1,511
BBA43235SL	70 lb/35 kg	0.005 lb/0.002 kg			21 lb	$1,511
BBA43260SL	120 lb/60 kg	0.01 lb/0.005 kg			21 lb	$1,511

APPLIED

4 Series Count with MonoBloc Load Cell

Order Number	Standard Configuration		Platform Size (in)	Pan Size (in)	Shipping Weight (lb)	Suggested List Price (CDN$)
BBK43203PL	6 lb/3 kg	0.00002 lb/0.00001 kg	10.4" x 13.2" x 4.0"	6.5" x 6.5"	13 lb	$2,525
BBK43206PL	12 lb/6 kg	0.00005 lb/0.00002 kg		7.9" x 9.5"	13 lb	$2,525
BBK43215SL	30 lb/15 kg	0.0001 lb/0.00005 kg	14.2" x 14.6" x 4.5"	9.5" x 13.8"	21 lb	$2,886
BBK43235SL	70 lb/35 kg	0.0002 lb/0.0001 kg			21 lb	$3,450

BBA432 / BBK432

Power Option

Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
0	none		$0
1	30 hour NiMH rechargable battery pack	2 lb	$377

Software Option (choose one only)

00	none		$0

Second Interface Option (choose one only)

00	none		$0
01	RS232		$191
02	Digital I/O		$502
03	RS485		$502
04	USB (slave)		$502
05	Ethernet TCP/IP (Connection to PC) (not IP65 environmentally protected)		$502
06	Analog second scale interface		$347

BBA432 / BBK432 Field Installation Kits

Order Number	SAP Order Number	Option Number	Model	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
22013167	22013167	01	Count	Field kit for 2nd RS232		$222
22013142	22013142	02	Count	Field kit for Digital I/O		$539
22013145	22013145	03	Count	Field kit for RS485		$539
22013144	22013144	04	Count	Field kit for USB (slave)		$539
22013143	22013143	05	Count	Field kit for Ethernet TCP/IP (not IP65 environmentally protected)		$539
22013146	22013146	06	Count	Field kit for Analog 2nd scale		$371

BBA432 / BBK432 Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
22013140	22013140	30 hour NiMH rechargable battery pack kit		$387
22013141	22013141	External power connector kit (includes AC adapter)		$99
22013791	22013791	Mating cable (6') for connecting 12-20 VDC power source to 22013141		$60
21203903	21203903	Certification kit (W&M sealing kit for legal-for-trade applications)		$62
22013181	22013181	BBA432 / BBK432 User Manual		$12.80
229175	229175	Antitheft device, metal rod lock		$69
590101	590101	Antitheft device, cable lock		$72
21203207	21203207	Scale protective in-use cover for small chassis		$41
21203206	21203206	Scale protective in-use cover for large chassis		$41
09010310000	62009189	Soft sided carrying case for large platform (not to be used with BBK)		$138
225269	225269	Glass draft shield for BBK4x203 - 135 mm working height (requires 22011304 adapter plate)		$259
22011304	22011304	Adapter plate (required with 225269 draft shield)		$280

Planned Phase Out June 2013

 ©Mettler-Toledo, Inc.

BBA442 / BBK442

4 Series Compact Scale
Count +

Approvals:
- NTEP Class II 60,000d (Monobloc); Class III 7,500d (Analog); COC #01-050A6
- Measurement Canada Approval: #AM-5437 Revision 2

Common Standard Features:
- Backlit 7-digit LC display
- Die-cast aluminum housing
- 1-RS232 interface
- Numeric keypad
- % Accuracy and % Capacity Indicators
- Hands-free counting, one touch sampling
- 100 memory locations

Analog Features:
- Certifiable to NTEP Class III up to 7500d
- 1 part in 3 million internal resolution

MonoBloc Features
- Certifiable to NTEP Class II up to 60,000d
- Up to 1 part in 17.5 million internal resolution

Options
- Battery power pack
- Protective in-use cover

Planned Phase Out June 2013

BBA442 / BBK442 Model Configuration

Model	Protection	Capacity (kg)	Size	Application	Power Option	Software	Interface Option
Count +	2	03,06,15,35,60	P, S	D (Count +)	0,1	00	00,01,02,03 04,05,06
B B A 4 4	2	1 5	S	D	0	0 0	0 2

Ordering Information

COMMERCIAL

4 Series Count + with Analog Load Cell

Order Number	Standard Configuration		Overall Dimensions (in)	Weigh Pan Size (in)	Shipping Weight (lb)	Suggested List Price (CDN$)
BBA44203PD	6 lb/3 kg	0.0005 lb/0.0002 kg	10.4" x 13.2" x 4.0"	7.9" x 9.5"	13 lb	$1,676
BBA44206PD	12 lb/6 kg	0.001 lb/0.0005 kg			13 lb	$1,676
BBA44215SD	30 lb/15 kg	0.002 lb/0.001 kg	14.2" x 14.6" x 4.5"	9.5" x 13.8"	21 lb	$1,812
BBA44235SD	70 lb/35 kg	0.005 lb/0.002 kg			21 lb	$1,812
BBA44260SD	120 lb/60 kg	0.01 lb/0.005 kg			21 lb	$1,812

APPLIED

4 Series Count + with MonoBloc Load Cell

Order Number	Standard Configuration		Platform Size (in)	Pan Size (in)	Shipping Weight (lb)	Suggested List Price (CDN$)
BBK44203PD	6 lb/3 kg	0.00002 lb/0.00001 kg	10.4" x 13.2" x 4.0"	6.5" x 6.5"	13 lb	$2,732
BBK44206PD	12 lb/6 kg	0.00005 lb/0.00002 kg		7.9" x 9.5"	13 lb	$2,732
BBK44215SD	30 lb/15 kg	0.0001 lb/0.00005 kg	14.2" x 14.6" x 4.5"	9.5" x 13.8"	21 lb	$3,152
BBK44235SD	70 lb/35 kg	0.0002 lb/0.0001 kg			21 lb	$3,713

BBA442 / BBK442

Power Option

Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
0	none		$0
1	30 hour NiMH rechargable battery pack	2 lb	$377

Software Option (choose one only)

00	none		$0

Second Interface Option (choose one only)

00	none		$0
01	RS232		$191
02	Digital I/O		$502
03	RS485		$502
04	USB (slave)		$502
05	Ethernet TCP/IP (Connection to PC) (not IP65 environmentally protected)		$502
06	Analog second scale interface		$347

BBA442 / BBk442 Field Installation Kits

Order Number	SAP Order Number	Option Number	Model	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
21203678	21203678	01	Count +	Field kit for 2nd RS232		$215
22013142	22013142	02	Count +	Field kit for Digital I/O		$539
22013145	22013145	03	Count +	Field kit for RS485		$539
22013144	22013144	04	Count +	Field kit for USB (slave)		$539
22013143	22013143	05	Count +	Field kit for Ethernet TCP/IP (not IP65 environmentally protected)		$539
22013146	22013146	06	Count +	Field kit for Analog 2nd scale		$371

BBA442 / BBK442 Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
22013140	22013140	30 hour NiMH rechargable battery pack kit		$387
22013141	22013141	External power connector kit (includes AC adapter)		$99
22013791	22013791	Mating cable (6') for connecting 12-20 VDC power source to 22013141		$60
21203903	21203903	Certification kit (W&M sealing kit for legal-for-trade applications)		$62
22013182	22013182	BBA442 / BBK442 user's manual		$30.46
229175	229175	Antitheft device, metal rod lock		$69
590101	590101	Antitheft device, cable lock		$72
21203207	21203207	Scale protective in-use cover for small chassis		$41
21203206	21203206	Scale protective in-use cover for large chassis		$41
09010310000	62009189	Soft sided carrying case for large platform (not to be used with BBK)		$138
225269	225269	Glass draft shield for BBK44203PL- 135 mm working height (requires 22011304 adapter plate)		$259
22011304	22011304	Adapter plate (required with 225269 draft shield)		$280

Planned Phase Out June 2013

 ©Mettler-Toledo, Inc.

BBA462 / BBK462

4 Series Compact Scale
Smart +

APPLIED

Approvals:
- NTEP Class II 60,000d (Monobloc); Class III 7,500d (Analog); COC #01-050A6
- Measurement Canada Approval: #AM-5437 Revision 2

Common Standard Features:
- Backlit active dot matrix display
- Die-cast aluminum housing
- 3 RS232 and 1 PS2 interface
- Alphanumeric keypad
- % Accuracy and % Capacity Indicators
- Hands-free counting, one touch sampling
- 1500 memory locations
- Includes SmartManager

Options
- Battery power pack
- Protective in-use cover

Analog Features:
- Certifiable to NTEP Class III up to 7500d
- 1 part in 3 million internal resolution

MonoBloc Features
- Certifiable to NTEP Class II up to 60,000d
- up to 1 part in 17.5 million internal resolution

Planned Phase Out June 2013

BBA462 / BBK462 Model Configuration

Model	Protection	Capacity (kg)	Size	Application	Power Option	Software	Interface Option
Smart +	2	03,06,15,35,60	P, S	T (Smart +)	0,1	00	00,01,02,03,04,05 06,07,08,09,10
B B A 4 6	2	1 5	S	T	0	0 0	0 2

Ordering Information

4 Series Smart + with Analog Load Cell

Order Number	Standard Configuration		Overall Dimensions (in)	Weigh Pan Size (in)	Shipping Weight (lb)	Suggested List Price (CDN$)
BBA46203PT	6 lb/3 kg	0.0005 lb/0.0002 kg	10.4" x 13.2" x 4.0"	7.9" x 9.5"	13 lb	$2,309
BBA46206PT	12 lb/6 kg	0.001 lb/0.0005 kg			13 lb	$2,309
BBA46215ST	30 lb/15 kg	0.002 lb/0.001 kg	14.2" x 14.6" x 4.5"	9.5" x 13.8"	21 lb	$2,453
BBA46235ST	70 lb/35 kg	0.005 lb/0.002 kg			21 lb	$2,453
BBA46260ST	120 lb/60 kg	0.01 lb/0.005 kg			21 lb	$2,453

4 Series Smart + with MonoBloc Load Cell

Order Number	Standard Configuration		Platform Size (in)	Pan Size (in)	Shipping Weight (lb)	Suggested List Price (CDN$)
BBK46203PT	6 lb/3 kg	0.00002 lb/0.00001 kg	10.4" x 13.2" x 4.0"	6.5" x 6.5"	13 lb	$3,474
BBK46206PT	12 lb/6 kg	0.00005 lb/0.00002 kg		7.9" x 9.5"	13 lb	$3,474
BBK46215ST	30 lb/15 kg	0.0001 lb/0.00005 kg	14.2" x 14.6" x 4.5"	9.5" x 13.8"	21 lb	$3,909
BBK46235ST	70 lb/35 kg	0.0002 lb/0.0001 kg			21 lb	$4,486

BBA462 / BBK462

Power Option			
Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
0	none		$0
1	30 hour NiMH rechargable battery pack	2 lb	$377

Software Option (choose one only)		
00	none	$0
01	Coin counting for "kiosk" operation (no accumulation)	$415

Second Interface Option (choose one only)		
00	none	$0
02	Digital I/O	$502
03	RS485	$502
04	USB (slave)	$502
05	Ethernet TCP/IP (Connection to PC) (not IP65 environmentally protected)	$502
06	Analog second scale interface	$347
07	Analog second scale interface and digital I/O	$845
08	Analog second scale interface and RS485	$845
09	Analog second scale interface and USB (slave)	$845
10	Analog second scale interface and Ethernet TCP/IP (Connection to PC)	$845

BBA462 / BBK462 Field Installation Kits

Order Number	SAP Order Number	Second Order Number	SAP Order Number	Option Number	Model	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
22013150	22013150	n/a		02	Smart +	Field kit for Digital I/O		$526
22013149	22013149	n/a		03	Smart +	Field kit for RS485		$526
22010153	22010153	n/a		04	Smart +	Field kit for USB (slave)		$526
22008018	22008018	n/a		05	Smart +	Field kit for Ethernet TCP/IP (not IP65 protected)		$526
22013151	22013151	n/a		06	Smart +	Field kit for Analog 2nd scale		$371
22013151	22013151	22013150	22013150	07	Smart +	Field kit for Analog 2nd scale and digital I/O		$897
22013151	22013151	22013149	22013149	08	Smart +	Field kit for Analog 2nd scale and RS485		$897
22013151	22013151	22010153	22010153	09	Smart +	Field kit for Analog 2nd scale and USB (slave)		$897
22013151	22013151	22008018	22008018	10	Smart +	Field kit for Analog 2nd scale and Ethernet TCP/IP		$897

BBA462 / BBK462 Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
22013140	22013140	30 hour NiMH rechargable battery pack kit		$387
22013141	22013141	External power connector kit (includes AC adapter)		$99
22013791	22013791	Mating cable (6') for connecting 12-20 VDC power source to 22013141		$60
917034000	64049169	88 key QWERTY keyboard		$313
21203903	21203903	Certification kit (W&M sealing kit for legal-for-trade applications)		$62
22013183	22013183	BBA462 / BBK462 User's Manual		$30.46
229175	229175	Antitheft device, metal rod lock		$69
590101	590101	Antitheft device, cable lock		$72
21203207	21203207	Scale protective in-use cover for small chassis		$41
21203206	21203206	Scale protective in-use cover for large chassis		$41
901031000	62009189	Soft sided carrying case for large platform (not to be used with BBK)		$138
225269	225269	Glass draft shield for BBK44203PL- 135 mm working height (requires 22011304 adapter plate)		$259
22011304	22011304	Adapter plate (required with 225269 draft shield)		$280
22009981	22009981	SmartManager software for PC		$644

Planned Phase Out June 2013

 ©Mettler-Toledo, Inc.

4 Series Counting Accessories

4 Series Accessories

Order Number	SAP Order Number	For Model	Description	Suggested List Price (CDN$)
22013140	22013140	All 4 Series	30 hour NiMH rechargable battery pack kit (not IND4XX terminals)	$387
22013141	22013141		External power supply 12V - 24V	$99
22013791	22013791		Mating cable (6') for connecting 12-20 VDC power source to 22013141	$60
21203903	21203903		Certification kit (W&M sealing kit for legal-for-trade applications)	$62
22013181	22013181	Count	BBA432 / BBK432 user's manual	$12.80
22013182	22013182	Count +	BBA442 / BBK442 user's manual	$30.46
22013183	22013183	Smart +	BBA462 / BBK462 user's manual	$30.46
21203207	21203207	Small Chassis	Scale in-use protective cover	$41
21203206	21203206	Large Chassis	Scale in-use protective cover	$41
09010310000	62009189		Soft sided carrying case for large chassis (not to be used with BBK)	$138
21302875	21302875	All 4 Series	2nd display LCD - no backlight (5' cable)	$627
21252588	21252588		Cable RS232 DB9f/DB9f twisted with 2 gender changer male/male 5ft - for scale-to-scale or scale-to-Zebra printer	$110
11101051	11101051		Cable RS232 DB9m/DB9f straight through 1 m (scale to com	$78
410024	410024		Cable RS232 DB9m/DB9f straight through 1.8 m (scale to computer)	$116
A15637300A	68002738		Cable RS232 DB9m/DB9f straight through 1.8 m (scale to computer)	$53
143895OTC	71208709	4 Series IND Terminal	12" Stainless steel column kit WB, WH, CB, CBU	$171
144921OTC	71144921		19.5' Stainless steel column kit WB, WH, CB, CBU	$220
143894OTC	71143894		40" Stainless steel column kit only for 24"x24" CB and CBU	$363
22010056	22010056		Column mount bracket that fits onto 143895OTC, 144921OTC, 143894OTC (Round Columns)	$149
22010045	22010045		Wall mount bracket (fits M8 hole bench and floor columns)	$149
21255045	21255045		Terminal protective cover	$25
22013159	22013159		30 hour NiMH rechargable battery pack kit	$377
64056496	64056496		Stainless steel cylindrical sleeve for WB/WH/CB/CBU columns	$42
ACFCSJ0000	61042806	All 4 Series	Shelf for two scale application with Masstron column	$657
21901297B	64089662	Smart +	Barcode reader with PS2-Y cable connection	$922
LC-I/O			Relay output box; 6 in/8 out (CSA approved) 12VDC, 350 mA power supply not included DB9 M-F straight thru RS232 cable required	$1,488
22001088	22001088	All 4 Series	4 I/O relay module with terminal strip for Digital I/O option	$503
22003712	22003712		24 VDC power supply unit for relay module (120 VAC/ 2A)	$358
21203892	21203892	Count/Count+	Y cable (Adds COM2 printer port if analog 2nd scale installed)	$110

Zebra Printer (Smart+ only)

Standard Features:

- Compact, direct thermal printers
- Print speed up to 4" per second
- RS232 serial interface
- Up to 2.326" (LP2824) or 4.25" (LP2844) label width
- 100-240 VAC, 50-60 Hz

Order Number	SAP Order Number	For Model	Description	Suggested List Price (CDN$)
22009327	22009327	Zebra Printer (Smart + only)	Label printer Zebra LP2844 large	$858
22009328	22009328		Label printer Zebra LP2824 small	$704
22009329	22009329		1 roll of labels for 2844 (4"Wx4"L) - 350 labels per roll	$18
22009329CASE	63053171		1 case of labels for 2844 (4"Wx4"L) - 12 rolls per case	$166
22009330	22009330		1 roll of labels for 2824 (2"Wx4"L) - 350 labels per roll	$17

Notes

 ©Mettler-Toledo, Inc.