

PFA261

Produced in a facility that is

PFA261

General Weighing Mild Steel

COMMERCIAL

Approvals:

- NTEP 5000d, Class III, COC #99-132
  (Only 4' x 4' dimensions, only 2500 and 5000 lbs)
- Measurement Canada Approval pending

Standard Features:

- Threaded Ball-in-Cup foot
- 25 ft plain end instrument cable
- Standard Industrial Warranty
- Stainless Steel version comes standard with Tread plate
- Foot locating plates

Accessories:

- Ramps
- Free-standing columns

Ordering Information

PFA261 Floor Scale - Mild Steel (epoxy painted, tread plate deck finish)

Order Number	SAP Order Number	Capacity	Platform Size	Shipping Weight (lb)	Suggested List Price (CDN$)
PF261M1A000000A	61045621	1000 lb	3' x 3' x 4.5"	350 lb	$1,337
PF261M2A000000A	61045622	2500 lb	3' x 3' x 4.5"	350 lb	$1,337
PF261N2A000000A	61044918	2500 lb	4' x 4' x 4.5"	350 lb	$1,452
PF261N3A000000A	61044919	5000 lb	4' x 4' x 4.5"	350 lb	$1,777
PF261N4A000000A	61045057	10000 lb	4' x 4' x 4.5"	500 lb	$2,450
PF261S2A000000A	61044922	2500 lb	5' x 5' x 4.5"	500 lb	$1,580
PF261S3A000000A	61044923	5000 lb	5' x 5' x 4.5"	500 lb	$1,580
PF261S4A000000A	61045058	10000 lb	5' x 5' x 4.5"	731 lb	$2,325

PFA261 Accessories

Order Number	SAP Order Number	Description	Capacity (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
RPPF2610A0004	61045682	PFA261 RAMP 3'W x 4'L	5000	175 lb	$466
RPPF2610A0000	61045006	PFA261 RAMP 4'W x 4'L		175 lb	$532
RPPF2610A0001	61045043	PFA261 RAMP 5'W x 4'L		235 lb	$636
RPPF2610A0002	61045059	PFA261 RAMP 4'W x 4'L	10000	324 lb	$864
RPPF2610A0003	61045011	PFA261 RAMP 5'W x 4'L		388 lb	$997

PFA261 Drop Ship Bundles

The model PFA261 can be ordered pre-calibrated from the factory with an IND22x or PANTHER® PLUS instrument. Add an instrument bundle from the list below and it will be matched to any PFA261 scale base above, factory calibrated, and shipped with the instrument pre-wired to the scale base. The scale will be able to be unpacked, plugged in, and be fully operational out of the box.

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
FSC-IND221	61044160	IND221 desk/wall with factory calibration	10 lb	$996
FSC-IND226	61043314	IND226 SS harsh enclosure with factory calibration	10 lb	$1,141
61046527	61046527	IND246 SS, AC version with factory calibration	10 lb	$1,275

Note: For PFA261/266 Drop Ship Bundles, the Commercial Discounts apply to the floor scale and to the bundled instrument.

PFA266

General Weighing
Stainless Steel

Produced in a facility that is



PFA266

COMMERCIAL

Approvals:

- NTEP 5000d, Class III, COC #99-132
  (Only 4' x 4' dimensions, only 2500 and 5000 lbs)
- Measurement Canada Approval pending

Standard Features:

- Threaded Ball-in-Cup foot
- 25 ft plain end instrument cable
- Standard Industrial Warranty
- Stainless Steel version comes standard with Tread plate
- Foot locating plates

Accessories:

- Ramps
- Free-standing columns

Ordering Information

PFA266 Floor Scale - Stainless Steel (bead blasted, Tread plate deck finish)

Order Number	SAP Order Number	Capacity	Platform Size	Shipping Weight (lb)	Suggested List Price (CDN$)
PF266M1M000000A	61045623	1000 lb	3' x 3' x 4.5"	350 lb	$3,599
PF266M2M000000A	61045624	2500 lb	3' x 3' x 4.5"	350 lb	$3,599
PF266N2M000000A	61044926	2500 lb	4' x 4' x 4.5"	350 lb	$3,662
PF266N3M000000A	61044927	5000 lb	4' x 4' x 4.5"	350 lb	$3,662
PF266S2M000000A	61044928	2500 lb	5' x 5' x 4.5"	500 lb	$5,181
PF266S3M000000A	61044929	5000 lb	5' x 5' x 4.5"	500 lb	$5,181

PFA266 Accessories

Order Number	SAP Order Number	Description	Capacity (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
RPPF2660M0002	61045683	PFA266 RAMP 3'W x 4'L x 4.38"H	5,000	175 lb	$1,784
RPPF2660M0000	61045099	PFA266 RAMP 4'W x 4'L x 4.38"H		175 lb	$1,813
RPPF2660M0001	61045100	PFA266 RAMP 5'W x 4'L x 4.38"H		235 lb	$2,251

PFA266 Drop Ship Bundles

The model PFA266 can be ordered pre-calibrated from the factory with an IND22x or PANTHER® PLUS instrument. Add an instrument bundle from the list below and it will be matched to any PUA266 scale base above, factory calibrated, and shipped with the instrument pre-wired to the scale base. The scale will be able to be unpacked, plugged in, and be fully operational out of

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
FSC-IND221	61044160	IND221 desk/wall with factory calibration	10 lb	$996
FSC-IND226	61043314	IND226 SS harsh enclosure with factory calibration	10 lb	$1,141
61046527	61046527	IND246 SS, AC version with factory calibration	10 lb	$1,275

©Mettler-Toledo, LLC

VLC

Produced in a facility that is

APPROVED

VLC Floor Scale

Cycle Duty
Mild Steel

COMMERCIAL

Approvals:

- NTEP 5000d, Class III, COC #95-111
  (Only 2' x 2' thru 8' x 10' dimensions from 500 lb to 10,000 lb are approved)
- Measurement Canada Approval #AM-5160, Rev. 2, nmax: 5000
  (Only 3' x 3' thru 5' x 5' dimensions from 1500 kg to 5000 kg are approved)
- Factory Mutual (FM) Hazardous Area Approval

Standard Features:

- Model 745A stainless steel hermetically sealed 2mV/V load cells
- Rocker pin foot
- Standard Industrial Warranty
- 25 ft plain end instrument cable
- 3-7/16 in ±3/16 in height
- Summing stainless steel junction box, IP69k

Accessories:

- Ramps
- Quick-Pit frames
- Threaded load cell with threaded ball-in-cup foot
- Foot locating plates
- Forklift frames

Ordering Information

VLC Floor Scale - Mild Steel (epoxy painted, tread plate deck finish)

Order Number	SAP Order Number	Platform Dimensions (ft)	Capacity (lb)	Load Cell Size (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
2256402011-A	61041778	3' x 3'	1000 lb	500 lb	250 lb	$2,651
2256402012-A	61041779		2500 lb	1000 lb	250 lb	$2,651
2256402013-A	61041780		5000 lb	2500 lb	250 lb	$2,651
2256402021-A	61041781	4' x 4'	1000 lb	500 lb	400 lb	$2,815
2256402022-A	61041782		2500 lb	1000 lb	400 lb	$2,815
2256402023-A	61041783		5000 lb	2500 lb	400 lb	$2,815
2256402024-A	61041784		10,000 lb	5000 lb	475 lb	$3,120
2256402031-A	61042188	4' x 5'	1000 lb	500 lb	475 lb	$2,964
2256402032-A	61041785		2500 lb	1000 lb	475 lb	$2,964
2256402033-A	61041786		5000 lb	2500 lb	475 lb	$2,964
2256402034-A	61041787		10,000 lb	5000 lb	550 lb	$3,350
2256402041-A	61042244	5' x 5'	1000 lb	500 lb	500 lb	$3,120
2256402042-A	61041788		2500 lb	1000 lb	500 lb	$3,120
2256402043-A	61041789		5000 lb	2500 lb	500 lb	$3,120
2256402044-A	61041790		10,000 lb	5000 lb	625 lb	$3,581
2256402051-A	61043762	4' x 6'	1000 lb	500 lb	500 lb	$3,120
2256402052-A	61041791		2500 lb	1000 lb	500 lb	$3,120
2256402053-A	61041792		5000 lb	2500 lb	500 lb	$3,120
2256402054-A	61041793		10,000 lb	5000 lb	625 lb	$3,581
2256402061-A	61043780	5' x 7'	1000 lb	500 lb	750 lb	$3,744
2256402062-A	61041794		2500 lb	1000 lb	750 lb	$3,744
2256402063-A	61041795		5000 lb	2500 lb	750 lb	$3,744
2256402064-A	61041796		10,000 lb	5000 lb	925 lb	$4,364

Refer to page FS-36 for custom sizes and applications

VLC Floor Scale

Cycle Duty
Stainless Steel

Produced in a facility that is

VLC

COMMERCIAL

Ordering Information

VLC Floor Scale - Stainless Steel (bead blasted, smooth plate deck finish)

Order Number	SAP Order Number	Platform Dimensions (ft)	Capacity (lb)	Load Cell Size (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
2256432011-A	61041797	3' x 3'	1000 lb	500 lb	250 lb	$5,192
2256432012-A	61041798		2500 lb	1000 lb	250 lb	$5,192
2256432013-A	61041799		5000 lb	2500 lb	250 lb	$5,192
2256432021-A	61041800	4' x 4'	1000 lb	500 lb	400 lb	$6,231
2256432022-A	61041801		2500 lb	1000 lb	400 lb	$6,231
2256432023-A	61041802		5000 lb	2500 lb	400 lb	$6,231
2256432024-A	61041803		10,000 lb	5000 lb	475 lb	$6,917
2256432031-A	61046090	4' x 5'	1000 lb	500 lb	475 lb	$7,440
2256432032-A	61041804		2500 lb	1000 lb	475 lb	$7,440
2256432033-A	61041805		5000 lb	2500 lb	475 lb	$7,440
2256432034-A	61041806		10,000 lb	5000 lb	550 lb	$8,467
2256432041-A	61042331	5' x 5'	1000 lb	500 lb	500 lb	$7,790
2256432042-A	61041807		2500 lb	1000 lb	500 lb	$7,790
2256432043-A	61041808		5000 lb	2500 lb	500 lb	$7,790
2256432044-A	61041809		10,000 lb	5000 lb	625 lb	$9,334
2256432051-A	61044917	4' x 6'	1000 lb	500 lb	500 lb	$7,790
2256432052-A	61041810		2500 lb	1000 lb	500 lb	$7,790
2256432053-A	61041811		5000 lb	2500 lb	500 lb	$7,790
2256432054-A	61041812		10,000 lb	5000 lb	625 lb	$9,334
2256432061-A	61041813	5' x 7'	1000 lb	500 lb	750 lb	$10,642
2256432062-A	61041814		2500 lb	1000 lb	750 lb	$10,642
2256432063-A	61041815		5000 lb	2500 lb	750 lb	$10,642
2256432064-A	61041816		10,000 lb	5000 lb	925 lb	$12,540

Refer to page FS-36 for custom sizes and applications

 ©Mettler-Toledo, LLC

VLC Floor Scale Options

Ordering Information

VLC Drop Ship Bundles

The model VLC can be ordered pre-calibrated from the factory with an IND22x or PANTHER® PLUS instrument. Add an instrument bundle from the list below and it will be matched to any VLC scale base above, factory calibrated, and shipped with the instrument pre-wired to the scale base.

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
FSC-IND221	61044160	IND221 desk/wall with factory calibration	10 lb	$996
FSC-IND226	61043314	IND226 SS harsh enclosure with factory calibration	10 lb	$1,141
61046527	61046527	IND246 SS, AC version with factory calibration	10 lb	$1,275

VLC Ramps

Order Number	SAP Order Number	Construction	Ramp Dimensions (ft)	Capacity (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
564RPA0000	61041742	Mild Steel Tread Plate	3' W x 3' L	1000 lb to 10,000 lb	215 lb	$613
564RPA0001	61041743		4' W x 3' L		240 lb	$693
564RPA0002	61041744		5' W x 3' L		300 lb	$865
Call		Mild Steel Tread Plate	3' W x 5' L	1000 lb to 10,000 lb	215 lb	$1,137
564RPA0003	61041745		4' W x 5' L		240 lb	$1,283
564RPA0004	61041746		5' W x 5' L		300 lb	$1,602
566RPJ0000	61041725	Stainless Steel Smooth Plate	3' W x 3' L	1000 lb to 10,000 lb	215 lb	$1,374
566RPJ0001	61041726		4' W x 3' L		240 lb	$1,767
566RPJ0002	61041727		5' W x 3' L		300 lb	$2,354
Call		Stainless Steel Smooth Plate	3' W x 5' L	1000 lb to 10,000 lb	215 lb	$2,556
566RPJ0003	61041728		4' W x 5' L		240 lb	$2,732
566RPJ0004	61041729		5' W x 5' L		300 lb	$3,275

VLC Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
VLXA1200	69035872	SS foot locating plates (set of two)	5 lb	$136

VLC Load cell: Alternative

Call	Substitute MT 793 hermetically sealed threaded load cell with threaded ball-in-cup foot	Call

*Note: Ramps, QP/FF frames, and Guards need to be custom made for 793 LC version

Refer to page FS-36 for custom sizes and applications

VLC Floor Scale Options

Ordering Information

VLC Frames

Order Number	SAP Order Number	Construction	Scale Base Dimensions (ft)	Capacity (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
564QPB0000	61041736	Mild Steel Quick-Pit frame	3' x 3'	1000 lb to 10,000 lb	125 lb	$604
564QPB0001	61041737		4' x 4'		150 lb	$648
564QPB0002	61041738		4' x 5'		200 lb	$728
564QPB0003	61041739		4' x 6'		200 lb	$778
564QPB0004	61041740		5 'x 5'		200 lb	$778
564QPB0005	61041741		5' x 7'		250 lb	$971
566QPJ0000	61041719	Stainless Steel Quick-Pit frame	3' x 3'	1000 lb to 10,000 lb	125 lb	$1,383
566QPJ0001	61041720		4' x 4'		150 lb	$1,525
566QPJ0002	61041721		4' x 5'		200 lb	$1,703
566QPJ0003	61041722		4' x 6'		200 lb	$1,810
566QPJ0004	61041723		5 'x 5'		200 lb	$1,810
566QPJ0005	61041724		5' x 7'		250 lb	$2,186
564PFB0000	61041730	Mild Steel Fork lift frame	3' x 3'	1000 lb to 10,000 lb	125 lb	$907
564PFB0001	61041731		4' x 4'		150 lb	$973
564PFB0002	61041732		4' x 5'		200 lb	$1,085
564PFB0003	61041733		4' x 6'		200 lb	$1,164
564PFB0004	61041734		5 'x 5'		200 lb	$1,164
564PFB0005	61041735		5' x 7'		250 lb	$1,422
566PFJ0000	61041713	Stainless Steel Fork lift frame	3' x 3'	1000 lb to 10,000 lb	125 lb	$2,072
566PFJ0001	61041714		4' x 4'		150 lb	$2,285
566PFJ0002	61041715		4' x 5'		200 lb	$2,556
566PFJ0003	61041716		4' x 6'		200 lb	$2,713
566PFJ0004	61041717		5 'x 5'		200 lb	$2,713
566PFJ0005	61041718		5' x 7'		250 lb	$3,280

Refer to page FS-36 for custom sizes and applications

Note: 2256 Quick-Pit Frame cannot be used as a truck dock frame

VLC Stainless Steel Pit Liners

Standard Features:

- Fully-formed 304 stainless steel "tub"
- Smooth, seamless appearance
- No finished concrete work required
- Provides flush mount installation
- Full support of an outer frame
- Easy in-ground installation
- Easy installation on second floor or mezzanine
- Mounting and suspension detail included
- Integrated Quick-Pit frame
- Wet installaion - drain hole
- Custom drain installation (optional)
- Dry installation - solid pan floor

Order Number	Platform Size (ft)	Capacity (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
Call	3' x 3'	1000-10000 lb	200 lb	Call
Call	4' x 4'		250 lb	Call
Call	5' x 5'		300 lb	Call

Call for availability of custom dimensions and/or different capacities

 ©Mettler-Toledo, LLC

PUA574

Produced in a facility that is

PUA574

Low-Profile Mild Steel

COMMERCIAL

Approvals:

- NTEP 5000d, Class III, COC #96-106 (48" x 48" 48" x 60" not included)
- Measurement Canada Approval Pending
- Factory Mutual (FM) Hazardous Area Approval

Standard Features:

- Model 745A stainless steel hermetically sealed 2mV/V load cells
- Rocker pin foot
- Standard Industrial Warranty
- 1-5/8" (24" & 30"), 2-1/8" (36",42", & 48"x48"), 2 5/8" (48"x60
- Stainless steel junction box, IP69k (remote for 24" x 24")
- 25 ft plain end instrument cable

Accessories:

- Ramps
- Threaded load cell w/ threaded ballin cup foot
- Free-standing columns
- Stop bars
- Custom sizes available

Ordering Information

PUA574 Floor Scale - Mild Steel (epoxy painted, tread plate deck finish)

Order Number	SAP Order Number	Platform Dimensions (ft)	Capacity (lb)	Load Cell Size (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
PU574K0A000000A	61043099	24" x 24"	500 lb	250 lb	114 lb	$2,545
PU574K1A000000A	61043100		1000 lb	500 lb	114 lb	$2,545
PU574L0A000000A	61043101	30" x 30"	500 lb	250 lb	125 lb	$2,800
PU574L1A000000A	61043102		1000 lb	500 lb	125 lb	$2,800
PU574M1A000000A	61043103	36" x 36"	1000 lb	500 lb	211 lb	$3,055
PU574M2A000000A	61043104		2500 lb	1250 lb	211 lb	$3,055
PU574W1A000000A	61043105	42" x 42"	1000 lb	500 lb	297 lb	$3,310
PU574W2A000000A	61044456		2500 lb	1250 lb	297 lb	$3,310
PU574N1A000000A	61044942	48" x 48"	1000 lb	500 lb		$3,710
PU574N2A000000A	61044943		2500 lb	1250 lb		$3,710
PU574P1A000000A	61044944	48" x 60"	1000 lb	500 lb		$4,499
PU574P2A000000A	61044945		2500 lb	1250 lb		$4,499
PU574P3A000000A	61044946		5000 lb	2500 lb		$4,499

PUA574 Mild Steel Ramps

Order Number	SAP Order Number	Construction	Ramp Dimensions (ft)	Capacity (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
RPPU5740A0000	61043138	Mild Steel Epoxy Painted Tread Plate	24" W x 12" L	500 lb to 2500 lb	25 lb	$238
RPPU5740A0001	61043139		30" W x 12" L		32 lb	$264
RPPU5740A0002	61043140		36" W x 12" L		39 lb	$301
RPPU5740A0003	61043141		42" W x 12" L		45 lb	$348
RPPU5740A0005	61044956		48" W x 12" L		50 lb	$403
RPPU5740A0006	61044957		48" W x 12" L	All 48"x60" scales	65 lb	$439

PUA574 Load cell: Alternative

Call	Substitute MT 793 hermetically sealed threaded load cell with threaded ball-in-cup foot	Call

*Note: Ramps need to be custom for 793 LC alternative version

PUA579

Low-Profile Stainless Steel

Produced in a facility that is



PUA579

COMMERCIAL

Approvals:

- NTEP 5000d, Class III, COC #96-106 (48" x 48" 48" x 60" not included)
- Measurement Canada Approval Pending
- Factory Mutual (FM) Hazardous Area Approval

Standard Features:

- Model 745A stainless steel hermetically sealed 2mV/V load cells
- Rocker pin foot
- Standard Industrial Warranty
- 1-5/8" (24" & 30"), 2-1/8" (36",42", & 48"x48"), 2 5/8" (48"x60
- Stainless steel junction box, IP69k (remote for 24" x 24")
- 25 ft plain end instrument cable

Accessories:

- Ramps
- Threaded load cell w/ threaded ballin cup foot
- Free-standing columns
- Stop bars
- Custom sizes available

Ordering Information

PUA579 Floor Scale - Stainless Steel (bead blasted, smooth plate deck finish)

Order Number	SAP Order Number	Platform Dimensions (in)	Capacity (lb)	Load Cell Size (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
PU579K0J000000A	61043115	24" x 24"	500 lb	250 lb	114 lb	$3,566
PU579K1J000000A	61043116		1000 lb	500 lb	114 lb	$3,566
PU579L0J000000A	61043117	30" x 30"	500 lb	250 lb	125 lb	$3,754
PU579L1J000000A	61043118		1000 lb	500 lb	125 lb	$3,754
PU579M1J000000A	61043119	36" x 36"	1000 lb	500 lb	211 lb	$4,196
PU579M2J000000A	61043120		2500 lb	1250 lb	211 lb	$4,196
PU579W1J000000A	61043121	42" x 42"	1000 lb	500 lb	297 lb	$4,899
PU579W2J000000A	61043122		2500 lb	1250 lb	297 lb	$4,899
PU579N1J000000A	61044947	48" x 48"	1000 lb	500 lb		$5,617
PU579N2J000000A	61044948		2500 lb	1250 lb		$5,617
PU579P1J000000A	61044949	48" x 60"	1000 lb	500 lb		$7,574
PU579P2J000000A	61044950		2500 lb	1250 lb		$7,574
PU579P3J000000A	61044951		5000 lb	2500 lb		$7,574

PUA579 304 Stainless Steel Ramps

Order Number	SAP Order Number	Construction	Ramp Dimensions (ft)	Capacity (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
RPPU5790J0000	61043142	304 Stainless Steel Glass Bead Blasted Smooth Plate	24" W x 12" L	500 lb to 2500 lb	25 lb	$365
RPPU5790J0001	61043143		30" W x 12" L		32 lb	$401
RPPU5790J0002	61043144		36" W x 12" L		39 lb	$451
RPPU5790J0003	61043145		42" W x 12" L		45 lb	$538
RPPU5790J0005	61044953		48" W x 12" L		50 lb	$634
RPPU5790J0006	61044954		48" W x 12" L	All 48"x60" scales	65 lb	$696

PUA579 Load cell: Alternative

Call	Substitute MT 793 hermetically sealed threaded load cell with threaded ball-in-cup foot	Call

*Note: Ramps need to be custom for 793 LC alternative version

 ©Mettler-Toledo, LLC

PTA464/PTA469 U-Scale

Specialty Application

COMMERCIAL

Approvals:

- Class III, 5000d, non-approved (NTEP Pending)

Standard Features:

- Model 745A stainless steel hermetically sealed 2mV/V load cells
- Rocker Foot suspension
- IP69K stainless steel summing junction box
- Standard Industrial Warranty
- 25 ft plain end-to-end instument cable

Applications:

- Designed for easy entry by hand-operated tote trucks
- Scale profile is very low to reduce lifting height
- Ideal for tanks and totes
- Must be used with open bottem pallet

Accessories:

- Column, Wheel Kit, Load Plate, Leg Widner Kit, Rail Kit, Scale Guards

Ordering Information

PTA464/PTA469 U-Scale

Order Number	SAP Order Number	Steel	Capacity	Maximum Overall Dim W(ft)	Maximum Overall Dim L(ft)	Shipping Weight (lb)	Suggested List Price (CDN$)
61046451	61046451	Mild Steel Smooth Plate	1000	4x4			$2,305
61046452	61046452		2500				$2,305
61046453	61046453		5000				$2,305
61046454	61046454		1000	4x5			$2,474
61046455	61046455		2500				$2,474
61046456	61046456		5000				$2,474
61046457	61046457		1000	5x5			$2,643
61046458	61046458		2500				$2,643
61046459	61046459		5000				$2,643
61046460	61046460	Stainless Steel Smooth Plate	1000	4x4			$4,818
61046461	61046461		2500				$4,818
61046462	61046462		5000				$4,818
61046463	61046463		1000	4x5			$5,027
61046464	61046464		2500				$5,027
61046465	61046465		5000				$5,027
61046466	61046466		1000	5x5			$5,235
61046467	61046467		2500				$5,235
61046468	61046468		5000				$5,235

PTA664/PTA669 U-Scale

Specialty Application

APPLIED

Approvals:

- Class III, 5000d, non-approved (NTEP Pending)

Standard Features:

- Model 745A stainless steel hermetically sealed 2mV/V load cells
- Rocker Pin suspension
- IP69K stainless steel summing junction box
- 2 Year factory warranty
- 25 ft plain end-to-end instument cable

Applications:

- Designed for easy entry by hand-operated tote trucks
- Scale profile is very low to reduce lifting height
- Ideal for tanks and totes
- Must be used with open bottem pallet

Accessories:

- Column, Load Plate, Leg Widner Kit, Rail Kit, Scale Guards

Ordering Information

PTA664/PTA669 U-Scale

Order Number	SAP Order Number	Steel	Capacity	Maximum Overall Dim W(ft) L(ft)	Shipping Weight (lb)	Suggested List Price (CDN$)
61046469	61046469	Mild Steel Smooth Plate	1000	4x4		$4,116
61046470	61046470		2500			$4,116
61046471	61046471		5000			$4,116
61046472	61046472		1000	4x5		$4,418
61046473	61046473		2500			$4,418
61046474	61046474		5000			$4,418
61046475	61046475		1000	5x5		$4,719
61046476	61046476		2500			$4,719
61046477	61046477		5000			$4,719
61046478	61046478	Stainless Steel Smooth Plate	1000	4x4		$8,140
61046479	61046479		2500			$8,140
61046480	61046480		5000			$8,140
61046481	61046481		1000	4x5		$8,718
61046482	61046482		2500			$8,718
61046483	61046483		5000			$8,718
61046484	61046484		1000	5x5		$9,295
61046485	61046485		2500			$9,295
61046486	61046486		5000			$9,295

 ©Mettler-Toledo, LLC

PTA U Scale Options

Ordering Information

PTA664/PTA669 Accessories

Order Number	SAP Order Number	Accessory	Steel	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
61046658	61046658	Column	Mild	Bolt-on 37H		$341
61046659	61046659		Stainless	Bolt-on 37H		$442
61046660	61046660	Portable Wheel Kit	Stainless	Wheel Kit of Parts (PTA464/469 ONLY)		$539
61046661	61046661	Load Plate	Mild Steel Smooth Plate	4x4		$429
61046664	61046664			4x5		$484
61046667	61046667			5x5		$578
61046662	61046662		Mild Steel Tread Plate	4x4		$429
61046665	61046665			4x5		$484
61046668	61046668			5x5		$578
61046663	61046663		Stainless Steel Smooth Plate	4x4		$1,815
61046666	61046666			4x5		$2,475
61046669	61046669			5x5		$2,695
61046670	61046670	Wide Leg Kit	Mild Steel	48" L		$495
61046671	61046671			60" L		$539
61046672	61046672		Stainless Steel	48" L		$638
61046673	61046673			60" L		$704
61046675	61046675	Side Rail Kit	Mild Steel	48" L		$495
61046674	61046674			60" L		$528
61046677	61046677		Stainless Steel	48" L		$649
61046676	61046676			60" L		$693
61046679	61046679	Scale Guards	Mild Steel	PTA464 Guards 3.25" H		$358
61046678	61046678		Stainless Steel	PTA469 Guards 3.25" H		$523
61046943	61046943		Mild Steel	PTA664 Guards 2.94" H		$358
61046944	61046944		Stainless Steel	PTA669 Guards 2.94" H		$523



2158 MICRO Vertex®

Specialty Application

Produced in a facility that is ISO 9001 certified

FM APPROVED

MICRO Vertex

APPLIED

Approvals:

- 5000d Load Cells / NTEP 5000d, Class III, COC #91-097 for 24 in x 24 in, 24 in x 30 in, 30 in x 30 in
- Factory Mutual (FM) Hazardous Area Approval

Standard Features:

- Model 745A stainless steel hermetically sealed 2mV/V load cells (744- 250 lb loadcells are potted)
- Rocker Pin suspension
- 25 ft plain end instrument cable
- 3 in height
- 2 Year factory warranty
- IP69K stainless steel summing junction box (Remote J-Box on platforms with width less than 28 inches)
- 7.5 ft loadcell cable standard (15 ft cable with remote J-Box)

Accessories:

- Ramps
- Quick-Pit frames
- Scale guard frame protectors
- See Floor Scales accessories page

Ordering Information

2158 MICRO Vertex Floor Scale - Mild Steel (epoxy painted, tread plate deck finish)

Order Number	Platform Size (in)	Capacity (lb)	Load Cell Size (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
Custom - Order Numbers will be assigned after placement of order.	10" x 10"	500 lb	250 lb	100 lb	$3,339
	12" x 12"	500 lb	250 lb	120 lb	$3,485
	24" x 24"	500 lb	250 lb	200 lb	$4,064
		1000 lb	500 lb	200 lb	$4,064
		2500 lb	1250 lb	200 lb	$4,064
2158000000-A	30" x 30"	500 lb	250 lb	250 lb	$4,472
2158002001-A		1000 lb	500 lb	250 lb	$4,472
2158002002-A		2500 lb	1250 lb	250 lb	$4,472
2158002003-A		5000 lb	2500 lb	250 lb	$4,472

2158 MICRO Vertex Floor Scale - Other Mild Steel (epoxy painted finish standard)

- Mild Steel, smooth plate

2158 MICRO Vertex Floor Scale - 304 Stainless Steel (glass bead blasted, smooth plate deck finish)

Order Number	Platform Size (in)	Capacity (lb)	Load Cell Size (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
Custom - Order Numbers will be assigned after placement of order.	10" x 10"	500 lb	250 lb	100 lb	$5,745
	12" x 12"	500 lb	250 lb	120 lb	$5,917
	24" x 24"	500 lb	250 lb	200 lb	$6,617
		1000 lb	500 lb	200 lb	$6,617
		2500 lb	1250 lb	200 lb	$6,617
2158030000-A	30" x 30"	500 lb	250 lb	250 lb	$8,747
2158032001-A		1000 lb	500 lb	250 lb	$8,747
2158032002-A		2500 lb	1250 lb	250 lb	$8,747
2158032003-A		5000 lb	2500 lb	250 lb	$8,747

2158 MICRO Vertex Floor Scale - Other Stainless Steel (glass bead blasted standard)

- 304 Stainless Steel, tread plate
- 316L Stainless Steel, smooth plate

See page FS-36 for custom sizes and applications

 ©Mettler-Toledo, LLC

2158 Vertex

Produced in a facility that is

2158 Vertex®

Extreme Duty
Mild Steel - Tread Plate

APPLIED

Approvals:
- NTEP 5000d, Class III, COC #91-097, Measurement Canada Approval #AM-4723
- Factory Mutual (FM) Hazardous Area Approval

Standard Features:
- Model 745A stainless steel hermetically sealed 2 mV/V load cells
- Rocker Pin suspension
- 25 ft plain end instrument cable
- 2 Year factory warranty
- IP69K stainless steel summing junction box with trim pots
- Low profile: 3 in (1-5k), 3-3/8 in (10k), 4 in (20k)

Accessories:
- Ramps
- Quick-Pit frames
- Forklift frames
- Truck Dock Frames
- Scale guard frame protectors
- See Floor Scales accessories page

Ordering Information

2158 Vertex Floor Scale - Mild Steel (epoxy painted, tread plate deck finish)

Order Number	SAP Order Number	Platform Dimensions (ft)	Capacity (lb)	Load Cell Size (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
2158002011-A	61006865	3' x 3'	1000 lb	500 lb	275 lb	$4,590
2158002012-A	61006398		2500 lb	1250 lb	275 lb	$4,590
2158002013-A	61006399		5000 lb	2500 lb	275 lb	$4,590
2158002021-A	61006864	4' x 4'	1000 lb	500 lb	420 lb	$4,788
2158002022-A	61006400		2500 lb	1250 lb	420 lb	$4,788
2158002023-A	61006401		5000 lb	2500 lb	420 lb	$4,788
2158002024-A	61006402		10,000 lb	5000 lb	510 lb	$5,392
2158002025-A	61006403		20,000 lb	10,000 lb	600 lb	$5,663
2158002031-A	61006853	4' x 5'	1000 lb	500 lb	500 lb	$4,938
2158002032-A	61006404		2500 lb	1250 lb	500 lb	$4,938
2158002033-A	61006405		5000 lb	2500 lb	500 lb	$4,938
2158002034-A	61006406		10,000 lb	5000 lb	675 lb	$5,560
2158002035-A	61006407		20,000 lb	10,000 lb	770 lb	$5,866
2158002041-A	61006854	5' x 5'	1000 lb	500 lb	590 lb	$5,087
2158002042-A	61006408		2500 lb	1250 lb	590 lb	$5,087
2158002043-A	61006409		5000 lb	2500 lb	590 lb	$5,087
2158002044-A	61006411		10,000 lb	5000 lb	710 lb	$5,860
2158002045-A	61006412		20,000 lb	10,000 lb	800 lb	$6,164
2158002051-A	61006851	4' x 6'	1000 lb	500 lb	570 lb	$5,087
2158002052-A	61006413		2500 lb	1250 lb	570 lb	$5,087
2158002053-A	61006414		5000 lb	2500 lb	570 lb	$5,087
2158002054-A	61006415		10,000 lb	5000 lb	700 lb	$5,860
2158002055-A	61006416		20,000 lb	10,000 lb	1060 lb	$6,164
2158002063-A	61006418	5' x 7'	5000 lb	2500 lb	570 lb	$5,497
2158002064-A	61006419		10,000 lb	5000 lb	700 lb	$6,096
2158002065-A	61006420		20,000 lb	10,000 lb	1060 lb	$6,561

Refer to page FS-36 for custom sizes and applications

2158 Vertex®

Extreme Duty
Stainless Steel - Smooth Plate

Produced in a facility that is



2158 Vertex

APPLIED

Ordering Information

2158 Vertex Floor Scale - Stainless Steel (glass bead blasted, smooth plate deck finish)

Order Number	SAP Order Number	Platform Dimensions (ft)	Capacity (lb)	Load Cell Size (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
2158032011-A	61006858	3' x 3'	1000 lb	500 lb	275 lb	$8,774
2158032012-A	61006505		2500 lb	1250 lb	275 lb	$8,774
2158032013-A	61006506		5000 lb	2500 lb	275 lb	$8,774
2158032021-A	61006857	4' x 4'	1000 lb	500 lb	420 lb	$10,130
2158032022-A	61006507		2500 lb	1250 lb	420 lb	$10,130
2158032023-A	61006508		5000 lb	2500 lb	420 lb	$10,130
2158032024-A	61006509		10,000 lb	5000 lb	510 lb	$12,063
2158032025-A			20,000 lb	10,000 lb	600 lb	$12,756
2158032031-A	61006856	4' x 5'	1000 lb	500 lb	500 lb	$10,712
2158032032-A	61006510		2500 lb	1250 lb	500 lb	$10,712
2158032033-A	61006511		5000 lb	2500 lb	500 lb	$10,712
2158032034-A	61006512		10,000 lb	5000 lb	675 lb	$12,665
2158032035-A			20,000 lb	10,000 lb	770 lb	$13,341
2158032041-A	61006855	5' x 5'	1000 lb	500 lb	590 lb	$11,564
2158032042-A	61006513		2500 lb	1250 lb	590 lb	$11,564
2158032043-A	61006514		5000 lb	2500 lb	590 lb	$11,564
2158032044-A	61006515		10,000 lb	5000 lb	710 lb	$14,215
2158032045-A	61023624		20,000 lb	10,000 lb	800 lb	$14,981
2158032051-A	61006863	4' x 6'	1000 lb	500 lb	570 lb	$11,681
2158032052-A	61006516		2500 lb	1250 lb	570 lb	$11,681
2158032053-A	61006517		5000 lb	2500 lb	570 lb	$11,681
2158032054-A	61006518		10,000 lb	5000 lb	700 lb	$14,215
2158032055-A	61023626		20,000 lb	10,000 lb	1060 lb	$14,981
2158032063-A	69034176	5' x 7'	5000 lb	2500 lb	800 lb	$15,620
2158032064-A	61006519		10,000 lb	5000 lb	1000 lb	$16,357
2158032065-A	69032015		20,000 lb	10,000 lb	1200 lb	$17,597

Refer to page FS-36 for custom sizes and applications

 ©Mettler-Toledo, LLC

2158 Vertex® Mild Steel Options

Ordering Information

Mild Steel Frames

Order Number	SAP Order Number	Capacity (lb)	Frame Dimension (ft)	Frame Style	Shipping Weight (lb)	Suggested List Price (CDN$)
QPPF7740B0001	61044782	1000-5000 lb	3' x 3'	Mild Steel Quick-Pit	125 lb	$585
QPPF7740B0002	61044783		4' x 4'		150 lb	$627
QPPF7740B0003	61044784		4' x 5'		200 lb	$712
QPPF7740B0005	61044786		5' x 5'		200 lb	$764
QPPF7740B0004	61044785		4' x 6'		200 lb	$764
QPPF7740B0006	61044787		5' x 7'		250 lb	$950
FLPF7740B0001	61046143		3' x 3'	Mild Steel Forklift Frame	125 lb	$817
FLPF7740B0002	61045073		4' x 4'		150 lb	$950
FLPF7740B0003	61046144		4' x 5'		200 lb	$1,069
FLPF7740B0005	61045003		5' x 5'		200 lb	$1,221
FLPF7740B0004	61046145		4' x 6'		200 lb	$1,221
FLPF7740B0006	61046146		5' x 7'		200 lb	$1,429
QPPF7740B0009	61044790	10,000 lb	4' x 4'	Mild Steel Quick-Pit	150 lb	$678
QPPF7740B0010	61044791		4' x 5'		200 lb	$794
QPPF7740B0012	61044793		5' x 5'		200 lb	$817
QPPF7740B0011	61044792		4' x 6'		200 lb	$817
QPPF7740B0013	61044794		5' x 7'		250 lb	$990
FLPF7740B0009	61045072		4' x 4'	Mild Steel Forklift Frame	150 lb	$1,069
FLPF7740B0010	61046304		4' x 5'		200 lb	$1,221
FLPF7740B0012	61045393		5' x 5'		200 lb	$1,308
FLPF7740B0011	61045157		4' x 6'		200 lb	$1,308
FLPF7740B0013	61045716		5' x 7'		250 lb	$1,533
QPPF7740B0016	61044797	20,000 lb	4' x 4'	Mild Steel Quick-Pit	150 lb	$764
QPPF7740B0017	61044798		4' x 5'		200 lb	$817
QPPF7740B0019	61044800		5' x 5'		200 lb	$861
QPPF7740B0018	61044799		4' x 6'		200 lb	$861
QPPF7740B0020	61044801		5' x 7'		250 lb	$1,033
FLPF7740B0016	61046148		4' x 4'	Mild Steel Forklift Frame	150 lb	$1,126
FLPF7740B0017	61046149		4' x 5'		200 lb	$1,258
FLPF7740B0019	61045664		5' x 5'		200 lb	$1,344
FLPF7740B0018	61046150		4' x 6'		200 lb	$1,344
FLPF7740B0020	61045138		5' x 7'		250 lb	$1,533

Note: 2158 Quick Pit Frame can not be used as a truck dock frame
CALL for pricing on Truck Dock Frames and Ramps

Refer to page FS-36 for custom sizes and applications

2158 Vertex® Stainless Steel Options

Ordering Information

Stainless Steel Frames

Order Number	SAP Order Number	Capacity (lb)	Frame Dimension (ft)	Frame Style	Shipping Weight (lb)	Suggested List Price (CDN$)
QPPF7790J0001	61044803	1000-5000 lb	3' x 3'	Stainless Steel Quick-Pit	125 lb	$1,360
QPPF7790J0002	61044804		4' x 4'		150 lb	$1,757
QPPF7790J0003	61044805		4' x 5'		200 lb	$1,686
QPPF7790J0005	61044807		5' x 5'		200 lb	$1,786
QPPF7790J0004	61044806		4' x 6'		200 lb	$1,786
QPPF7790J0006	61044808		5' x 7'		200 lb	$2,797
FLPF7790J0001	61046151		3' x 3'	Stainless Steel Forklift Channel	125 lb	$2,044
FLPF7790J0002	61045020		4' x 4'		150 lb	$2,242
FLPF7790J0003	61045611		4' x 5'		200 lb	$2,527
FLPF7790J0005	61045069		5' x 5'		200 lb	$2,816
FLPF7790J0004	61046152		4' x 6'		200 lb	$2,508
FLPF7790J0006	61046153		5' x 7'		250 lb	$4,411
QPPF7790J0009	61044811	10,000 lb	4' x 4'	Stainless Steel Quick-Pit	150 lb	$1,864
QPPF7790J0010	61044812		4' x 5'		200 lb	$2,044
QPPF7790J0012	61044814		5' x 5'		200 lb	$2,242
QPPF7790J0011	61044813		4' x 6'		200 lb	$2,242
QPPF7790J0013	61044815		5' x 7'		250 lb	$3,269
FLPF7790J0009	61045164		4' x 4'	Stainless Steel Forklift Channel	150 lb	$2,423
FLPF7790J0010	61046154		4' x 5'		200 lb	$2,816
FLPF7790J0012	61046155		5' x 5'		200 lb	$3,221
FLPF7790J0011	61046156		4' x 6'		200 lb	$3,227
FLPF7790J0013	61046157		5' x 7'		250 lb	$4,505

Note: 2158 Quick Pit Frame can not be used as a truck dock frame
CALL for pricing on Truck Dock Frames and Ramps

Refer to page FS-36 for custom sizes and applications

Stainless Steel Pit Liners

Standard Features:

- Fully-formed 304 stainless steel "tub"
- Smooth, seamless appearance
- Provides flush mount installation
- Easy in-ground installation
- Easy installation on second floor or mezzanine
- Mounting and suspension detail included
- Integrated Quick-Pit frame
- Custom drain installation (optional)
- Dry installation - solid pan floor

Order Number	SAP Order Number	Platform Size (ft)	Drain Hole	Capacity (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
58-600000		3' x 3'	No Drain	1000-5000 lb	200 lb	$7,122
58-600001	61043535	4' x 4'			250 lb	$7,787
58-600002		4' x 6'			300 lb	$8,412
58-600003		5' x 5'			300 lb	$8,412

Call for availability of custom dimensions and/or different capacities

 ©Mettler-Toledo, LLC

2158 Vertex® Ramps

Ordering Information

Order Number	SAP Order Number	Capacity (lb)	Ramp Width (ft)	Ramp Length (ft)	Angle of Incline	Shipping Weight (lb)	Suggested List Price (CDN$)
Mild Steel, Tread Plate Ramps							
58-100013	61006652	1000-5000 lb	3	3	4.8º	200 lb	$599
58-100023	61006653		4	3		250 lb	$766
58-100033	61006657		5	3		300 lb	$917
58-110023	61006677	1000-5000 lb	4	5	2.9º (low angle)	360 lb	$1,095
58-110033	61006679		5	5		430 lb	$1,291
58-100024	61006654	10,000 lb	4	3	5.4º	260 lb	$769
58-100034	61006658		5	3		320 lb	$934
58-110024	61006678	10,000 lb	4	5	3.2º (low angle)	380 lb	$1,291
58-110034	61006680		5	5		450 lb	$1,592
58-100026	61006656	20,000 lb	4	3	6.4º	270 lb	$917
58-100036	61006660		5	3		320 lb	$1,095
58-140458	61010022	20,000 lb	5	5	3.8º (low angle)	460 lb	$1,653
Stainless Steel, Smooth Plate Ramps							
58-100313	61006672	1000-5000 lb	3	3	4.8º	200 lb	$1,417
58-100323	61006673		4	3		250 lb	$1,822
58-100333	61006675		5	3		300 lb	$2,426
58-120731	69032536	1000-5000 lb	4	5	2.9º (low angle)	360 lb	$2,763
58-140552	61023968		5	5		430 lb	$3,310
58-100324	61006674	10,000 lb	4	3	5.4º	260 lb	$2,053
58-100334	61006676		5	3		320 lb	$2,686
58-140723	61046847	10,000 lb	4	5	3.2º (low angle)	380 lb	$3,239
58-140719	61023970		5	5		450 lb	$3,501
Stainless Steel, Tread Plate Ramps							
58-100213	61006667	1000-5000 lb	3	3	4.8º	200 lb	$1,835
58-100223	61006668		4	3		250 lb	$2,248
58-100233	61006670		5	3		300 lb	$2,860
58-110223	61045705	1000-5000 lb	4	5	2.9º (low angle)	360 lb	$3,789
58-110233			5	5		430 lb	$3,997
58-100224	61006669	10,000 lb	4	3	5.4º	260 lb	$2,447
58-100234	61006671		5	3		320 lb	$3,068
58-100058	61042221	10,000 lb	4	5	3.2º (low angle)	380 lb	$4,292
58-140718	61038999		5	5		450 lb	$4,567

2888 DECKMATE®

Static Platform
Mild Steel

Produced in a facility that is

2888 Static

APPLIED

Approvals:

- NTEP 5000d, Class III, COC #96-106, Measurement Canada Approval #AM-5175 (Excluding 48"x48" and 48"x60")
- Factory Mutual (FM) Hazardous Area Approval

Standard Features:

- Model 745A stainless steel hermetically sealed 2 mV/V load cells
- Rocker Pin Suspension
- 25 ft plain end instrument cable
- 2 Year factory warranty
- IP69k SS junction box (24 in x 24 in have remote junction box)
- 1 3/8" (24" & 30"), 1 7/8"(36",42",48"x48"), & 2 9/16" height (48"x60")

Accessories:

- Ramps
- Portable frames
- Columns
- Indicator brackets
- Stop bars
- Lifting frame

Ordering Information

2888 DECKMATE - mild steel static platform

Order Number	SAP Order Number	Construction	Capacity (lb)	Scale Base Dimensions	Load Cell Size (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
2888000030B	61042755	Mild Steel Epoxy Painted Tread Plate	500 lb	24" x 24"	250 lb	125 lb	$3,751
2888000000B	61042739			30" x 30"		125 lb	$3,751
2888000010B	61042757			36" x 36"		250 lb	$4,358
2888000031B	61042754		1000 lb	24" x 24"	500 lb	125 lb	$3,751
2888002001B	61042725			30" x 30"		125 lb	$3,751
2888002011B	61042741			36" x 36"		250 lb	$4,358
2888002021B	61042729			42" x 42"		350 lb	$4,663
2888002041B	61046176			48" x 48"			$5,275
2888002051B	61046180			48" x 60"			$7,098
2888002012B	61042742		2500 lb	36" x 36"	1250 lb	250 lb	$4,358
2888002022B	61042730			42" x 42"		350 lb	$4,663
2888002042B	61045960			48" x 48"			$5,275
2888002052B	61046183			48" x 60"			$7,098
2888002053B	61045764		5000 lb	48" x 60"	2500 lb		$7,098
2888010030B	61042752	Mild Steel Epoxy Painted Smooth Plate	500 lb	24" x 24"	250 lb		$3,751
2888010000B	61042743			30" x 30"		125 lb	$3,751
2888010010B	61042758			36" x 36"		250 lb	$4,364
2888010031B	61042981		1000 lb	24" x 24"	500 lb		$3,751
2888012001B	61042727			30" x 30"		125 lb	$3,751
2888012011B	61042762			36" x 36"		250 lb	$4,364
2888012021B	61042731			42" x 42"		350 lb	$4,663
2888012041B	61046189			48" x 48"			$5,275
2888012051B	61046191			48" x 60"			$7,098
2888012012B	61042744		2500 lb	36" x 36"	1250 lb	250 lb	$4,364
2888012022B	61042732			42" x 42"		350 lb	$4,663
2888012042B	61045992			48" x 48"			$5,275
2888012052B	61046196			48" x 60"			$7,098
2888012053B	61046197		5000 lb	48" x 60"	2500 lb		$7,098

©Mettler-Toledo, LLC

2888 Static

Produced in a facility that is

2888 DECKMATE®

Static Platform
Stainless Steel

APPLIED

Ordering Information

2888 DECKMATE - 304 SS Static Platform

Order Number	SAP Order Number	Construction	Capacity (lb)	Scale Base Dimensions	Load Cell Size (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
2888030030B	61042753	304 Stainless Steel Glass Bead Blasted Smooth Plate	500 lb	24" x 24"	250 lb	125 lb	$5,551
2888030000B	61042749			30" x 30"		125 lb	$5,551
2888030010B	61042761			36" x 36"		250 lb	$8,426
2888030031B	61043024		1000 lb	24" x 24"	500 lb	125 lb	$5,551
2888032001B	61042728			30" x 30"		125 lb	$5,551
2888032011B	61042750			36" x 36"		250 lb	$8,426
2888032021B	61042737			42" x 42"		350 lb	$9,361
2888032041B	61045563			48" x 48"			$10,300
2888032051B				48" x 60"			$12,796
2888032012B	61042751		2500 lb	36" x 36"	1250 lb	250 lb	$8,426
2888032022B	61042738			42" x 42"		350 lb	$9,361
2888032042B	61045598			48" x 48"			$10,300
2888032052B	61045860			48" x 60"			$12,796
2888032053B	61045637		5000 lb	48" x 60"	2500 lb		$12,796
2888020030B	61044222	304 Stainless Steel Glass Bead Blasted Tread Plate	500 lb	24" x 24"	250 lb	125 lb	$5,579
2888020000B	61042759			30" x 30"		125 lb	$5,579
2888020010B	61042760			36" x 36"		250 lb	$8,468
2888020031B	61046201		1000 lb	24" x 24"	500 lb	125 lb	$5,579
2888022001B	61042726			30" x 30"		125 lb	$5,579
2888022011B	61042745			36" x 36"		250 lb	$8,468
2888022021B	61042735			42" x 42"		350 lb	$9,409
2888022041B	61046203			48" x 48"			$10,350
2888022051B	61046207			48" x 60"			$12,858
2888022012B	61042746		2500 lb	36" x 36"	1250 lb	250 lb	$8,468
2888022022B	61042736			42" x 42"		350 lb	$9,409
2888022042B	61046209			48" x 48"			$10,350
2888022052B	61046211			48" x 60"			$12,858
2888022053B	61046213		5000 lb	48" x 60"	2500 lb		$12,858

2888 DECKMATE - 316 SS Static Platform

2888050030B		316 Stainless Steel Glass Bead Blasted Smooth Plate	500 lb	24" x 24"	250 lb	125 lb	$8,596
2888050000B	61044363			30" x 30"		125 lb	$8,596
2888050010B	61043299			36" x 36"		250 lb	$13,050
2888050031B	61045172		1000 lb	24" x 24"	500 lb	125 lb	$8,596
2888052001B	61044319			30" x 30"		125 lb	$8,596
2888052011B	61044243			36" x 36"		250 lb	$13,050
2888052021B				42" x 42"		350 lb	$14,505
2888052041B				48" x 48"			Call
2888052051B				48" x 60"			Call
2888052012B			2500 lb	36" x 36"	1250 lb	250 lb	$13,050
2888052022B	61043771			42" x 42"		350 lb	$14,505
2888052042B				48" x 48"			Call
2888052052B				48" x 60"			Call
2888052053B			5000 lb	48" x 60"	2500 lb		Call

2888 DECKMATE® Static Ramps

Order Number	SAP Order Number	Construction	Ramp Length (in)	Ramp Width (in)	Angle of Incline	Shipping Weight (lb)	Suggested List Price (CDN$)
2888 DECKMATE® Mild Steel Static Scale Ramps							
88-110031	61041462	Mild Steel Epoxy Painted Tread Plate	6	24	13.2º	15 lb	$175
88-110001	61006763			30	13.2º	15 lb	$175
88-110029	61041422		12	24	6.6º	25 lb	$244
88-110003	61006765			30	6.6º	25 lb	$244
88-110007	61024438			36	8.8º	25 lb	$261
88-110015	61024441			42	8.8º	25 lb	$305
88-110005	61006767		18	30	4.4º	25 lb	$271
88-110012	61036645			36	5.9º	25 lb	$305
88-110019	61036541			42	5.9º	25 lb	$349
88-110024	61040079	Mild Steel Epoxy Painted Smooth Plate	6	24	13.2º	15 lb	$175
88-110002	61006764			30	13.2º	15 lb	$175
Call			12	24	6.6º	25 lb	Call
88-110004	61006766			30	6.6º	25 lb	$244
88-110010	61036624			36	8.8º	25 lb	$261
88-110017	61024442			42	8.8º	25 lb	$305
88-110006	61006768		18	30	4.4º	25 lb	$271
88-110014	61037143			36	5.9º	25 lb	$305
88-110204	61024448			42	5.9º	25 lb	$349
2888 DECKMATE® 304 Stainless Static Scale Ramps							
88-110022	69033263	304 Stainless Steel Glass Bead Blasted Smooth Plate	6	24	13.2º	15 lb	$271
88-110102	61006770			30	13.2º	15 lb	$271
88-110021	61036090		12	24	6.6º	25 lb	$361
88-110104	61006772			30	6.6º	25 lb	$361
88-110009	61024440			36	8.8º	25 lb	$443
88-110016	69033262			42	8.8º	25 lb	$533
88-110106	61006774		18	30	4.4º	25 lb	$405
88-110013	69033261			36	5.9º	25 lb	$533
88-110200	61024445			42	5.9º	25 lb	$629
Call		304 Stainless Steel Glass Bead Blasted Tread Plate	6	24	13.2º	15 lb	Call
88-110101	61006769			30	13.2º	15 lb	$283
88-110032	61042021		12	24	6.6º	25 lb	$374
88-110103	61006771			30	6.6º	25 lb	$374
88-110008	61024439			36	8.8º	25 lb	$467
88-110203	69033264			42	8.8º	25 lb	$559
88-110105	61006773		18	30	4.4º	25 lb	$426
88-110011	61037305			36	5.9º	25 lb	$559
88-110018	61024443			42	5.9º	25 lb	$651
2888 DECKMATE® 316 Stainless Static Scale Ramps							
Call		316 Stainless Steel Glass Bead Blasted Smooth Plate	6	24	13.2º	15 lb	Call
88-130005	61010445			30	13.2º	15 lb	$421
Call			12	24	6.6º	25 lb	Call
88-110030	61041464			30	6.6º	25 lb	$580
88-110206	61036139			36	8.8º	25 lb	$723
88-130203	61042346			42	8.8º	25 lb	$861
Call			18	30	4.4º	25 lb	Call
88-110208	61041561			36	5.9º	25 lb	$861
88-110205	61035602			42	5.9º	25 lb	$1,007

NOTE: Call for pricing on ramps for 2888 48x48 and 48x60

 ©Mettler-Toledo, LLC

Produced in a facility that is

2158 Vertex®

Specialty Application Chlorine Tank Scale

CUSTOM APPLIED

Approvals:

- NTEP Class III, 5000d, COC #91-097 (single tank scales only)
- Factory Mutual (FM) Hazardous Area Approval

Standard Features:

- Model 745A stainless steel hermetically sealed 2mV/V load cells
- Rocker Pin suspension
- 25 ft plain end instrument cable
- 2 Year factory warranty
- IP69K stainless steel summing junction box
- 6 in diameter polyurethane-wheeled trunions support tanks

Ordering Information

Order Number	SAP Order Number	Platform Dimensions (ft)	Number of Trunions	Capacity (lb)	Load Cell Size (lb)	NTEP	Shipping Weight (lb)	Suggested List Price (CDN$)
Mild Steel, Smooth Plate								
2158C14803-A	61023742	4' x 6'	6	5000	2500	Yes	625 lb	$9,110
2158C13334	61041690	6' x 7'	12	10,000	5000	No	1100 lb	$13,400
2158C15344		7' x 10'	18	10,000	5000	No	1300 lb	$18,040
Stainless Steel, Smooth Plate								
2158C32623		4' x 6'	6	5000	2500	Yes	625 lb	$12,751
2158C32614	61023805	6' x 7'	12	10,000	5000	No	1100 lb	$21,788



Top View
General Layout of Chlorine Tank



Side View with Twin Tanks
2158C13334
Twin Tank—6' W x 7' L, 12 Trunions

PUA669

Sanitary Lift Scale
Stainless Steel

Produced in a facility that is



APPLIED

Approvals:

- NTEP 5000d, Class III, COC #96-106 (48x48 & 48x60 not included)
- Measurement Canada Approval pending
- Factory Mutual (FM) Hazardous Area Approval, ATEX Approval

Standard Features:

- Model 745A stainless steel hermetically sealed load cells
- Rocker Pin suspension
- Safe locking pins engage when lifted
- 1-1/2 in height (30"), 2 in height (36"&42"), 2 5/8 (48")
- 25 ft plain end instrument cable
- 2 Year factory warranty
- IP69K J-box

Options and Accessories:

- Ramps and 2888 Frame Upgrade Kits available
- Common components to 2888 Platform
- 10,000d Test Certificate
- 304 SS or 316 SS (call)
- Alternate deck plate (call)
- Stop bars

Ordering Information

PUA669

Order Number	SAP Order Number	Material	Capacity (lb)	Scale Base Dimensions	Load Cell Size (lb)	Finish	Shipping Weight (lb)	Suggested List Price (CDN$)
PU669L0J000000A	61045925	Type 304 Stainless Steel Smooth Plate	500 lb	30" x 30"	250 lb	Glass Bead Finish	350 lb	$11,322
PU669L1J000000A	61045894		1000 lb		500 lb		350 lb	$11,322
PU669M0J000000A	61045926		500 lb	36" x 36"	250 lb		400 lb	$13,976
PU669M1J000000A	61045927		1000 lb		500 lb		400 lb	$13,976
PU669M2J000000A	61045928		2500 lb		1250 lb		400 lb	$13,976
PU669W1J000000A	61045929		1000 lb	42" x 42"	500 lb		450 lb	$14,684
PU669W2J000000A	61045930		2500 lb		1250 lb		450 lb	$14,684
PU669N1J000000A	61044969		1000 lb	48" x 48"	500 lb			$15,822
PU669N2J000000A	61044970		2500 lb		1250 lb			$15,822
PU669P1J000000A	61044972		1000 lb	48" x 60"	500 lb			$17,673
PU669P2J000000A	61044971		2500 lb		1250 lb			$17,673
PU669P3J000000A	61044973		5000 lb		2500 lb			$17,673
PU669L0K000000A	61045931	Type 304 Stainless Steel Smooth Plate	500 lb	30" x 30"	250 lb	E-Polish Finish	350 lb	$12,694
PU669L1K000000A	61045932		1000 lb		500 lb		350 lb	$12,694
PU669M0K000000A	61045933		500 lb	36" x 36"	250 lb		400 lb	$15,293
PU669M1K000000A	61045934		1000 lb		500 lb		400 lb	$15,293
PU669M2K000000A	61045935		2500 lb		1250 lb		400 lb	$15,293
PU669W1K000000A	61045936		1000 lb	42" x 42"	500 lb		450 lb	$16,302
PU669W2K000000A	61045937		2500 lb		1250 lb		450 lb	$16,302
PU669N1K000000A	61044978		1000 lb	48" x 48"	500 lb			$17,360
PU669N2K000000A	61044977		2500 lb		1250 lb			$17,360
PU669P1K000000A	61044976		1000 lb	48" x 60"	500 lb			$19,302
PU669P2K000000A	61044975		2500 lb		1250 lb			$19,302
PU669P3K000000A	61044974		5000 lb		2500 lb			$19,302

©Mettler-Toledo, LLC

PUA669

PUA669 Ramps

Order Number	SAP Order Number	Construction	Dimensions		Finish	Shipping Weight (lb)	Suggested List Price (CDN$)
669RPJ0001	61045895	Type 304 Stainless Steel Smooth Plate	30" x 12"	500lb-2500lb	Glass Bead Finish	35 lb	$927
669RPJ0004	61045938		30" x 18"			40 lb	$988
669RPJ0002	61045940		36" x 12"			40 lb	$934
669RPJ0003	61045941		36" x 18"			45 lb	$1,064
669RPJ0005	61045942		42" x 12"			45 lb	$976
669RPJ0006	61045943		42" x 18"			55 lb	$1,181
669RPJ0007	61044980		48" x 12"				$1,051
669RPJ0008	61044981		48" x 18"				$1,271
669RPJ0009	61044983		48" x 12"	5000 lb			$1,113
669RPJ0010	61044982		48" x 18"				$1,331
669RPK0001	61045944	Type 304 Stainless Steel Smooth Plate	30" x 12"	500lb-2500lb	E-Polish Finish	35 lb	$1,450
669RPK0002	61045945		30" x 18"			40 lb	$1,511
669RPK0003	61045946		36" x 12"			40 lb	$1,406
669RPK0004	61045947		36" x 18"			45 lb	$1,643
669RPK0005	61045948		42" x 12"			45 lb	$1,501
669RPK0006	61045949		42" x 18"			55 lb	$1,703
669RPK0007	61044984		48" x 12"				$1,562
669RPK0008	61044985		48" x 18"				$1,799
669RPK0009	61044986		48" x 12"	5000 lb			$1,628
669RPK0010	61044987		48" x 18"				$1,689

PUA669 Stop Bars (also fit 2888 static/portable - Stop bars have brackets that clamp onto the top of the rails at the back of the scale.)

Call		Type 304 Stainless Steel	30" Width		Glass Bead Finish		$333
Call			36" Width				$398
Call			42" Width				$465
Call			48" Width				$526
Call			48" Width (for 48"x 60")				$526
Call			30" Width		E-Polish Finish		$462
Call			36" Width				$526
Call			42" Width				$592
Call			48" Width				$638

2888 DECKMATE®

Portable Platform

Produced in a facility that is

APPLIED

Approvals:

- NTEP 5000d, Class III, COC #96-106, Measurement Canada Approval #AM-5175
- Factory Mutual (FM) Hazardous Area Approval

Standard Features:

- Model 745A SS hermetically sealed 2 mV/V load cells
- Famous Mettler Toledo Vertex® engine
- Rocker Pin suspension
- 4 ft plain end instrument cable
- 2 Year factory warranty
- IP69K stainless steel junction box
  (24 in x 24 in has remote junction box)

Scale Construction:

- Mild Steel, epoxy painted
  - Tread plate deck
  - Smooth plate deck
- 304 Stainless Steel, glass bead blasted
  - Tread plate deck
  - Smooth plate deck
- 316 Stainless Steel, glass bead blasted
  - Smooth plate deck
  - Fasteners 304 Stainless Steel

Portable Frame Features:

- Ultra-Low Platform for easy loading
- Portability platform including wheeled frame
- Indicator column with push handle
- Two Hinged, split ramps on each scale
- Ramps available in 4.5 in, 12 in, or 18 in lengths

Wheelset Features:

- Ramp lifts and lowers wheels
- Swivel wheelset
- Ramps can be operated very easily
- Industry standard wheel and bolt pattern
- Universally available replacements

Options:

- Special finishes available on request
- Indicator brackets
- Custom cable lengths
- Teflon cable
- Stop bars

Stainless Steel
Ramps Down

Mild Steel
Ramps Up

 ©Mettler-Toledo, LLC

2888

Produced in a facility that is

2888 DECKMATE®

Portable Platform
Mild Steel Tread Plate

APPLIED

Ordering Information

2888 DECKMATE - Portable Platform with Mild Steel, Tread Plate Deck

Order Number	SAP Order Number	Material	Capacity (lb)	Scale Base Dimensions	Ramp (in) 1	Ramp (in) 2	Ramp Angle of Incline 1	Ramp Angle of Incline 2	Shipping Weight (lb)	Suggested List Price (CDN$)
2888P00030B00	61042763	Mild Steel Epoxy Painted Tread Plate	500 lb	24" x 24"	4.5	4.5	17.8º	17.8º		$5,652
2888P00030B01	61042809				4.5	12	17.8º	6.6º		$5,789
2888P00030B02	61046221				4.5	18	17.8º	4.4º		$5,837
2888P00030B11	61046224				12	12	6.6º	6.6º		$5,922
2888P00030B12					12	18	6.6º	4.4º		$5,975
2888P00030B22	61046226				18	18	4.4º	4.4º		$6,024
2888P00000B00	61042812	Mild Steel Epoxy Painted Tread Plate		30" x 30"	4.5	4.5	17.8º	17.8º		$5,652
2888P00000B01	61042813				4.5	12	17.8º	6.6º		$5,789
2888P00000B02	61042814				4.5	18	17.8º	4.4º		$5,837
2888P00000B11	61042815				12	12	6.6º	6.6º		$5,922
2888P00000B12	61042816				12	18	6.6º	4.4º		$5,975
2888P00000B22	61042817				18	18	4.4º	4.4º		$6,024
2888P02001B00	61042824	Mild Steel Epoxy Painted Tread Plate	1000 lb	30" x 30"	4.5	4.5	17.8º	17.8º		$5,652
2888P02001B01	61042825				4.5	12	17.8º	6.6º		$5,789
2888P02001B02	61042826				4.5	18	17.8º	4.4º		$5,837
2888P02001B11	61042827				12	12	6.6º	6.6º		$5,922
2888P02001B12	61042828				12	18	6.6º	4.4º		$5,975
2888P02001B22	61042829				18	18	4.4º	4.4º		$6,024
2888P02011B00	61042838	Mild Steel Epoxy Painted Tread Plate		36" x 36"	4.5	4.5	24.2º	24.2º		$6,190
2888P02011B01	61042842				4.5	12	24.2º	8.8º		$6,363
2888P02011B02	61042846				4.5	18	24.2º	5.9º		$6,405
2888P02011B11	61042854				12	12	8.8º	8.8º		$6,536
2888P02011B12	61042857				12	18	8.8º	5.9º		$6,577
2888P02011B22	61042861				18	18	5.9º	5.9º		$6,617
2888P02021B00	61042771	Mild Steel Epoxy Painted Tread Plate		42" x 42"	4.5	4.5	24.2º	24.2º		$7,203
2888P02021B01	61042866				4.5	12	24.2º	8.8º		$7,416
2888P02021B02	61042871				4.5	18	24.2º	5.9º		$7,464
2888P02021B11	61042875				12	12	8.8º	8.8º		$7,626
2888P02021B12	61042880				12	18	8.8º	5.9º		$7,674
2888P02021B22	61042884				18	18	5.9º	5.9º		$7,720
2888P02012B00	61042839	Mild Steel Epoxy Painted Tread Plate	2500 lb	36" x 36"	4.5	4.5	24.2º	24.2º		$6,190
2888P02012B01	61042843				4.5	12	24.2º	8.8º		$6,363
2888P02012B02	61042847				4.5	18	24.2º	5.9º		$6,405
2888P02012B11	61042855				12	12	8.8º	8.8º		$6,536
2888P02012B12	61042858				12	18	8.8º	5.9º		$6,577
2888P02012B22	61042851				18	18	5.9º	5.9º		$6,617
2888P02022B00	61042864	Mild Steel Epoxy Painted Tread Plate		42" x 42"	4.5	4.5	24.2º	24.2º		$7,203
2888P02022B01	61042868				4.5	12	24.2º	8.8º		$7,416
2888P02022B02	61042873				4.5	18	24.2º	5.9º		$7,464
2888P02022B11	61042878				12	12	8.8º	8.8º		$7,626
2888P02022B12	61042882				12	18	8.8º	5.9º		$7,674
2888P02022B22	61042886				18	18	5.9º	5.9º		$7,720

2888 DECKMATE®

Portable Platform
Mild Steel Smooth Plate

Produced in a facility that is

2888

APPLIED

Ordering Information

2888 DECKMATE - Portable Platform with Mild Steel, Smooth Plate Deck

Order Number	SAP Order Number	Material	Capacity (lb)	Scale Base Dimensions	Ramp (in) 1	Ramp (in) 2	Ramp Angle of Incline 1	Ramp Angle of Incline 2	Shipping Weight (lb)	Suggested List Price (CDN$)
2888P10030B00		Mild Steel Epoxy Painted Smooth Plate	500 lb	24" x 24"	4.5	4.5	17.8º	17.8º		$5,944
2888P10030B01	61046232				4.5	12	17.8º	6.6º		$6,087
2888P10030B02	61046235				4.5	18	17.8º	4.4º		$6,316
2888P10030B11	61046236				12	12	6.6º	6.6º		$6,230
2888P10030B12					12	18	6.6º	4.4º		$6,464
2888P10030B22	61046239				18	18	4.4º	4.4º		$6,519
2888P10000B00	61042818	Mild Steel Epoxy Painted Smooth Plate		30" x 30"	4.5	4.5	17.8º	17.8º		$5,944
2888P10000B01	61042819				4.5	12	17.8º	6.6º		$6,087
2888P10000B02	61042820				4.5	18	17.8º	4.4º		$6,316
2888P10000B11	61042821				12	12	6.6º	6.6º		$6,230
2888P10000B12	61042822				12	18	6.6º	4.4º		$6,464
2888P10000B22	61042823				18	18	4.4º	4.4º		$6,519
2888P12001B00	61042832	Mild Steel Epoxy Painted Smooth Plate	1000 lb	30" x 30"	4.5	4.5	17.8º	17.8º		$5,944
2888P12001B01	61042833				4.5	12	17.8º	6.6º		$6,087
2888P12001B02	61042834				4.5	18	17.8º	4.4º		$6,316
2888P12001B11	61042835				12	12	6.6º	6.6º		$6,230
2888P12001B12	61042836				12	18	6.6º	4.4º		$6,464
2888P12001B22	61042837				18	18	4.4º	4.4º		$6,519
2888P12011B00	61042840	Mild Steel Epoxy Painted Smooth Plate		36" x 36"	4.5	4.5	24.2º	24.2º		$6,515
2888P12011B01	61042844				4.5	12	24.2º	8.8º		$6,694
2888P12011B02	61042848				4.5	18	24.2º	5.9º		$6,738
2888P12011B11	61042856				12	12	8.8º	8.8º		$6,873
2888P12011B12	61042859				12	18	8.8º	5.9º		$6,918
2888P12011B22	61042850				18	18	5.9º	5.9º		$6,965
2888P12021B00	61042862	Mild Steel Epoxy Painted Smooth Plate		42" x 42"	4.5	4.5	24.2º	24.2º		$7,549
2888P12021B01	61042867				4.5	12	24.2º	8.8º		$7,768
2888P12021B02	61042872				4.5	18	24.2º	5.9º		$7,820
2888P12021B11	61042877				12	12	8.8º	8.8º	736 lb	$7,991
2888P12021B12	61042881				12	18	8.8º	5.9º		$8,038
2888P12021B22	61042885				18	18	5.9º	5.9º		$8,088
2888P12012B00	61042841	Mild Steel Epoxy Painted Smooth Plate	2500 lb	36" x 36"	4.5	4.5	24.2º	24.2º		$6,515
2888P12012B01	61042845				4.5	12	24.2º	8.8º		$6,694
2888P12012B02	61042853				4.5	18	24.2º	5.9º		$6,738
2888P12012B11	61042852				12	12	8.8º	8.8º		$6,873
2888P12012B12	61042860				12	18	8.8º	5.9º		$6,918
2888P12012B22	61042849				18	18	5.9º	5.9º		$6,965
2888P12022B00	61042865	Mild Steel Epoxy Painted Smooth Plate		42" x 42"	4.5	4.5	24.2º	24.2º		$7,549
2888P12022B01	61042869				4.5	12	24.2º	8.8º		$7,768
2888P12022B02	61042874				4.5	18	24.2º	5.9º		$7,820
2888P12022B11	61042879				12	12	8.8º	8.8º		$7,991
2888P12022B12	61042883				12	18	8.8º	5.9º		$8,038
2888P12022B22	61042887				18	18	5.9º	5.9º		$8,088

©Mettler-Toledo, LLC

2888

Produced in a facility that is

2888 DECKMATE®

Portable Platform

304 Stainless Steel Smooth Plate

APPLIED

Ordering Information

2888 DECKMATE - Portable Platform with 304 SS Smooth Plate Deck

Order Number	SAP Order Number	Material	Capacity (lb)	Scale Base Dimensions	Ramp (in) 1	Ramp (in) 2	Ramp Angle of Incline 1	Ramp Angle of Incline 2	Shipping Weight (lb)	Suggested List Price (CDN$)
2888P30030B00	61042770	304 Stainless Steel Glass Bead Blasted Smooth Plate	500 lb	24" x 24"	4.5	4.5	17.8º	17.8º	382 lb	$8,413
2888P30030B01	61042765				4.5	12	17.8º	6.6º		$8,673
2888P30030B02	61044208				4.5	18	17.8º	4.4º		$8,774
2888P30030B11	61042766				12	12	6.6º	6.6º		$8,931
2888P30030B12	61045976				12	18	6.6º	4.4º		$9,028
2888P30030B22	61046243				18	18	4.4º	4.4º		$9,129
2888P30000B00	61042772	304 Stainless Steel Glass Bead Blasted Smooth Plate		30" x 30"	4.5	4.5	17.8º	17.8º		$8,413
2888P30000B01	61042894				4.5	12	17.8º	6.6º		$8,673
2888P30000B02	61042895				4.5	18	17.8º	4.4º		$8,774
2888P30000B11	61042896				12	12	6.6º	6.6º		$8,931
2888P30000B12	61042897				12	18	6.6º	4.4º		$9,028
2888P30000B22	61042898				18	18	4.4º	4.4º		$9,129
2888P32001B00	61042910	304 Stainless Steel Glass Bead Blasted Smooth Plate	1000 lb	30" x 30"	4.5	4.5	17.8º	17.8º	436 lb	$8,413
2888P32001B01	61042811				4.5	12	17.8º	6.6º		$8,673
2888P32001B02	61042911				4.5	18	17.8º	4.4º		$8,774
2888P32001B11	61042784				12	12	6.6º	6.6º	480 lb	$8,931
2888P32001B12	61042913				12	18	6.6º	4.4º		$9,028
2888P32001B22	61042914				18	18	4.4º	4.4º	571 lb	$9,129
2888P32011B00	61042920	304 Stainless Steel Glass Bead Blasted Smooth Plate		36" x 36"	4.5	4.5	24.2º	24.2º		$11,146
2888P32011B01	61042924				4.5	12	24.2º	8.8º		$11,489
2888P32011B02	61042929				4.5	18	24.2º	5.9º		$11,586
2888P32011B11	61042937				12	12	8.8º	8.8º		$11,830
2888P32011B12	61042941				12	18	8.8º	5.9º		$11,927
2888P32011B22	61042940				18	18	5.9º	5.9º		$12,021
2888P32021B00	61042946	304 Stainless Steel Glass Bead Blasted Smooth Plate		42" x 42"	4.5	4.5	24.2º	24.2º		$11,794
2888P32021B01	61042951				4.5	12	24.2º	8.8º	713 lb	$12,183
2888P32021B02	61042957				4.5	18	24.2º	5.9º		$12,281
2888P32021B11	61042962				12	12	8.8º	8.8º		$12,572
2888P32021B12	61042968				12	18	8.8º	5.9º		$12,670
2888P32021B22	61042972				18	18	5.9º	5.9º	799 lb	$12,767
2888P32012B00	61042921	304 Stainless Steel Glass Bead Blasted Smooth Plate	2500 lb	36" x 36"	4.5	4.5	24.2º	24.2º		$11,146
2888P32012B01	61042925				4.5	12	24.2º	8.8º		$11,489
2888P32012B02	61042932				4.5	18	24.2º	5.9º		$11,586
2888P32012B11	61042938				12	12	8.8º	8.8º		$11,830
2888P32012B12	61042942				12	18	8.8º	5.9º		$11,927
2888P32012B22	61042830				18	18	5.9º	5.9º		$12,021
2888P32022B00	61042948	304 Stainless Steel Glass Bead Blasted Smooth Plate		42" x 42"	4.5	4.5	24.2º	24.2º		$11,794
2888P32022B01	61042954				4.5	12	24.2º	8.8º		$12,183
2888P32022B02	61042960				4.5	18	24.2º	5.9º	700 lb	$12,281
2888P32022B11	61042965				12	12	8.8º	8.8º		$12,572
2888P32022B12	61042970				12	18	8.8º	5.9º		$12,670
2888P32022B22	61042974				18	18	5.9º	5.9º		$12,767

2888 DECKMATE®

Portable Platform
304 Stainless Steel Tread Plate

Produced in a facility that is

2888

APPLIED

Ordering Information

2888 DECKMATE - Portable Platform with 304 SS Tread Plate Deck

Order Number	SAP Order Number	Material	Capacity (lb)	Scale Base Dimensions	Ramp (in) 1	Ramp (in) 2	Ramp Angle of Incline 1	Ramp Angle of Incline 2	Shipping Weight (lb)	Suggested List Price (CDN$)
2888P20030B00	61042999	304 Stainless Steel Glass Bead Blasted Tread Plate	500 lb	24" x 24"	4.5	4.5	17.8º	17.8º		$9,249
2888P20030B01	61046247				4.5	12	17.8º	6.6º		$9,536
2888P20030B02	61046248				4.5	18	17.8º	4.4º		$9,645
2888P20030B11	61044743				12	12	6.6º	6.6º		$9,817
2888P20030B12					12	18	6.6º	4.4º		$9,928
2888P20030B22	61046249				18	18	4.4º	4.4º		$10,039
2888P20000B00	61042888	304 Stainless Steel Glass Bead Blasted Tread Plate		30" x 30"	4.5	4.5	17.8º	17.8º		$9,249
2888P20000B01	61042889				4.5	12	17.8º	6.6º		$9,536
2888P20000B02	61042890				4.5	18	17.8º	4.4º		$9,645
2888P20000B11	61042891				12	12	6.6º	6.6º		$9,817
2888P20000B12	61042892				12	18	6.6º	4.4º		$9,928
2888P20000B22	61042893				18	18	4.4º	4.4º		$10,039
2888P22001B00	61042903	304 Stainless Steel Glass Bead Blasted Tread Plate	1000 lb	30" x 30"	4.5	4.5	17.8º	17.8º		$9,249
2888P22001B01	61042905				4.5	12	17.8º	6.6º		$9,536
2888P22001B02	61042906				4.5	18	17.8º	4.4º		$9,645
2888P22001B11	61042907				12	12	6.6º	6.6º		$9,817
2888P22001B12	61042908				12	18	6.6º	4.4º		$9,928
2888P22001B22	61042909				18	18	4.4º	4.4º		$10,039
2888P22011B00	61042918	304 Stainless Steel Glass Bead Blasted Tread Plate		36" x 36"	4.5	4.5	24.2º	24.2º		$12,309
2888P22011B01	61042922				4.5	12	24.2º	8.8º		$12,686
2888P22011B02	61042927				4.5	18	24.2º	5.9º		$12,792
2888P22011B11	61042934				12	12	8.8º	8.8º		$13,062
2888P22011B12	61042931				12	18	8.8º	5.9º		$13,171
2888P22011B22	61042944				18	18	5.9º	5.9º		$13,277
2888P22021B00	61042863	304 Stainless Steel Glass Bead Blasted Tread Plate		42" x 42"	4.5	4.5	24.2º	24.2º		$13,019
2888P22021B01	61042950				4.5	12	24.2º	8.8º		$13,455
2888P22021B02	61042956				4.5	18	24.2º	5.9º		$13,560
2888P22021B11	61042961				12	12	8.8º	8.8º		$13,886
2888P22021B12	61042967				12	18	8.8º	5.9º		$13,992
2888P22021B22	61042971				18	18	5.9º	5.9º		$14,098
2888P22012B00	61042919	304 Stainless Steel Glass Bead Blasted Tread Plate	2500 lb	36" x 36"	4.5	4.5	24.2º	24.2º		$12,309
2888P22012B01	61042923				4.5	12	24.2º	8.8º		$12,686
2888P22012B02	61042928				4.5	18	24.2º	5.9º		$12,792
2888P22012B11	61042935				12	12	8.8º	8.8º		$13,062
2888P22012B12	61042939				12	18	8.8º	5.9º		$13,171
2888P22012B22	61042945				18	18	5.9º	5.9º		$13,277
2888P22022B00	61042777	304 Stainless Steel Glass Bead Blasted Tread Plate		42" x 42"	4.5	4.5	24.2º	24.2º		$13,019
2888P22022B01	61042953				4.5	12	24.2º	8.8º		$13,455
2888P22022B02	61042959				4.5	18	24.2º	5.9º		$13,560
2888P22022B11	61042964				12	12	8.8º	8.8º		$13,886
2888P22022B12	61042969				12	18	8.8º	5.9º		$13,992
2888P22022B22	61042973				18	18	5.9º	5.9º		$14,098

©Mettler-Toledo, LLC

2888

Produced in a facility that is

2888 DECKMATE®

Portable Platform
316 Stainless Steel Deck

APPLIED

Ordering Information

2888 DECKMATE - Portable Platform with 316 SS Smooth Plate Deck and 304 SS Fasteners

Order Number	SAP Order Number	Material	Capacity (lb)	Scale Base Dimensions	Ramp (in) 1	Ramp (in) 2	Ramp Angle of Incline 1	Ramp Angle of Incline 2	Shipping Weight (lb)	Suggested List Price (CDN$)
2888P50030B00	61043000	316 Stainless Steel Glass Bead Blasted Smooth Plate	500 lb	24" x 24"	4.5	4.5	17.8º	17.8º		$13,330
2888P50030B01	61043001				4.5	12	17.8º	6.6º		$13,739
2888P50030B02					4.5	18	17.8º	4.4º		$13,901
2888P50030B11	61043002				12	12	6.6º	6.6º		$14,146
2888P50030B12					12	18	6.6º	4.4º		$14,306
2888P50030B22					18	18	4.4º	4.4º		$14,464
2888P50000B00	61042899	316 Stainless Steel Glass Bead Blasted Smooth Plate		30" x 30"	4.5	4.5	17.8º	17.8º		$13,330
2888P50000B01	61042900				4.5	12	17.8º	6.6º		$13,739
2888P50000B02	61042901				4.5	18	17.8º	4.4º	430	$13,901
2888P50000B11	61042902				12	12	6.6º	6.6º		$14,146
2888P50000B12					12	18	6.6º	4.4º		$14,306
2888P50000B22					18	18	4.4º	4.4º		$14,464
2888P52001B00	61043878	316 Stainless Steel Glass Bead Blasted Smooth Plate	1000 lb	30" x 30"	4.5	4.5	17.8º	17.8º		$13,330
2888P52001B01	61042915				4.5	12	17.8º	6.6º		$13,739
2888P52001B02	61042783				4.5	18	17.8º	4.4º		$13,901
2888P52001B11	61042785				12	12	6.6º	6.6º		$14,146
2888P52001B12					12	18	6.6º	4.4º		$14,306
2888P52001B22	61042917				18	18	4.4º	4.4º		$14,464
2888P52011B00	61042876	316 Stainless Steel Glass Bead Blasted Smooth Plate		36" x 36"	4.5	4.5	24.2º	24.2º		$17,659
2888P52011B01	61042926				4.5	12	24.2º	8.8º		$18,200
2888P52011B02	61042933				4.5	18	24.2º	5.9º		$18,354
2888P52011B11	61042904				12	12	8.8º	8.8º		$18,743
2888P52011B12	61044994				12	18	8.8º	5.9º		$18,898
2888P52011B22					18	18	5.9º	5.9º		$19,049
2888P52021B00	61042947	316 Stainless Steel Glass Bead Blasted Smooth Plate		42" x 42"	4.5	4.5	24.2º	24.2º		$18,684
2888P52021B01	61042952				4.5	12	24.2º	8.8º		$19,304
2888P52021B02	61042958				4.5	18	24.2º	5.9º		$19,456
2888P52021B11	61042963				12	12	8.8º	8.8º		$19,923
2888P52021B12					12	18	8.8º	5.9º		$20,074
2888P52021B22					18	18	5.9º	5.9º		$20,232
2888P52012B00		316 Stainless Steel Glass Bead Blasted Smooth Plate	2500 lb	36" x 36"	4.5	4.5	24.2º	24.2º		$17,659
2888P52012B01					4.5	12	24.2º	8.8º		$18,200
2888P52012B02					4.5	18	24.2º	5.9º		$18,354
2888P52012B11					12	12	8.8º	8.8º		$18,743
2888P52012B12	61042943				12	18	8.8º	5.9º		$18,898
2888P52012B22	61042930				18	18	5.9º	5.9º		$19,049
2888P52022B00	61042949	316 Stainless Steel Glass Bead Blasted Smooth Plate		42" x 42"	4.5	4.5	24.2º	24.2º		$18,684
2888P52022B01	61042955				4.5	12	24.2º	8.8º		$19,304
2888P52022B02	61043838				4.5	18	24.2º	5.9º		$19,456
2888P52022B11	61042966				12	12	8.8º	8.8º		$19,923
2888P52022B12					12	18	8.8º	5.9º		$20,074
2888P52022B22	61043003				18	18	5.9º	5.9º		$20,232

MG4500 Liftmate™

Produced in a facility that is



MG4500

APPLIED

Approvals:

- NTEP Class III, COC #89-103
- Factory Mutual (FM) Hazardous Area Approval

Standard Features:

- Model 743 stainless steel 2mV/V load cells
- Mild steel, smooth plate platform with integrated outer frame
- Pit or surface mount
- Height: 8-3/8 in (45k), 10-3/4 in (60k)
- Four (4) lifting eye bolts included
- Instrument cable and shims not included
- IP65K stainless steel summing junction box

Accessories:

- Coil Cradle (60,000 lb)

Ordering Information

MG4500 Liftmate Floor Scales

Order Number	SAP Order Number	Capacity (lb)	Load Cell Size (lb)	Platform Size (ft)	Shipping Weight (lb)	Suggested List Price (CDN$)
MG4500105565	61006784	40,000 lb	20,000 lb	5' x 5'	1400 lb	$15,388
MG4500105765	61006786			5' x 7'	1800 lb	$16,592
MG4500106665	61006789			6' x 6'	1900 lb	$16,592
MG4500106865	61006791			6' x 8'	2400 lb	$17,632
MG4500107965	61006794			7' x 9'	2800 lb	$18,845
MG4500108065	61006795			8' x 10'	3250 lb	$20,050
MG4500105575	61006785	60,000 lb	45,000 lb	5' x 5'	2390 lb	$19,524
MG4500106675	61006790			6' x 6'	2925 lb	$20,387
MG4500105775	61006787			5' x 7'	3065 lb	$20,108
MG4500105875	61006788			5' x 8'	3365 lb	$21,274
MG4500106875	61006792			6' x 8'	3755 lb	$24,700
MG4500107775	61006793			7' x 7'	3790 lb	$24,796
MG4500108875	61006796			8' x 8'	4545 lb	$27,322

Coil Cradle Option

- Designed for 60,000 lb MG4500
- Rubber Belted Cradle
- Mounts to platform eyebolt hole location
- Maximum crane speed: 15FPM

Order Number	SAP Order Number	Fits Platform Size (ft)	Cradle Size (ft)	Cradle Height (in)	Shipping Weight (lb)	Suggested List Price (CDN$)
45-025575	61006633	5' x 5'	3' x 4'	10 in	521lb	$2,567
45-025775	61006634	5' x 7'	4' x 5'		759 lb	$3,102
45-025875	61006635	5' x 8'	4' x 6'		762 lb	$3,189
45-026675	61006636	6' x 6'	4' x 5'		1026 lb	$3,102
45-026875	61006637	6' x 8'	5' x 6'		1135 lb	$3,280
45-027775	61006638	7' x 7'	5' x 6'		1032 lb	$3,280
45-028875	61006639	8' x 8'	6' x 7'		1449 lb	$3,522

Lifting Eye Bolt Hole Plugs

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
58-020000	61006648	Lifting Eye Bolts Hole plug (four (4) required per MG4500)		$8.98

 ©Mettler-Toledo, LLC

Produced in a facility that is

PFA569lift

Specialty Application Stainless Steel

COMMERCIAL

Approvals:

- Factory Mutual (FM) Hazardous Area Approval

Standard Features:

- Model 745A stainless steel hermetically sealed 2mV/Vload cells
- Rocker Foot suspension
- Stainless steel platform
- Glass bead blasted finish
- IP69K stainless steel summing junction box
- Gas-pressurized lifting struts ease lifting
- Easy access for cleaning
- Standard Industrial Warranty
- 25 ft plain instrument cable
- 3 3/4" in height

Accessories:

- Optional Algrip or Slipnot material
- Alt. load cell

Ordering Information

PFA569lift Stainless Steel

Order Number	SAP Order Number	Platform Size (ft)	Capacity (lb)	Load Cell Size (lb)	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
PF569N1J000000A	61045411	4' x 4'	1000 lb	500 lb	Type 304 Stainless Steel Smooth Plate	275 lb	$7,928
PF569N2J000000A	61045416		2500 lb	1250 lb		275 lb	$7,928
PF569N3J000000A	61045420		5000 lb	2500 lb		275 lb	$7,928
PF569S1J000000A	61045424	5' x 5'	1000 lb	500 lb		420 lb	$10,059
PF569S2J000000A	61045428		2500 lb	1250 lb		420 lb	$10,059
PF569S3J000000A	61045432		5000 lb	2500 lb		420 lb	$10,059
PF569N1M000000A	61045412	4' x 4'	1000 lb	500 lb	Type 304 Stainless Steel Tread Plate	590 lb	$9,940
PF569N2M000000A	61045417		2500 lb	1250 lb		590 lb	$9,940
PF569N3M000000A	61045421		5000 lb	2500 lb		590 lb	$9,940
PF569S1M000000A	61045425	5' x 5'	1000 lb	500 lb		570 lb	$11,819
PF569S2M000000A	61045429		2500 lb	1250 lb		570 lb	$11,819
PF569S3M000000A	61045433		5000 lb	2500 lb		570 lb	$11,819

PFA569lift Stainless Steel, Smooth Plate Ramps

Order Number	SAP Order Number	Ramp Width (ft)	Ramp Length (ft)	Incline	Capacity (lb)	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
RPPF5690J0001	61045436	4	3	4.9º	1000-5000 lb	Type 304 Stainless Steel Smooth Plate	200 lb	$1,481
RPPF5690J0003	61045438	5	3				250 lb	$2,396
RPPF5690J0002	61045437	4	5	3.5º (low angle)			360 lb	$1,742
RPPF5690J0004	61045439	5	5				430 lb	$2,698

PFA569lift Stainless Steel, Tread Plate Ramps

RPPF5690M0001	61045440	4	3	4.9º	1000-5000 lb	Type 304 Stainless Steel Tread Plate	200 lb	$2,005
RPPF5690M0003	61045442	5	3				250 lb	$2,627
RPPF5690M0002	61045441	4	5	3.5º (low angle)			360 lb	$2,285
RPPF5690M0004	61045443	5	5				430 lb	$2,930

PFA569lift Floor Scale Options

Ordering Information

PFA569lift Stainless Steel Quick-Pit Frames

Order Number	SAP Order Number	Platform Size (ft)	Capacity (lb)	Material	Shipping Weight	Suggested List Price (CDN$)
QPPF5690J0002	61045452	4' x 4'	1000-5000lb	Stainless Steel	250 lb	$1,517
QPPF5690J0005	61045453	5' x 5'			275 lb	$1,726

PFA569lift Stainless Steel Pit Liners

Standard Features:

- Fully-formed 304 stainless steel "tub"
- Smooth, seamless appearance
- No finished concrete work required
- Provides flush mount installation
- Full support of an outer frame
- Easy in-ground installation
- Mounting and suspension detail included
- Integrated Quick-Pit frame
- Wet installaion - drain hole
- Dry installation - solid pan floor

Order Number	SAP Order Number		Platform Size (ft)	Capacity (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
PLPF5690J0001	61045457	No Drain	4' x 4'	1000-5000lb	300 lb	$6,540
PLPF5690J0002	61045458	2" Drain			300 lb	$6,540
PLPF5690J0003	61045459	3" Drain			300 lb	$6,540
PLPF5690J0004	61045460	No Drain	5' x 5'		350 lb	$7,949
PLPF5690J0005	61045461	2" Drain			350 lb	$7,949
PLPF5690J0006	61045462	3" Drain			350 lb	$7,949

PFA569lift Scale Guard Frame Protectors

Scale Guard Frame Protectors act as a curb to furnish additional scale protection from forklift damage.

Order Number	SAP Order Number	Protector Construction Material	Protector Length	Protector Height	Shipping Weight (lb)	Suggested List Price (CDN$)
GDPF5690J0001	61045455	Stainless Steel	4 ft	3.75 in	40 lb	$706
GDPF5690J0002	61045456		5 ft		45 lb	$802

Call for availability of custom dimensions and/or different capacities

 ©Mettler-Toledo, LLC



EZ-Lift

Produced in a facility that is

2266 EZ-Lift

Specialty Application Stainless Steel

APPLIED

Approvals:

- NTEP Class III, 5000d, COC #97-153
- Factory Mutual (FM) Hazardous Area Approval

Standard Features:

- Model 745A stainless steel hermetically sealed 2mV/Vload cells w/30' cables
- Rocker Pin suspension
- Stainless steel, smooth plate platform
- Stainless Steel sub-frame assembly with mounting hardware included
- Glass bead blasted finish
- Remote IP69K stainless steel summing junction box
- Gas-pressurized lifting struts ease lifting
- Easy access for cleaning
- 2 Year factory warranty
- 25 ft plain instrument cable
- 4 in height
- Hinge side is the width (W)

Accessories:

- Optional Algrip or Slipnot material
- See Floor Scales Accessories page

Ordering Information

EZ-Lift Stainless Steel

Order Number	SAP Order Number	Platform Size (ft)	Capacity (lb)	Load Cell Size (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
22661011	61036232	3' x 3'	1000 lb	500 lb	275 lb	$12,439
22661012	61036233		2500 lb	1250 lb	275 lb	$12,439
22661013	61036234		5000 lb	2500 lb	275 lb	$12,439
22661021	61036235	4' x 4'	1000 lb	500 lb	420 lb	$13,754
22661022	61036236		2500 lb	1250 lb	420 lb	$13,754
22661023	61036237		5000 lb	2500 lb	420 lb	$13,754
22661041	61036238	5' x 5'	1000 lb	500 lb	590 lb	$14,670
22661042	61036239		2500 lb	1250 lb	590 lb	$14,670
22661043	61036240		5000 lb	2500 lb	590 lb	$14,670
22661051	61036241	4' W x 6' L	1000 lb	500 lb	570 lb	$14,670
22661052	61036242		2500 lb	1250 lb	570 lb	$14,670
22661053	61036243		5000 lb	2500 lb	570 lb	$14,670

EZ-Lift Stainless Steel Quick-Pit Frames

58-200773	61010032	3' x 3'	1000-5000 lb		225 lb	$1,922
58-200775	61010033	4' x 4'			250 lb	$2,129
58-200145	61010026	5' x 5'			275 lb	$2,514
58-200555	61010031	4' x 6'			275 lb	$2,514

EZ-Lift Stainless Steel Pit Liners

EZL-600000	61038395	3' x 3'	1000-5000 lb	No Drain	225 lb	$7,072
EZL-600001	61039196	4' x 4'			275 lb	$7,705
EZL-600002	61042524	4' x 6'			325 lb	$8,319
EZL-600003	61040890	5' x 5'			325 lb	$8,319

EZ-Lift Stainless Steel, Smooth Plate Ramps

Order Number	SAP Order Number	Ramp Width (ft)	Ramp Length (ft)	Incline	EZ-Lift Capacity (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
58-140729	61010023	3	3	4.9°	1000-5000 lb	200 lb	$1,740
58-100337	61010018	4	3			250 lb	$2,129
58-100336	61010017	5	3			300 lb	$2,704
58-120732	61010020	3	5	3.5° (low angle)		360 lb	$2,704
58-120733	61010021	4	5			430 lb	$3,236
58-120730	61010019	5	5			260 lb	$3,483

2158 EZ-Clean

Specialty Application
EZ-Clean Stainless Steel

Produced in a facility that is



EZ-Clean

APPLIED

Approvals:

- Class III, 5000d, COC #91-097
- Factory Mutual (FM) Hazardous Area Approval

Standard Features:

- Model 745A stainless steel hermetically sealed 2mV/V load cells
- Rocker Pin suspension
- Stainless steel, smooth plate platform
- Glass bead blasted finish
- IP69K stainless steel summing junction box
- Pneumatic lifting cylinders with self-deploying safety feature
- Easy access for cleaning
- 2 Year factory warranty
- 25 ft plain end-to-end instument cable
- 17 in depth (1-5k lb), 18 in depth (10k lb)
- Hinge side is the length (L)

Ordering Information

EZ-Clean Stainless Steel Scale Base (add a standard pit frame OR pit liner to complete the scale)

Order Number Scale Deck w/ Wall Enclosure	SAP Order Number	Order Number Scale Deck w/ Panel Enclosure	SAP Order Number	Platform Size (ft)	Capacity (lb)	Suggested List Price (CDN$)
2158ED2311HAX	61038598	2158ED2311PAX	61041968	3' x 3'	1000 lb	$11,583
2158ED2321HAX	61039873	2158ED2321PAX	61039382		2500 lb	$11,583
2158ED2331HAX	61041196	2158ED2331PAX	61046117		5000 lb	$11,583
2158ED2312HAX	61040264	2158ED2312PAX	61040421	4' x 4'	1000 lb	$12,484
2158ED2322HAX	61038484	2158ED2322PAX	61039874		2500 lb	$12,484
2158ED2332HAX	61038495	2158ED2332PAX	61040216		5000 lb	$12,484
2158ED2342HAX	61046095	2158ED2342PAX	61046118		10000 lb	$13,767
2158ED2313HAX	61046030	2158ED2313PAX	61046119	4' W x 5' L	1000 lb	$12,740
2158ED2323HAX	61040324	2158ED2323PAX	61042604		2500 lb	$12,740
2158ED2333HAX	61040942	2158ED2333PAX	61040717		5000 lb	$12,740
2158ED2343HAX	61044215	2158ED2343PAX	61046120		10000 lb	$14,021
2158ED2314HAX	61046098	2158ED2314PAX	61044840	5' x 5'	1000 lb	$14,275
2158ED2324HAX	61039686	2158ED2324PAX	61042992		2500 lb	$14,275
2158ED2334HAX	61041160	2158ED2334PAX	61039787		5000 lb	$14,275
2158ED2344HAX	61040931	2158ED2344PAX	61040777		10000 lb	$14,923
2158ED2315HAX	61040219	2158ED2315PAX	61046124	4' W x 6' L	1000 lb	$14,275
2158ED2325HAX	61041710	2158ED2325PAX	61046126		2500 lb	$14,275
2158ED2335HAX	61040388	2158ED2335PAX	61046127		5000 lb	$14,275
2158ED2345HAX	61046116	2158ED2345PAX	61046128		10000 lb	$14,923
2158ED2336HBX	61040127	2158ED2336PBX	61044174	5' W x 7' L	5000 lb	$16,726
2158ED2346HBX	61043749	2158ED2346PBX	61046129		10000 lb	$17,973

NOTE: Must order pit frame or pit liner to complete the scale.

 ©Mettler-Toledo, LLC

2158 Vertex® EZ-Clean Pit Frames and Pit Liners

Ordering Information

EZ-Clean Standard Pit Frame

Order Number	SAP Order Number	Platform Size (ft)	Capacity (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
2158EF233100X	61038599	3' x 3'	1000-5000 lb		$5,954
2158EF233200X	61039233	4' x 4'	1000-5000 lb		$6,424
2158EF234200X	61046158		10000 lb		$7,080
2158EF233300X	61038440	4' x 5'	1000-5000 lb		$6,560
2158EF234300X	61044216		10000 lb		$7,212
2158EF233400X	61039287	5' x 5'	1000-5000 lb		$7,347
2158EF234400X	61040778		10000 lb		$7,675
2158EF233500X	61040220	4' x 6'	1000-5000 lb		$7,347
2158EF234500X	61039659		10000 lb		$7,675
2158EF233600X	61039662	5' x 7'	1000-5000 lb		$8,595
2158EF234600X	61042075		10000 lb		$8,978

EZ-Clean Stainless Steel Pit Liners

Standard Features:

- Fully-formed 304 stainless steel "tub"
- Smooth, seamless appearance
- No finished concrete work required
- Provides flush mount installation
- Full support of an outer frame
- Easy in-ground installation
- Easy installation on 3' x 3'
- Mounting and suspension detail included
- Integrated Quick-Pit frame
- Wet installaion - drain hole
- Custom drain installation (optional)
- Dry installation - solid pan floor

Order Number	SAP Order Number		Platform Size (ft)	Capacity (lb)	Shipping Weight (lb)	Suggested List Price (CDN$)
2158EP3331000	61039385	No Drain	3' x 3'	1000-5000lb	300 lb	$7,885
2158EP3331001	61046161	1" Drain			300 lb	$7,885
2158EP3331003	61043934	3" Drain			300 lb	$7,885
2158EP3332000	61039408	No Drain	4' x 4'		350 lb	$9,822
2158EP3332001	61041654	1" Drain			350 lb	$9,822
2158EP3332003	61040725	3" Drain			350 lb	$9,822
2158EP3333000	61046843	No Drain	4' x 5'		375 lb	$11,368
2158EP3333001	61045857	1" Drain			375 lb	$11,368
2158EP3333003	61043942	3" Drain			375 lb	$11,368
2158EP3334000	61039687	No Drain	5' x 5'		400 lb	$12,014
2158EP3334001	61041393	1" Drain			400 lb	$12,014
2158EP3334003	61046844	3" Drain			400 lb	$12,014
2158EP3335000	61041991	No Drain	4' x 6'		400 lb	$12,014
2158EP3335001	61046167	1" Drain			400 lb	$12,014
2158EP3335003	61042255	3" Drain			400 lb	$12,014
2158EP3336000	61046845	No Drain	5' x 7'		500 lb	$17,165
2158EP3336001	61046170	1" Drain			500 lb	$17,165
2158EP3336003	61046048	3" Drain			500 lb	$17,165

Call for availability of custom dimensions and/or different capacities

Design to Fit Floor Scales

Produced in a facility that is

These are non-standard custom/specialty products and cannot be returned for credit.

VLC

2158 VERTEX

	COMMERCIAL VLC Commercial Duty Floor Scale	APPLIED VERTEX® Extreme Duty Floor Scale
Loadcell	• Model 745A stainless steel 2 mV/V load cells • Hermetically Sealed • Rocker pin foot • IP69K Stainless Steel Junction Box • Opt. threaded ball in cup foot	• VERTEX® engine • Model 745A stainless steel 2 mV/V load cells • Hermetically Sealed • Rocker pin suspension • IP69K Stainless Steel Junction Box
Capacity	• 500/1000/2500/5000/10,000 lb • 300/600/1500/3000/6000 kg	• 500/1000/2500/5000/10,000/20,000 lb • 300/600/1500/3000/6000/10,000 kg
Steel	**Standard** • MT - Mild Steel Tread Plate • SS - Stainless Steel Smooth Plate **Optional** • MS - Mild Steel Smooth Plate • ST - Stainless Steel Tread Plate • 316 Stainless Steel Smooth Plate **Finish** • MS/MT: 2-part Epoxy • SS/ST: Glass Bead Blasted • Special polished finishes (optional)	**Standard** • MT - Mild Steel Tread Plate • SS - Stainless Steel Smooth Plate **Optional** • MS - Mild Steel Smooth Plate • ST - Stainless Steel Tread Plate • 316 Stainless Steel Smooth Plate **Finish** • MS/MT: 2-part Epoxy • SS/ST: Glass Bead Blasted • Special polished finishes (optional)
Dimensions	**Min Width:** • 10 in (254 mm) **Max Width:** • 6 ft (1829 mm) **Max Length:** • 8 ft (2438 mm)	**Min Width:** • 10 in (254 mm) **Max Width:** • 8 ft (2134 mm) **Max Length:** • 10 ft (3048 mm)
Approvals	• COC #95-111 (2x2 to 6x8) • H44 5000d ambient in approved size/capacity	• COC #91-097 (2x2 to 8x10) • H44 5000d ambient in approved size/capacity
Cable	• 25 ft plain end instrument cable included	• 25 ft plain end instrument cable included

Custom Options:

- Hi-Accuracy Testing
- Tote (IBC) Applications
- Top Access Plates
- Quick-Pit Frames
- Forklift Frames
- Portability Frames
- Side Rails
- Scale Guard Frame Protectors

Design your own!

Go to www.my-mtconnection.com and select "Sales Tools - Quoting Tools - Floor Scales", email Design2FitFS@mt.com or give us a call!

 ©Mettler-Toledo, LLC



Produced in a facility that is ISO 9001 certified

FM APPROVED

0970C Cylinder Scale

Commercial Duty

APPLIED

Approvals:

- Model 0970C: Factory Mutual (FM) Hazardous Area Approval
- No NTEP

Standard Features:

- Designed specifically to weigh a standard sized gas cylinder centered on upper platform
- Small foot print - 2 in overall height profile
- 550 lb (250 kg) capacity
- Single hermetically sealed stainless steel 1.75mV/V Ring Load Cell (RLC)
- IP68 ingress protection
- Integrated 16 ft (5 m) loadcell cable for direct connection to terminal
- Epoxy painted mild steel or 304 stainless steel top and bottom load plates (316 load plates available custom)
- Combination anti-tip overload bolts (4) factory installed in corners
- Note: No off center loading; cylinder size vs. platform

Ordering Information

0970C Gas Cylinder Scale

Order Number	SAP Order Number	Capacity	Platform Dimensions (in)	Load Plate Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
0970C1X2405	61040897	500lb / 250 kg	6" x 6"	Mild steel, epoxy painted		Call
0970C1X2402	61035699		9¼" x 9¼"			Call
0970C1X2407	61042593		12" x 12"			Call
0970C1X2401	69031626		9¼" x 9¼"	304 Stainless steel		Call
0970C1X2403	61036051		12" x 12"			Call



MT1241 Cylinder Scale

Commercial Duty

Produced in a facility that is ISO 9001 certified



COMMERCIAL

Approvals:

- None

Standard Features:

- Designed specifically to weigh a standard sized gas cylinder centered on upper platform
- Small foot print - 2.88 in overall height profile
- 550 lb (250 kg) capacity
- Single potted aluminum MT1241 2mV/V moment insensitive load cell (MILC)
- IP67 ingress protection
- Integrated 33 ft (10 m) load cell cable for direct connection to terminal
- Epoxy painted mild steel top and bottom 3/8 in thick load plates (316 load plates available custom)
- Combination anti-tip overload bolts (2) factory installed

Ordering Information

MT1241 Gas Cylionder Scale (NOT Hazarous Area approved)

Order Number	SAP Order Number	Capacity (lb)	Platform Dimensions (in)	Load Plate Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
TA601245	61040252	500lb / 250 kg	9¼" x 9¼"	Mild steel, epoxy coated		Call





©Mettler-Toledo, LLC

General Accessories

2158 Scale Guard Frame Protectors (for custom lengths [e.g. 32 in] round up to nearest foot to determine pricing.)

Scale Guard Frame Protectors act as a curb to furnish additional scale protection from forklift damage. The scale guards anchor to the floor with optional anchor bolts. Use 3 in for 2158 Vertex scale bases up to 10k, and 4 in for 20k.

Order Number	SAP Order Number	Protector Construction Material	Protector Length	Protector Height	Shipping Weight (lb)	Suggested List Price (CDN$)
58PG0914	61070803	Mild Steel	3 ft	3 in (500 - 10k)	40 lb	$162
58PG1219	61044931		4 ft		45 lb	$162
58PG1524	61045063		5 ft		50 lb	$194
58PG1829	61045048		6 ft		55 lb	$236
58PG2134			7 ft		60 lb	$279
402-Custom	61035572		each additional ft		5 lb	$62
58PJ1219	61045145		4 ft	4 in (20k)	45 lb	$194
58PJ1524	61045366		5 ft		50 lb	$236
58PJ1829	61046849		6 ft		55 lb	$279
58PJ2134	61045207		7 ft		60 lb	$359
402-Custom	61035572		each additional ft		5 lb	$91
58QG0914	61046851	Stainless Steel	3 ft	3 in (500 - 10k)	40 lb	$352
58QG1219	61045409		4 ft		45 lb	$438
58QG1524	61045022		5 ft		50 lb	$494
58QG1829	61046852		6 ft		55 lb	$624
58QG2134	61045023		7 ft		60 lb	$721
402-Custom	61035572		each additional ft		5 lb	$107
58QJ1219	61045385		4 ft	4 in (20k)	45 lb	$468
58QJ1524	61070819		5 ft		50 lb	$638
58QJ1829	61046853		6 ft		55 lb	$747
58QJ2134	61046854		7 ft		60 lb	$976
402-Custom	61035572		each additional ft		5 lb	$211

2256 Scale Guard Frame Protectors (for custom lengths [e.g. 32 in] round up to nearest foot to determine pricing.)

Scale Guard Frame Protectors act as a curb to furnish additional scale protection from forklift damage. The 2256 scale guards act as a locator plate for the feet and anchor to the floor. Can only use 2 guards located on opposite sides

NOTE: For adjacent sides, purchase 2158 scale guard with 3" height

Order Number	SAP Order Number	Protector Construction Material	Protector Length	Protector Height	Shipping Weight (lb)	Suggested List Price (CDN$)
564GDB0000	61042489	Mild Steel	3 ft	3.44 in	40 lb	$162
564GDB0001	61042353		4 ft		45 lb	$194
564GDB0002	61042565		5 ft		50 lb	$236
402-Custom	61035572		each additional ft		5 lb	$97
566GDJ0000	61046171	Stainless Steel	3 ft	3.44 in	45 lb	$389
566GDJ0001	61044117		4 ft		50 lb	$468
566GDJ0002	61043957		5 ft		55 lb	$638
402-Custom	61035572		each additional ft		5 lb	$134

2158 Vertex Side Rails

- Prevent totes and carts from falling off the scale
- Side Rails can also be added to ramps for same protection
- Pricing allows for budget calculation - EACH pricing (ONE side) is provided. Add more as required.

Order Number	Description	Side Rail Length	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
Contact Customer Support for current Order Numbers	1 in Tube Side Rails or 2 in High Angle Side Rails (Price is per side. May also be used to calculate ramp side rails)	3 ft	Mild Steel		$349
		4 ft			$464
		5 ft			$556
		3 ft	Stainless Steel		$600
		4 ft			$676
		5 ft			$748

General Accessories

Columns, Floor Stands and Accessories					
Order Number	SAP Order Number	Description	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
ACFICB0000	61042797	37.5" Bolt-on Column	Mild Steel	25 lb	$296
ACFICJ0000	61042798		Stainless Steel	25 lb	$399
ACFCBB0000	61042799	Base Plate for Stand Alone Column (use ACFICB0000)	Mild Steel	18 lb	$128
ACFCBJ0000	61042800	Base Plate for Stand Alone Column (use ACFICJ0000)	Stainless Steel	18 lb	$313
ACFCBB0001	61042801	Column Adapter for QP or Fork-Lift Frame (use ACFICB0000)	Mild Steel	2 lb	$54
ACFCBJ0001	61042802	Column Adapter for QP or Fork-Lift Frame (use ACFICJ0000)	Stainless Steel	2 lb	$95
ACFCHB0000	61042803	Push Handles for Bolt-on Column	Mild Steel	4 lb	$134
ACFCHJ0000	61042804		Stainless Steel	4 lb	$149
ACFCSB0000	61042805	Universal Shelf Bracket	Mild Steel	15 lb	$327
ACFCSJ0000	61042806		Stainless Steel	15 lb	$657
ACFMPJ0000	61042807	Universal Mounting Plate *	Stainless Steel	8 lb	$114

Note: Refer to Instrumentation section for specific terminal brackets and wall mounts.

* For use with the IND226x and Puma external batteries



©Mettler-Toledo, LLC

General Accessories

Options (scale base not included)

Order Number	Description	Suggested List Price (CDN$)
58-460002 (NTEP)	**Load Test Verification (2158, 2256, 2888, PUA574/579, and PUA664/669)** Scale is factory tested and certified for compliance with NIST Handbook 44, 5,000d or OIML 3000 division accuracy at ambient temperature. May be used in legal for trade applications. Factory conditions and test results are provided.	$701
58-460003 (OIML)		$701
58-460001	**High Accuracy Validation (2158, 2256, 2888, PUA574/579, and PUA664/669)** Scale is factory tested and certified for compliance with NIST Handbook 44, 10,000d accuracy at ambient temperature. For high accuracy, non-legal for trade applications only. Test results are provided.	$819

Hardware

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
58-040000	61006846	**Floor Scale Installation Kit** • 4-1/16" Stainless Steel corner shims • 2 Lifting Eye Bolts • 8-1/2" Floor Bolt Anchor Inserts	7 lb	$86
88-040000	61010444	2888 Static Scale Installation Kit - (4) 1/16" shims, (8) 1/2" anchors	7 lb	$87
58-010000	61006647	Lifting Eye Bolt (each), two required per standard scale platform	1 lb	$11
58-020000	61006648	Lifting Eye Bolt plug, mild steel (1 plug)	1 lb	$8.98
58-021000	61006649	Lifting Eye Bolt plug, stainless steel (1 plug)	1 lb	$22
58-030025	61006650	Bulk Shim Kit (25-1/16" stainless steel corner shims)	19 lb	$163
58-050025	61006651	Bulk Floor Anchor Kit (25-1/2" anchor inserts), eight required per standard scale platform	3 lb	$61

Stop Bars (2888S/P, PUA574/579; Stop bars have brackets that clamp onto the top of the rails at the back of the scale)

PUASBJ0000	61042515	Type 304 Stainless Steel	24" Width	Glass Bead Finish	6 lb	$333
PUASBJ0001	61042516		30" Width		7 lb	$333
PUASBJ0002	61042517		36" Width		7 lb	$398
PUASBJ0003	61042518		42" Width		8 lb	$465
PUASBJ0004	61044968		48" Width		8 lb	$526
PUASBJ0006	61045726		48" Width (for 48"x 60")			$526
PUASBK0000	61042787		24" Width	E-Polish Finish	6 lb	$461
PUASBK0001	61042788		30" Width		7 lb	$462
PUASBK0002	61042789		36" Width		7 lb	$526
PUASBK0003	61042790		42" Width		8 lb	$592
PUASBK0004	61044988		48" Width		8 lb	$638

General Accessories

Polyurethane Cables - additional length integrated loadcell cable (price adder per load cell)

Order Number	Load Cell Capacity	Initial Cable Length	Added Cable Length	Total Cable Length	Shipping Weight (lb)	Suggested List Price (CDN$)
Custom - Order Numbers will be assigned after placement of order	250-5000 lb	7.5 ft	7.5 ft	15 ft		$71
			22.5 ft	30 ft		$71
		15 ft	15 ft	30 ft		$71
			30 ft	45 ft		$132
			45 ft	60 ft		$197
		30 ft	15 ft	45 ft		$137
			30 ft	60 ft		$270

Teflon Cables - integrated loadcell cable - price adder per load cell (for 745A and RLC load cells only)

Order Number	Load Cell Capacity	Total Cable Length	Shipping Weight (lb)	Suggested List Price (CDN$)
Custom - Order Numbers will be assigned after placement of order	250-5000 lb	15 ft		$237
		30 ft		$469
		45 ft		$702
		60 ft		$934
	10k lb	30 ft		$469
		45 ft		$702
		60 ft		$934

Home Run Cables - 6 conductors, single shield

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
510624370	61006641	Polyurethane jacketed 24 gauge home run cable - for runs 50 ft or less (per foot)		$2.64
510620370	61006640	Polyurethane jacketed 20 gauge home run cable - for runs 300 ft or less (per foot)		$5.25
MZ1203000027	61040251	Teflon jacketed 20 gauge home run cable - for runs 300 ft or less (per foot)		$24.00

Standard Analog Junction Box

- 304 Stainless steel construction / IP69k protection
- Analog summing PCB with 4 trim potentiometers
- 1 3/4" x 3 1/4" x 9 1/2" overall dimensions
- Plastic cord grips
- Plugs for unused connectors

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
61005973	61005973	6-Hole	2 lb	$358
61038197	61038197	6-Hole, ATEX certified	2 lb	$380
TA100831-SS	72999937	6-Hole, IP69k	2 lb	$439
TA100831-SSA		6-Hole, ATEX certified, IP69k	2 lb	$428

Large Analog Junction Box

- 304 Stainless steel construction / IP65 protection
- Analog summing PCB with 4 trim potentiometers
- 4.94" x 5.69" x 10.13" overall dimensions
- Hub connectors for 1/2" conduit
- Plugs for unused connectors

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
61005972	61005972	5-Hole	3 lb	$425
61038201	61038201	5-Hole, ATEX certified	3 lb	$439

Cable Splice Box

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
TB100448	72999960	Standard enclosure (8"L x 5"W x 1 7/8"D) with 3/8" cord grips	2 lb	$261
TB100451	61005971	Large enclosure (8"L x 5"W x 4"D) with 1/2" conduit fittings	2 lb	$318

 ©Mettler-Toledo, LLC



MultiRange KD

Produced in a facility that is ISO 9001 certified

K-line

High Precision Platforms
KD 600-1500 kg

APPLIED

Approvals
- NTEP Class III, 10,000d, COC #00-075 (applies to KD600 only)
- Measurement Canada Approval #AM-5406 (applies to KD600 only)

Standard Features
- MonoBloc Technology
- Measuring cell cable length 16 ft (5 m)
- IP67 protection

Notes
- **Platform price includes base only. Must add load plate**

Ordering Information

KD Platforms

Order Number	SAP Order Number	Overall Dimensions	Capacity/ Maximum Readability*	Base Construction**	Shipping Weight (lb)	Suggested List Price (CDN$)
KD600	504095	49" x 39"	1200 lb/0.02 lb (600 kg/10 g)	Hot Dip	500 lb	$10,316
KD1500	504096	(1250 x 1000 mm)	3000 lb/0.05 lb (1500 kg/20 g)	Hot Dip	500 lb	$11,080

****Note: KD does NOT include load plate; Must add load plate from following section**

KD Load Plates

Order Number	SAP Order Number	Overall Dimensions	Applicable Platform	Load Plate Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
503617	503617	49" x 39" (1250 x 1000 mm)	KD	Black Powder	132 lb	$632
503618	503618		KD	Hot Dip	132 lb	$968
503619	503619		KD	Stainless Steel	132 lb	$2,360

KD Pit Frame Kits

Order Number	SAP Order Number	Description	Applicable Platform	Pit Frame Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
504077	504077	Pit Frame Kit - Dry pit	KD	Hot Dip		$1,280
504078	504078	Pit Frame Kit - Wet pit with cleaning recesses	KD	Hot Dip		$2,353
506399	506399	Pit Frame Kit - Dry pit without cleaning recess	KD	Stainless Steel		$2,613
599738	599738	Pit Frame Kit - Wet pit with cleaning recesses	KD	Stainless Steel		$2,852

Additional K-line accessories are located on page FS-48

* Maximum readability may exceed approved resolution.

K-line

High Precision Platforms KC/KCS 300-600 kg

Produced in a facility that is ISO 9001 certified

MultiRange KC

MultiRange KCS

APPLIED

Approvals

- NTEP Class II, 32,000d, Class III, 10,000d, COC #00-075, Measurement Canada Approval #AM-5406

Standard Features

- MonoBloc Technology
- Measuring cell cable length 16 ft (5 m)
- IP67 protection
- Includes load plate

Ordering Information

KC / KCS Platforms

Order Number	SAP Order Number	Overall Dimensions	Capacity/ Maximum Readability*	Construction: Load Plate/ Base	Shipping Weight (lb)	Suggested List Price (CDN$)
KC300	504182	39" x 32" (1000 x 800 mm)	600 lb/0.005 lb (300 kg/2 g)	Hot Galvanized / Black Powder Coat	251 lb	$7,959
KC600	504093		1200 lb/0.02 lb (600 kg/10 g)			$8,495
KC300S	504183		600 lb/0.005 lb (300 kg/2 g)	Stainless Steel	251 lb	$11,777
KC600S	504094		1200 lb/0.02 lb (600 kg/10 g)			$11,709
KCS300	504484	32" x 32" (800 x 800 mm)	600 lb/0.005 lb (300 kg/2 g)	Hot Galvanized / Black Powder Coat	251 lb	$7,999
KCS600	504486		1200 lb/0.02 lb (600 kg/10 g)			$7,976
KCS300S	504485		600 lb/0.005 lb (300 kg/2 g)	Stainless Steel	251 lb	$10,884
KCS600S	504487		1200 lb/0.02 lb (600 kg/10 g)			$11,239

KC / KCS Ramps

Order Number	SAP Order Number	Description	Overall Dimensions	Applicable Platform	Ramp Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
503638	503638	Tread Plate Ramp	31.5"W x 39.4"L x 4.5" H (800 x 1000 x 116 mm)	KC / KCS	Hot Dip Galvanized		$1,194
599204	599204	Tread Plate Ramp	31.5"W x 39.4"L x 4.5" H (800 x 1000 x 116 mm)	KC / KCS	Stainless Steel		$2,745
599198	599198	Smooth Plate Ramp	31.5"W x 39.4"L x 4.5" H (800 x 1000 x 116 mm)	KC / KCS	Stainless Steel		$2,745

KC / KCS Pit Frame Kits

Order Number	SAP Order Number	Description	Applicable Platform	Pit Frame Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
503635	503635	Pit Frame Kit	KC	Hot Dip		$1,118
503636	503636	Pit Frame Kit	KC	Stainless Steel		$2,556
504550	504550	Pit Frame Kit	KCS	Hot Dip		$1,098
504551	504551	Pit Frame Kit	KCS	Stainless Steel		$2,540

Additional K-line accessories are located on page FS-48

* Maximum readability may exceed approved resolution.

 ©Mettler-Toledo, LLC

MultiRange KE

Produced in a facility that is ISO 9001 certified

K-line

High Precision Platforms
Stainless Steel Liftdeck

APPLIED

Standard Features:

- MonoBloc Technology
- Measuring cell cable length 16 ft (5 m)
- IP67 protection

Notes:

- **Price includes base and load plate**

Ordering Information

KE / KES Liftdeck Platforms

Order Number	SAP Order Number	Overall Dimensions	Capacity/ Readability	Construction: Load Plate/Base	Shipping Weight (lb)	Suggested List Price (CDN$)
KE1500S	505404	59" x 49" (1500 x 1250 mm)	3000 lb/0.05 lb (1500 kg/20 g)	Tread Stainless Steel	720 lb	$38,822
KE3000S	505405		6000 lb/0.1 lb (3000 kg/50 g)			$40,953
KE1500SK			3000 lb/0.05 lb (1500 kg/20 g)	Smooth Stainless Steel	720 lb	$38,822
KE3000SK	505405		6000 lb/0.1 lb (3000 kg/50 g)			$40,953
KES1500S	22007010	59" x 59" (1500 x 1500 mm)	3000 lb/0.05 lb (1500 kg/20 g)	Tread Stainless Steel	795 lb	$43,062
KES3000S	22007011		6000 lb/0.1 lb (3000 kg/50 g)			$45,368
KES1500SK	22007010		3000 lb/0.05 lb (1500 kg/20 g)	Smooth Stainless Steel	795 lb	$43,062
KES3000SK	22007011		6000 lb/0.1 lb (3000 kg/50 g)			$45,368

KE / KES Liftdeck Pit Frame

Order Number	SAP Order Number	Description	Applicable Platform	Pit Frame Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
505270	505270	Pit Frame Kit - Dry or wet pit without cleaning reces	KE	Stainless Steel		$2,455
22007261	22007261	Pit Frame Kit - Dry or wet pit without cleaning reces	KES	Stainless Steel		$2,525

Additional K-line accessories are located on page FS-48

Please clearly specify Smooth or Treaded load plate when ordering.

K-line

High Precision Platforms
KE / KES 1500-3000 kg

Produced in a facility that is ISO 9001 certified



KE Platform

APPLIED

Standard Features

- MonoBloc Technology
- Measuring cell cable length 16 ft (5 m)
- IP67 protection

Notes:

- **Platform price includes base only. Must add load plate**

Ordering Information

KE / KES Platforms

Order Number	SAP Order Number	Overall Dimensions	Capacity/ Readability	Base Construction**	Shipping Weight (lb)	Suggested List Price (CDN$)
KE1500	504097	59" x 49" (1500 x 1250 mm)	3000 lb/0.05 lb (1500 kg/20 g)	Hot Dip Galvanized	595 lb	$13,102
KE3000	504098		6000 lb/0.1 lb (3000 kg/50 g)			$13,819
KES1500	504500	59" x 59" (1500 x 1500 mm)	3000 lb/0.05 lb (1500 kg/20 g)	Hot Dip Galvanized	656 lb	$15,382
KES3000	504501		6000 lb/0.1 lb (3000 kg/50 g)			$15,308

****Note: KE / KES do NOT include load plate; Must add load plate from following section**

KE / KES Load Plates

Order Number	SAP Order Number	Overall Dimensions	Applicable Platform	Load Plate Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
503620	503620	59" x 49" (1500 x 1250 mm)	KE	Black Powder	266 lb	$1,046
503621	503621		KE	Hot Dip		$1,614
503622	503622		KE	Stainless Steel		$4,210
504504	504504	59" x 59" (1500 x 1500 mm)	KES	Black Powder	310 lb	$1,273
504505	504505		KES	Hot Dip		$1,697
504506	504506		KES	Stainless Steel		$4,494

KE / KES Pit Frame Kits

Order Number	SAP Order Number	Description	Applicable Platform	Pit Frame Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
504079	504079	Pit Frame Kit - Dry pit	KE	Hot Dip		$1,406
504080	504080	Pit Frame Kit - Wet pit with cleaning recesses	KE	Hot Dip		$2,176
505270	505270	Pit Frame Kit - Wet pit without cleaning recesses	KE	Stainless Steel		$2,455
599675	599675	Pit Frame Kit - Wet pit with cleaning recesses	KE	Stainless Steel		$4,627
504512	504512	Pit Frame Kit - Dry pit	KES	Hot Dip		$1,435
504513	504513	Pit Frame Kit - Wet pit with cleaning recesses	KES	Hot Dip		$2,244
506401	506401	Pit Frame Kit - Dry pit without cleaning recesses	KES	Stainless Steel		$2,387
22007261	22007261	Pit Frame Kit - Wet pit without cleaning recesses	KES	Stainless Steel		$2,525
599825	599825	Pit Frame Kit - Wet pit with cleaning recesses	KES	Stainless Steel		$4,767

Additional K-line accessories are located on page FS-48

 ©Mettler-Toledo, LLC



MultiRange KG

K-line

High Precision Platforms
KG 3000-6000 kg

APPLIED

Standard Features:

- MonoBloc Technology
- Measuring cell cable length 16 ft (5 m)
- IP67 protection

Notes:

- **Platform price includes base only. Must add load plate**

Ordering Information

KG Platforms

Order Number	SAP Order Number	Overall Dimensions	Capacity/ Readability	Base Construction*	Shipping Weight (lb)	Suggested List Price (CDN$)
KG3000	504103	79" x 59" (2000 x 1500 mm)	6000 lb/0.1 lb (3000 kg/50 g)	Black Powder Coat	1655 lb	Call
KG6000	504105		12000 lb/0.2 lb (6000 kg/100			Call
KG3000g	504104	79" x 59" (2000 x 1500 mm)	6000 lb/0.1 lb (3000 kg/50 g)	Hot Dip Galvanized	1655 lb	Call
KG6000g	504106		12000 lb/0.2 lb (6000 kg/100			Call

***Note: KG Platforms do NOT include load plate; Must add load plate from following section**

KG Load Plates

Order Number	SAP Order Number	Overall Dimensions	Applicable Platform	Load Plate Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
503623	503623	79" x 59" (2000 x 1500 mm)	KG	Black Powder Coat	330 lb	Call
503624	503624		KG	Hot Dip Galvanized		Call
503625	503625		KG	Stainless Steel		Call

KG Pit Frame Kits

Order Number	SAP Order Number	Description	Applicable Platform	Pit Frame Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
504082	504082	Pit Frame Kit - Dry pit	KG	Hot Dip Galvanized		Call
504083	504083	Pit Frame Kit - Wet pit with cleaning re	KG	Hot Dip Galvanized		Call

Additional K-line accessories are located on page FS-48

K-line General Accessories

Columns and Floor Stands

Order Number	SAP Order Number	Description	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
504131	504131	ID terminal floor stand. 44" high	Black Powder Coat	40 lb	$404
504132	504132	ID terminal floor stand. 44" high	Stainless Steel	40 lb	$857
503700	503700	Free-standing base plate for ID terminal floor	Black Powder Coat	5 lb	$247
503701	503701	Free-standing base plate for ID terminal floor	Stainless Steel	5 lb	$447



504131 or 504132
ID Terminal Floor Stand



503700 or 503701
Stand Base

Cables and Miscellaneous Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
504134	504134	Measuring cell extension cable. Interconnects with existing cable. Provides a 33 ft (10 m) extension		$311
504133	504133	Cable Adapter Kit. Needed for use with 504177, when it is necessary to extend the measuring cell cable beyond 33 ft (10m) maximum distance of extension 310 ft (94 m)		$569
504177	504177	IDNet Cable/Foot -- Maximum Distance = 310 ft (94 m). Intended for use with 504133 - cable adapter kit, when cable extension is required beyond 33 ft. For distances equal or less than 33 ft, use 504134 which is a complete cable.		$4.18
13864800A	68000018	IDNet Adapter Harness, Connection of K-Line, R/G/B's to JagXtreme when used with JagXtreme IDNet interface module		$185



504134
Measuring Cell
Extension Cable



504133
Cable Adapter

504177
ID Net Cable/Foot

 ©Mettler-Toledo, LLC