8857

8857

Strip Printer

APPLIED

Standard Features:

- Compact 9-pin dot matrix impact strip printer
- Fast, 4.7 lines per second print speed
- Drop-in auto paper loading
- Low paper sensor
- RS232 DB25f serial interface, 4800 or 9600 baud
- 100-240 VAC, 50/60 Hz
- Includes universal power supply, ribbon, and roll of paper

Ordering Information

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
8857 Strip Printer				
88570001000	65026401	8857 Strip Printer	7 lb	$875
8857 Printer Accessories				
16107700A	68006211	Ribbon Cartridge - Black ink for 8857		$14
14099200A	68000936	Strip Paper, single ply, 1 roll		$13
140992050	64089289	Strip Paper, single ply, 1 case (50 rolls/case)		$284
082294020	68006784	Strip Paper, two ply, 1 roll		$13
082294CAS	68006785	Strip Paper, two ply, 1 case (50 rolls/case)		$274
KN000000J94	68017757	Strip Paper, three ply, 1 roll		$16
8857 Printer Cables				
09000309000	64005556	15 ft RS232 Cable, Open-DB25 (for IND226, IND310drive, IND560, IND780, all Panther models, Speedweigh, Trimweigh III, Lynx, JagXtreme, Hawk Harsh)		$83
09000313000	64010779	15 ft RS232 Cable, DB9 (male) - DB25 (male) (for IND4x5, BBA4x5, Viper)		$83
30029400	30029400	3 meters RS232 Cable, M12 (male/straight connector) - DB25 (male) (for ICS Bench Scales)		$126
30029401	30029401	3 meters RS232 Cable, M12 (male/90 degree) - DB25 (male) (for ICS Bench Scales)		$126
09000255000	64005249	20 ft RS232 Cable, DB9 (male) - DB25 (male) (for IND221, Wildcat, Hawk Plastic)		$83
503755	503755	10 ft RS232 Cable, DIN-DB25 ** (for IND690, ViperEx)		$130
		** ViperEx requires 22006549 PSU/…EX and 22006707 blue cable		
09000243000	64005248	6 ft RS232 Cable, DB25-DB25 (requires 09640043000 Converter)	(for IND560x)	$83
09640043000	64007275	Fiber Optic to RS232 Converter		$601
LC-RS25	229050	6 ft Cable (for PR, SR, SG, and older PG, PB, SB with LocalCAN)		$220
11101052	11101052	3 ft RS232 Cable, DB9-DB25 *** (for PG-S, PB, PB-S, SB Balances)		Call
		***requires male gender changer		
30029400	30029400	Printer Cable, straight, (8 pin M12<-> 25 pin D sub male) (for ICS scales)		$126
30029401	30029401	Printer Cable, 90 degree, (8 pin M12<-> 25 pin D sub male) (for ICS scales)		$126

APR310

Ticket Printer

APR310

APPLIED

Standard Features:

- Dot matrix printer for tickets and multipart forms up to 0.25mm thickness (3 ply maximum)
- High speed, up to 3.1 lines per second print speed
- 9 pin printhead
- Print button to request scale data
- RS232 DB25f serial interface
- 4KB buffer, 7x9 (half)
- 100-240 VAC, 50/60 Hz

Ordering Information

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
APR310 Ticket Printer				
64058701	64058701	APR310 Ticket Printer	7 lb	$1,502
APR310 Printer Accessories				
64058790	64058790	Ribbon Cartridge for APR310 - Black ink		$15
APR310 Printer Cables				
09000309000	64005556	15 ft RS232 Cable, Open-DB25 (for IND226, IND310drive, IND560, IND780, all Panther models, Speedweigh, Trimweigh III, Lynx, JagXtreme, Hawk Harsh)		$83
09000313000	64010779	15 ft RS232 Cable, DB9 (male) - DB25 (male) (for IND4x5, BBA4x5, Viper)		$83
30029400	30029400	3 meters RS232 Cable, M12 (male/straight connector) - DB25 (male) (for ICS Bench Scales)		$126
30029401	30029401	3 meters RS232 Cable, M12 (male/90 degree) - DB25 (male) (for ICS Bench Scales)		$126
09000255000	64005249	20 ft RS232 Cable, DB9 (male) - DB25 (male) (for IND221, Wildcat, Hawk Plastic)		$83
503755	503755	10 ft RS232 Cable, DIN-DB25 ** (for IND690, IND4x9, BBA4x9, ViperEx)		$130
		** ViperEx requires 22006549 PSU/…EX and 22006707 blue cable		
09000243000	64005248	6 ft RS232 Cable, DB25-DB25 (requires 09640043000 Converter)	(for IND560x)	$83
09640043000	64007275	Fiber Optic to RS232 Converter		$601
LC-RS25	229050	6 ft Cable (for PR, SR, SG, and older PG, PB, SB with LocalCAN)		$220
11101052	11101052	3 ft RS232 Cable, DB9-DB25 *** (for PG-S, PB, PB-S, SB Balances)		Call
		***requires male gender changer		
30029400	30029400	Printer Cable, straight, (8 pin M12<-> 25 pin D sub male) (for ICS scales)		$126
30029401	30029401	Printer Cable, 90 degree, (8 pin M12<-> 25 pin D sub male) (for ICS scales)		$126

 ©Mettler-Toledo, LLC

8808

8808

Heavy Duty Ticket Printer

APPLIED

Standard Features:

- Dot matrix impact printer
- Used for tickets and multipart forms up to 5 parts (1 original and 4 copies)
- High speed, 233 characters per second print speed
- 9 pin printhead
- Remote print button to request scale data
- RS232 serial interface, 2400 - 19200 baud
- 100-240 VAC, 50/60 Hz

Ordering Information

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
8808 Heavy Duty Ticket Printer				
88080001000	64041785	8808 Heavy Duty Ticket Printer	12 lb	$2,008
8808 Printer Accessories				
083516BLK	68017621	Ribbon Cartridge for 8808 - Black ink		$18
8808 Printer Cables				
09000309000	64005556	15 ft RS232 Cable, Open-DB25 (for IND226, IND310drive, IND560, IND780, all Panther models, Speedweigh, Trimweigh III, Lynx, JagXtreme, Hawk Harsh)		$83
09000313000	64010779	15 ft RS232 Cable, DB9 (male) - DB25 (male) (for IND4x5, BBA4x5, Viper)		$83
30029400	30029400	3 meters RS232 Cable, M12 (male/straight connector) - DB25 (male) (for ICS Bench Scales)		$126
30029401	30029401	3 meters RS232 Cable, M12 (male/90 degree) - DB25 (male) (for ICS Bench Scales)		$126
09000255000	64005249	20 ft RS232 Cable, DB9 (male) - DB25 (male) (for IND221, Wildcat, Hawk Plastic)		$83
503755	503755	10ft RS232 Cable, DIN-DB25 ** (for IND690, IND4x9, BBA4x9, ViperEx)		$130
		** ViperEx requires 22006549 PSU/…EX and 22006707 blue cable		
09000243000	64005248	6 ft RS232 Cable, DB25-DB25 (requires 09640043000 Converter)	(for IND560x)	$83
09640043000	64007275	Fiber Optic to RS232 Converter		$601
LC-RS25	229050	6 ft Cable (for PR, SR, SG, and older PG, PB, SB with LocalCAN)		$220
11101052	11101052	3 ft RS232 Cable, DB9-DB25 *** (for PG-S, PB, PB-S, SB Balances)		Call
		***requires male gender changer		
30029400	30029400	Printer Cable, straight, (8 pin M12<-> 25 pin D sub male) (for ICS scales)		$126
30029401	30029401	Printer Cable, 90 degree, (8 pin M12<-> 25 pin D sub male) (for ICS scales)		$126

Okidata Microline 320

Document Printer

APPLIED

Standard Features:

- Turbo Document printer
- Serial interface installed
- Print speed 300 characters per second
- Up to 6 part copies
- Friction and tractor feed
- Limited distributor discount
- 120 VAC, 60Hz

Ordering Information

Okidata Document Printer

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
90877800A	64049848	Okidata Microline 320 Turbo Document Printer	18 lb	$1,128

Okidata Printer Accessories

083025020	61023472	Printer Tickets, Tractor Feed, 500 per carton	18 lb	$90
085035020	63051962	Spare Ink Ribbon, Black		$29

Okidata Printer Cables

09000309000	64005556	15 ft RS232 Cable, Open-DB25 (for IND226, IND310drive, IND560, IND780, all Panther models, Speedweigh, Trimweigh III, Lynx, JagXtreme, Hawk Harsh)		$83
09000313000	64010779	15 ft RS232 Cable, DB9 (male) - DB25 (male) (for IND4x5, BBA4x5, Viper)		$83
30029400	30029400	3 meters RS232 Cable, M12 (male/straight connector) - DB25 (male) (for ICS Bench Scales)		$126
30029401	30029401	3 meters RS232 Cable, M12 (male/90 degree) - DB25 (male) (for ICS Bench Scales)		$126
09000255000	64005249	20 ft RS232 Cable, DB9 (male) - DB25 (male) (for IND221, Wildcat, Hawk Plastic)		$83
503755	503755	10 ft RS232 Cable, DIN-DB25 ** (for IND690, IND4x9, BBA4x9, ViperEx)		$130
		** ViperEx requires 22006549 PSU/…EX and 22006707 blue cable		
09000243000	64005248	6 ft RS232 Cable, DB25-DB25 (requires 09640043000 Converter)	(for IND560x)	$83
09640043000	64007275	Fiber Optic to RS232 Converter		$601
LC-RS25	229050	6 ft Cable (for PR, SR, SG, and older PG, PB, SB with LocalCAN)		$220
11101052	11101052	3 ft RS232 Cable, DB9-DB25 *** (for PG-S, PB, PB-S, SB Balances)		Call
		***requires male gender changer		
30029400	30029400	Printer Cable, straight, (8 pin M12<-> 25 pin D sub male) (for ICS scales)		$126
30029401	30029401	Printer Cable, 90 degree, (8 pin M12<-> 25 pin D sub male) (for ICS scales)		$126

 ©Mettler-Toledo, LLC

APR510

APR710

APR510/APR710

Label Printers

APPLIED

APR510 Standard Features:

- Compact, formattable thermal label printer
- Print on die cut, continuous, or pre-printed labels
- Print text, barcodes, and graphic images
- Format labels using LabelBLAZER design program
- Hold up to 5" diameter label rolls
- USB 2.0, Parallel bi-directional, RS232 serial, or Ethernet interface
- Up to 4.4" wide labels
- 100-240 VAC, 50/60Hz
- Universal power supply

APR710 Standard Features:

- Heavy duty thermal label printer
- Print speeds up to 10" per second
- Print text, barcodes, and graphic images
- Format labels using LabelBLAZER design program
- Hold up to 8" (203 mm) diameter label rolls.
- USB interface
- Centronics® parallel interface
- RS232 serial interface
- Up to 4.25" wide labels
- 90-204 VAC, 47/63 Hz

Note: The APR510 and APR710 printers are not drop-in replacements for 8861 or 8865 printers.

In many applications, the APR510 or APR710 printer will require modifications to the instrument of computer output string.

Ordering Information

Order Number	SAP Order Number	Description		Suggested List Price (CDN$)
APR510 Label Printer				
64090256	64090256	APR510 Direct Thermal label printer, 203 dpi resolution, 5 inch/second print speed		$1,205
64090257	64090257	APR510 Thermal Transfer label printer, 203 dpi resolution, 5 inch/second print speec		$1,331
64090258	64090258	APR510 Direct Thermal label printer, 300 dpi resolution, 5 inch/second print speed		$1,474
64090259	64090259	APR510 Thermal Transfer label printer, 300 dpi resolution, 5 inch/second print speec		$1,595
APR710 Heavy Duty Label Printer				
64068858	64068858	APR710 Direct Thermal label printer, 203 dpi resolution, 10 inch/second print speed	40 lb	$2,030
64068859	64068859	APR710 Thermal Transfer label printer, 203 dpi resolution, 10 inch/second print spe	40 lb	$2,140
64068861	64068861	APR710 Thermal Transfer label printer, 300 dpi resolution, 8 inch/second print speec	40 lb	$2,728

APR510 / APR710 Printer Accessories				
64088849	64088849	LabelBLAZER Design Program	(requires 09000277000 cable)	$505
09000277000	64005555	15 ft RS232C 9 pin female cable		$83
226457	68017749	Transfer Ribbon for APR510 (Qty 1)		$26
085122020	68017738	Transfer Ribbon for APR710 (Qty 1)		$35
085413020	63080068	Peel and Present Kit for APR710 (203 dpi versions 64068858 & 64068859)		$328
085412020	63080108	Peel and Present Kit for APR710 (300 dpi versions 64068861)		$328
64088783	64088783	APR710 Internal Rewind Option		$489

LabelBlazer may not be 100% compatible with all current instruments and is not compatible with many out-of-production units.

APR510/APR710 Label Printers

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
APR510 Printer Labels				
MTI83	63057742	Direct thermal labels, 2.625" x 0.971" - 900 labels/roll, 10 rolls/case, price is per case		$60
MTI84	63057743	Direct thermal labels, 2.625" x 1.718" - 550 labels/roll, 10 rolls/case, price is per case		$62
MTI85	63057744	Direct thermal labels, 2.625" x 2.651" - 350 labels/roll, 10 rolls/case, price is per case		$58
MTI86	63057745	Direct thermal labels, 2.625" x 3.9" - 250 labels/roll, 10 rolls/case, price is per case		$58
MTI95	63057750	Direct thermal labels, 2.625" x 4.25" - 300 labels/roll, 30 rolls/case, price is per case		$120
MTI104	63057451	Direct thermal labels, 3.25" x 4.725" - 435 labels/roll, 10 rolls/case, price is per case		$110
MTI231	63057520	Direct thermal labels, 4" x 3" - 600 labels/roll, 16 rolls/case, price is per case		$186
MTI232	63057521	Thermal transfer labels, 4" x 3" - 600 labels/roll, 16 rolls/case, 8 ribbons/case, price per case		$258
APR710 Printer Labels				
MTI83	63057742	Direct thermal labels, 2.625" x 0.971" - 900 labels/roll, 10 rolls/case, price is per case		$60
MTI84	63057743	Direct thermal labels, 2.625" x 1.718" - 550 labels/roll, 10 rolls/case, price is per case		$62
MTI85	63057744	Direct thermal labels, 2.625" x 2.651" - 350 labels/roll, 10 rolls/case, price is per case		$58
MTI86	63057745	Direct thermal labels, 2.625" x 3.9" - 250 labels/roll, 10 rolls/case, price is per case		$58
MTI95	63057750	Direct thermal labels, 2.625" x 4.25" - 300 labels/roll, 30 rolls/case, price is per case		$120
MTI104	63057451	Direct thermal labels, 3.25" x 4.725" - 435 labels/roll, 10 rolls/case, price is per case		$110
MTI96	63057751	Direct thermal labels, 4" x 2" - 2940 labels/roll, 4 rolls/case, price is per case		$180
MTI97	63057752	Direct thermal labels, 4" x 3" - 2000 labels/roll, 4 rolls/case, price is per case		$180
MTI98	63057753	Direct thermal labels, 4" x 4" - 1510 labels/roll, 4 rolls/case, price is per case		$180
MTI99	63057754	Direct thermal labels, 4" x 6" - 1040 labels/roll, 4 rolls/case, price is per case		$184
MTI100	63057447	Thermal transfer labels, 4" x 2" - 2940 labels/roll, 4 rolls/case, 2 ribbons/case, price per case		$220
MTI101	63057448	Thermal transfer labels, 4" x 3" - 2000 labels/roll, 4 rolls/case, 2 ribbons/case, price per case		$211
MTI102	63057449	Thermal transfer labels, 4" x 4" - 1510 labels/roll, 4 rolls/case, 2 ribbons/case, price per case		$158
MTI103	63057450	Thermal transfer labels, 4" x 6" - 1040 labels/roll, 4 rolls/case, 2 ribbons/case, price per case		$153
APR510/APR710 Printer Cables				
09000309000	64005556	15 ft RS232 Cable, Open-DB25 (for IND226, IND310drive, IND560, IND780, all Panther models, Speedweigh, Trimweigh III, Lynx, JagXtreme, Hawk Harsh)		$83
09000313000	64010779	15 ft RS232 Cable, DB9 (male) - DB25 (male) (for IND4x5, BBA4x5, Viper)		$83
22021088	22021088	3 meters RS232 Cable, M12 (male/90 degree) - DB9 (female) (for ICS Bench Scales)		$126
09000255000	64005249	20 ft RS232 Cable, DB9 (male) - DB25 (male) (for IND221, Wildcat, Hawk Plastic)		$83
503755	503755	10 ft RS232 Cable, DIN-DB25 ** (for IND690, IND4x9, BBA4x9, ViperEx)		$130
		** VipeEx requires 22006549 PSU/…EX and 22006707 blue cable		
09000243000	64005248	6 ft RS232 Cable, DB25-DB25 (requires 09640043000 Converter)	(for IND560x)	$83
09640043000	64007275	Fiber Optic to RS232 Converter		$601
LC-RS25	229050	6 ft Cable (for PR, SR, SG, and older PG, PB, SB with LocalCAN)		$220
11101052	11101052	3 ft RS232 Cable, DB9-DB25 *** (for PG-S, PB, PB-S, SB Balances)		Call
		***requires male gender changer		

 ©Mettler-Toledo, LLC

GA46

GA46

Thermal Printer

APPLIED

Standard Features:

- Wall-mountable, stainless steel housing
- Fast printing, up to 2.75 inches per second
- Compact design, 155 mm x 283 mm (6" x 11")
- RS232 serial interface
- Direct thermal transfer
- 191 dpi resolution
- Multiple barcode formats when used with ID7sx or IND690

Ordering Information

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
GA46 Thermal Printer				
505471	505471	GA46 thermal printer, RS232, cable 8 ft (2.5 m)		$2,173
507229	507229	GA46 thermal printer, RS232, cable 16 in. (0.4 m)		$2,173
505799	505799	GA46 thermal printer, RS232, cable 8 ft (2.5 m), TYPE 4/IP65 (with re-winder)		$2,948
507230	507230	GA46 thermal printer, RS232, cable 16 in. (0.4 m), TYPE 4/IP65 (with re-winde		$2,948
GA46 Printer Accessories				
503702	503702	GA46 Paper - thermal, 24 rolls/box		$239
504144	504144	GA46 Label stock continues # roll, 24 rolls/box		$351
507224	507224	GA46 Protective cover		$130
504130	504130	GA46 Bracket to wall		$302
8863/8867 Printer Cables				
208668	208668	GA46 Adapter - 8pin DIN female - DB9f		$129
71210304	71210304	RS232 Cable for IND226, IND560, IND780 (Requires 208668 Adapter)		$130

Notes

 ©Mettler-Toledo, LLC