WMC

Electronics Box

Weigh Modules

High Precision WMC

APPLIED

Standard Features

- Fast - split-second weighing, 23 updates/sec; 92 in fast mode
- Rugged – built for harsh environments
- Precise – up to 0.01mg resolution
- Direct – simple data connection to every process control
- Built-in overload protection, stainless steel housing
- Optional SWT terminal
- Dry IP30 in-use; Electronics unit IP40; Terminal IP54

Customer Benefits

- Increased productivity / Shorter cycle times
- Quick settling time
- Ultra-Compact
- Reliable quality control
- Simple implementation
- Professional consultancy
- 3m Cable

Ordering Information

WMC Weigh Modules Including Electronics Box / Does Not Include WXS Terminal (11121057) / Shipping Weight: 15lbs

Order Number	SAP Order Numbers	Description	Readability	Capacity	Module Dimensions (mm)	Load Plate Dimensions	Interface	Suggested List Price (CDN$)
11149002	11149002	WMC24-SH	0.1 mg	20 g	65L x 25W x 73H	15 mm Dia.	RS232/ RS422	$8,103
11149000	11149000	WMC25-SH	0.01 mg					$11,693
11149009	11149009	WMC15-SH		10 g		15 mm Dia.		$10,084

WMC Weigh Modules Convenience Kit

Order Number	SAP Order Numbers	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
11149028	11149028	Electronics Unit Only WMC24-E / Including DIN Rail Mount; Power Cord	10 lb	$4,543
11149027	11149027	Electronics Unit Only WMC25-E / Including DIN Rail Mount; Power Cord	10 lb	$4,543
11149026	11149026	Electronics Unit Only WMC15-E / Including DIN Rail Mount; Power Cord	10 lb	$4,543
11149003	11149003	Sensor (WMC load cell) Only WMC24-E	10 lb	$4,897
11149001	11149001	Sensor (WMC load cell) Only WMC25-E	10 lb	$7,429
11149011	11149011	Sensor (WMC load cell) Only WMC15-E	10 lb	$6,694
30005373	30005373	Cable Electronics Box to WMC (spare part)	5 lb	$260
30005370	30005370	Pan Weighing WMC D15	5 lb	$42
30005372	30005372	Pan Weighing Adapter WMC	5 lb	$96
30005374	30005374	Plastic Cover WMC (protective cover when no weighing pan is used)	5 lb	$69
30005371	30005371	Draft Shield WMC (comes with new WMC)	5 lb	$85
11132500	11132500	Second RS232C (field installed into Electronics Box)	5 lb	$198
11132515	11132515	Ethernet (field installed into Electronics Box)	5 lb	$382
159111	159111	E1 Calibration Weight in wood Box - including certificate - 5g	5 lb	$1,061
159121	159121	E1 Calibration Weight in wood Box - including certificate - 10g	5 lb	$1,081
159131	159131	E1 Calibration Weight in wood Box - including certificate - 20g	5 lb	$1,081

Possible Configurations





Weigh Modules

High Precision WMS With Internal Calibration

ConBlock

Square Pan

Long Base Plate

APPLIED

Standard Features WMS

- Fast – typical stabilization times below .8s / 92 updates per second
- Rugged – overload protection built into platform
- Precise – up to 0.1mg resolution
- Direct – simple data connection – without terminal
- RC* = Rear Connection
- Discrete I/O 3 in & 3 out
- **The WMS Weigh Module does not come standard with a Weigh Pan. Please refer to page APW-5**

Customer benefits

- Shorter cycle times
- Faster filling process
- Optimum use of materials
- High process reliability
- Flexible connectivity

Ordering Information

Labyrinth WMS Weigh Modules DOES NOT COME WITH WEIGH PAN - ORDER WEIGH PAN SEPARATELY / Shipping Wt: 15 lbs

Order Number	SAP Order Numbers	Description	Readability	Capacity	Suggested List Price (CDN$)
30008490	30008490	WMS104C-L - Long BP - Labyrinth	0.1mg	120g	$8,553
30008493	30008493	WMS104C-L/10 - Short BP - Labyrinth			$8,553
30008492	30008492	WMS104C-L/01 - Long BP - Labyrinth - RC*			$8,553
30008495	30008495	WMS104C-L/11 - Short BP - Labyrinth - RC*			$8,553
11152100	11152100	WMS404C-L - Long BP - Labyrinth	0.1mg	410g	$9,246
11152110	11152110	WMS404C-L/10 - Short BP - Labyrinth			$9,246
11152104	11152104	WMS404C-L/01 - Long BP - Labyrinth - RC*			$9,246
11152114	11152114	WMS404C-L/11 - Short BP - Labyrinth -RC*			$9,246
11152200	11152200	WMS1203C-L - Long BP - Labyrinth	1mg	1220g Must Use Square Pan	$8,553
11152210	11152210	WMS1203C-L/10 - Short BP - Labyrinth			$8,553
11152204	11152204	WMS1203C-L/01 - Long BP - Labyrinth - RC*			$8,553
11152214	11152214	WMS1203C-L/11 - Short BP - Labyrinth - RC*			$8,553
11152300	11152300	WMS6002C-L - Long BP - Labyrinth	10mg	6200g Must Use Square Pan	$7,397
11152310	11152310	WMS6002C-L/10 - Short BP - Labyrinth			$7,397
11152304	11152304	WMS6002C-L/01 - Long BP - Labyrinth - RC*			$7,397
11152314	11152314	WMS6002C-L/11 - Short BP - Labyrinth - RC*			$7,397

Washdown WMS Weigh Modules DOES NOT COME WITH WEIGH PAN - ORDER WEIGH PAN SEPARATELY / Shipping Wt: 15 lbs

Order Number	SAP Order Numbers	Description	Readability	Capacity	Suggested List Price (CDN$)
30008491	30008491	WMS104C-W - Long BP - Washdown	0.1mg	120g	$9,477
30008494	30008494	WMS104C-W/10 - Short BP - Washdown			$9,477
11152101	11152101	WMS404C-W - Long BP - Washdown	0.1mg	410g	$10,171
11152111	11152111	WMS404C-W/10 - Short BP - Washdown			$10,171
11152201	11152201	WMS1203C-W - Long BP - Washdown	1mg	1220g Must Use Square Pan	$9,477
11152211	11152211	WMS1203C-W/10 - Short BP - Washdown			$9,477
11152301	11152301	WMS6002C-W - Long BP - Washdown	10mg	6200g Must Use Square Pan	$8,437
11152311	11152311	WMS6002C-W/10 - Short BP - Washdown			$8,437

Labyrinth

Weigh Pan must be ordered separately. See Page APW-5
Built to order product. Lead time is 4-6 weeks
Order cable and connection module separately (see APW-6)

Washdown

©Mettler-Toledo, LLC

ConBlock

Square Pan

Short Base Plate

Weigh Modules

High Precision WMS
Without Internal Calibration

APPLIED

Standard Features WMS

- Fast – typical stabilization times below .8s / 92 updates per second
- Rugged – overload protection built into platform
- Precise – up to 0.1mg resolution
- Direct – simple data connection – without terminal
- RC* = Rear Connection
- Discrete I/O 3 in & 3 out
- **The WMS Weigh Module does not come standard with a Weigh Pan. Please refer to page APW-5**

Customer benefits

- Shorter cycle times
- Faster filling process
- Optimum use of materials
- High process reliability
- Flexible connectivity

Ordering Information

Labyrinth WMS Weigh Modules DOES NOT COME WITH WEIGH PAN - ORDER WEIGH PAN SEPARATELY / Shipping Wt: 15 lbs

Order Number	SAP Order Numbers	Description	Readability	Capacity	Suggested List Price (CDN$)
11149500	11149500	WMS204-L - Long BP - Labyrinth	0.1mg	220g	$7,628
11149510	11149510	WMS204-L/10 - Short BP - Labyrinth			$7,628
11149504	11149504	WMS204-L/01 - Long BP - Labyrinth - RC*			$7,628
11149514	11149514	WMS204-L/11 - Short BP - Labyrinth - RC*			$7,628
11149600	11149600	WMS403-L - Long BP - Labyrinth	0.1mg	410g	$7,050
11149610	11149610	WMS403-L/10 - Short BP - Labyrinth			$7,050
11149604	11149604	WMS403-L/01 - Long BP - Labyrinth - RC*			$7,050
11149614	11149614	WMS403-L/11 - Short BP - Labyrinth - RC*			$7,050
11149700	11149700	WMS803-L - Long BP - Labyrinth	1mg	820g Must Use Square Pan	$8,206
11149710	11149710	WMS803-L/10 - Short BP - Labyrinth			$8,206
11149704	11149704	WMS803-L/01 - Long BP - Labyrinth - RC*			$8,206
11149714	11149714	WMS803-L/11 - Short BP - Labyrinth - RC*			$8,206
11149800	11149800	WMS4002-L - Long BP - Labyrinth	10mg	4200g Must Use Square Pan	$6,473
11149810	11149810	WMS4002-L/10 - Short BP - Labyrinth			$6,473
11149804	11149804	WMS4002-L/01 - Long BP - Labyrinth - RC*			$6,473
11149814	11149814	WMS4002-L/11 - Short BP - Labyrinth - RC*			$6,473

Washdown WMS Weigh Modules DOES NOT COME WITH WEIGH PAN - ORDER WEIGH PAN SEPARATELY / Shipping Wt: 15 lbs

Order Number	SAP Order Numbers	Description	Readability	Capacity	Suggested List Price (CDN$)
11149501	11149501	WMS204-W - Long BP - Washdown	0.1mg	220g	$8,553
11149511	11149511	WMS204-W/10 - Short BP - Washdown			$8,553
11149601	11149601	WMS403-W - Long BP - Washdown	0.1mg	410g	$7,975
11149611	11149611	WMS403-W/10 - Short BP - Washdown			$7,975
11149701	11149701	WMS803-W - Long BP - Washdown	1mg	820g Must Use Square Pan	$9,130
11149711	11149711	WMS803-W/10 - Short BP - Washdown			$9,130
11149801	11149801	WMS4002-W - Long BP - Washdown	10mg	4200g Must Use Square Pan	$7,512
11149811	11149811	WMS4002-W/10 - Short BP - Washdown			$7,512

Labyrinth

Weigh Pan must be ordered separately. See Page APW-5
Built to order product. Lead time is 4-6 weeks
Order cable and connection module separately (see APW-5/6)

Washdown

Weighing Platforms

High Precision WMH



WMHB60s-22

APPLIED

Standard Features WMH

- Fast - typical stabilization times below 500 milliseconds, 38 updates per second
- Rugged – overlaod protection built into platform
- Precise - up to 0.1g resolution
- Direct – simple data connection – without terminal
- Mechanically identical to respective K-Line models
- Control mode with auxiliary numerical increment

Customer benefits

- Shorter cycle times
- Faster filling process
- Optimum use of materials
- High process reliability
- Flexible connectivity
- Fast on-site service

Ordering Information

WMH OEM Weighing Modules (Measuring cell only)

Order Number	SAP Order Numbers	Readability	Capacity	Dimensions (mm) L	W	H		Shipping Weight (lb)	Suggested List Price (CDN$)
42102020	42102020	0.1 g	15 kg	180	252	87			$4,003
42102022	42102022		32 kg						$4,073

WMH Weighing Platforms

Order Number	SAP Order Numbers	Readability	Capacity	Dimensions (mm) L	W	H	Comparable K-Line product	Shipping Weight (lb)	Suggested List Price (CDN$)
WMHA15s-22	42102016	0.1 g	15 kg	350	280	117	KA15s	29 lb	$4,395
WMHA32s-22	42102018		32 kg				KA32s	29 lb	$6,027
WMHB60-22	42102078	1 g	60 kg	500	400	123	KB60.2	77 lb	$4,866
WMHB60s-22	42102606						KB60s.2	77 lb	$7,143
WMHCC150-22	42102080		150 kg	800	600	130	KCC150	160 lb	$6,321
WMHCC150s-22	42102043						KCC150s	160 lb	$8,723
WMHCC300-22	42102082	2 g	300 kg				KCC300	160 lb	$6,956
WMHCC300s-22	42102044						KCC300s	160 lb	$9,416
WMHC300-22	42102088			1000	800	115	KC300	160 lb	$8,313
WMHC300s-22	42102062						KC300s	160 lb	$11,071
WMHCS300-22	42102084			800			KCS300	160 lb	$7,906
WMHCS300s-22	42102058						KCS300s	160 lb	$10,839
WMHC600-22	42102090	10 g	600 kg	1000			KC600	251 lb	$8,853
WMHC600s-22	42102063						KC600s	251 lb	$11,641
WMHCS600-22	42102086			800			KCS600	251 lb	$8,327
WMHCS600s-22	42102059						KCS600s	251 lb	$11,183
WMHD600-22	42102091			1250	1000	180	KD600	500 lb	$12,078
WMHD1500-22	42102093	20 g	1500 kg				KD1500	595 lb	$11,460
WMHE1500-22	42102094			1500	1250	128	KE1500	595 lb	$13,500
WMHES1500-22	42102119				1500	197	KES1500	595 lb	$14,942
WMHE3000-22	42102097	50 g	3000 kg				KES3000	656 lb	$14,223
WMHES3000-22	42102103						KES3000	656 lb	$15,728

Built to order product. Lead time is 4-6 weeks
Additional accessories are located in K-Line sections
Order cable and connection module separately (see APW-5)

©Mettler-Toledo, LLC

Accessories for WXS WMS and WMH

Ordering Information

Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
WMS Weighing Module General Accessories			
30007731	30007731	Weigh Pan Square WMS 58x58mm	$359
30007732	30007732	Weigh Pan Round WMS 54mm Dia - **410g CAPACITY OR LESS**	$217
11152000	11152000	WMS Connection Module (ConBlock) RS232 & RS422	$363
30006636	30006636	Washdown Set	Call
11152022	11152022	WMS Eccentric Pin for Square Platform	$46
42102807	42102807	Leveling bubble for WM	$85
42102808	42102808	Base sealing set for sealing baseplate vs. mounting surface (washdown only)	$70
30005924	30005924	Stainless Steel Cover for Top Weighing Interface	$334
Connnection Devices			
42102811	42102811	WM ConModule - DIN-rail mountable connection module. Connects to weighing module, RS232, RS422, digital in- / outputs and power supply. Provides surge and short-circuit protection, galvanic isolation of the digital in- and outputs and standard Sub-D9 plug allowing convenient access to RS232 interface for service purposes.	$523
42102800	42102800	WM ConBox - Same interfaces as WM ConModule in housing with IP66 protection. No surge and short-cicuit protection, no galvanic isolation of the digital in- and outputs.	$713
Communication Bridges			
42102809	42102809	Profibus DP Module	$1,074
42102810	42102810	DeviceNet Module	$1,074
42102859	42102859	Profinet IO Module	$1,755
42102860	42102860	EtherNet/IP (Connection to PLC) Module	$1,755

For WM and WMH Cables please refer to page APW-6
Additional accessories are located in K-Line sections
10-28 VDC Power Supply required for WM WMS WMH

ConBox

Square Pan

Communication Bridge



ConModule

Cables WMS and WMH

Ordering Information

Cables (Connect WMS to ConModule or ConBox)

Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
11138862	11138862	WM-Cable 90M/5 - 5 m cable, 19-pin 90° connector (not for WMH)	$208
11138863	11138863	WM-Cable 90M/10 - 10 m cable, 19-pin 90° connector (not for WMH)	$312
11138864	11138862	WM-Cable 90H/10 - 10 m cable 19-pin 90° connector (for all WMS/WMH except WMHA and WMHB)	$312
11138865	11138865	WM-Cable 90B/10 - 10 m cable 19-pin 90° connector (for WMHB and WMS)	$312
11138860	11138860	WM-Cable 180M/5 - 5 m cable 19-pin straight connector (for all WMS/WMH except WMHB/WMHCC/WMHD/WMHE1500/WMHES1500)	$208
11138861	11138861	WM-Cable 180M/10 - 10 m cable 19-pin straight connector (for all WMS/WMH except WMHB/WMHCC/WMHD/WMHE1500/WMHES1500)	$312
11141979	11141979	Black D-Sub9 Cable with Male Connector and Open Leads, 3ft (ConModule to Fieldbus Module)	$66
11601007	11601007	Beige D-Sub9 Cable with Male - Male Connectors, 6ft (MT-Balance to Fieldbus Module)	$58

Connecting cables

(View from above)

WM Cable 180M/5 (5m) — 11138860

WM Cable 180M/10 (10m) — 11138861





WM Cable 90M/5 (5m) — 11138862

WM Cable 90M/10 (10m) — 11138863





WM Cable 90H/10 (10m) — 11138864



WM Cable 90B/10 (10m) — 11138865



DSub9 m - open ends — 11141979

©Mettler-Toledo, LLC

Weighing Modules

High Precision WXS

APPLIED

Standard Features

- FACT, fully automated temperature-controlled internal adjustment
- Standard Weighing pan 50mm
- Rugged – built for harsh environments
- Precise - up to 0.001mg resolution
- Production certificate with module-specific weighing values
- Built-in overload protection, stainless steel housing
- Dry (IP54-in-use) and washdown configurations (IP67)
- Module Dimensions (mm): 242L x 127W x 70H (WXS26 versions are 255mm L)
- Integrated RS232 interface
- Mounting bracket for electronic unit (including DIN clip)
- Load Cell connector cable, 1.5 m/ 5 ft
- Versatile weighing parameter configuration
- Microgram weighing in industrial environment
- Slot for second interface

Ordering Information

WXS Weigh Modules - Includes Electronic Unit and SWT Monochrome Display

Order Number	SAP Order Number	Construction	Capacity	Readability	Shipping Weight (lb)	Suggested List Price (CDN$)
WXSS204	11121021	316L SS	220g	0.1mg	13.8 lb	$8,487
WXSS205	11121001	316L SS	220g	0.01mg	13.8 lb	$10,938
WXSS26	11121388	316L SS	22g	0.001mg	13.8 lb	$20,174
WXSS205DU	11121006	316L SS	110g / 220g	0.01mg/0.1mg	14.8 lb	$10,166
WXSS26DU		316L SS	11g / 22g	0.001mg/0.01mg	14.8 lb	$17,775

WXS Weigh Modules - Includes Electronic Unit but Does NOT Include Monochrome Display

Order Number	SAP Order Number	Construction	Capacity	Readability	Shipping Weight (lb)	Suggested List Price (CDN$)
WXS204S/15	11121023	316L SS	220g	0.1mg	13.8 lb	$7,878
WXS205S/15	11121003	316L SS	220g	0.01mg	13.8 lb	$10,113
WXS26S/15		316L SS	22g	0.001mg	13.8 lb	$18,661
WXS205SDU/15	11121008	316L SS	110g / 220g	0.01mg/0.1mg	14.8 lb	$8,609
WXS26SDU/15		316L SS	11g / 22g	0.001mg/0.01mg	14.8 lb	$16,211

Accessories for WXS

Ordering Information

Interface Options			
Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
11132500	11132500	RS232C (second RS232C interface)	$198
11132505	11132505	LocalCAN: For connecting up to 5 devices with LocalCAN connection	$198
11132510	11132510	MiniMettler (backwards compatible with older METTLER TOELDO devices)	$219
11132520	11132520	PS/2: For connecting commercial keyboards and barcode readers	$230
11132530	11132530	Bluetooth: For wireless control of up to 7 peripheral devices	$509
11132515	11132515	Ethernet TCP/IP to an Ethernet network	$382
11132535	11132535	BTS (Bluetooth): For wireless connection to a BT-P42 printer, a second BT-BLD display or PC	$230
11103691	11103691	USB RS232C converter	$180
Connecting Cables			
11121442	11121442	Load Cell - Electronic unit connecting cable: 0.5m / 1.6ft	$284
11121440	11121440	Load Cell - Electronic unit connecting cable: 1.5m / 5ft	$296
11121441	11121441	Load Cell - Electronic unit connecting cable: 5 m / 16.4ft	$329
11132124	11132124	Terminal - Electronic unit connector cable, 6-pin: 0.575 m/1.9ft	$46
11132129	11132129	Terminal - Electronic unit connector cable, 6-pin: 0.945 m/3.1ft	$83
11132133	11132133	Terminal - Electronic unit connector cable, 6-pin: 2 m/6.5ft	$91
Communication Bridges			
42102809	42102809	Profibus DP Module	$1,074
42102810	42102810	DeviceNet Module	$1,074
42102859	42102859	Profinet IO Module	$1,755
42102860	42102860	EtherNet/IP (Connection to PLC) Module	$1,755

WXS Weighing Module General Accessories			
Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
11121254	11121254	Mounting bracket for WXS electronic unit, includeing DIN clip and mounting screv	$139
11121255	11121255	Terminal holder for SWT terminal, including mounting screws	$253
11121071	11121071	Flexible draft shield with sliding door	$1,235
11121160	11121160	Universal Carrying case for all WXS/WXT weighing Modules	$1,355
11121081	11121081	Weighing below adapter (for weighing suspended loads) NOTE: An authorized service technician must perofrm the Installation	$235

 ©Mettler-Toledo, LLC

WM124x-Lcl

Weighing Modules

High Precision WM-Ex for Hazardous Areas

CONSULTATIVE

Approvals

- FM approval for: Class I, Division I, Groups A, B, C, D
- CSA: Intrinsically safe Exi, Class I, GP A, B, C, D, Ex ib IIC T4
- Protection type according to ATEX 95: II 2 G Eex ib IIC T4



Standard Features

- Compliant with ATEX zone 1 and FM class I, division 1
- Fast - split-second weighing, 19 updates per second via PSU
- Rugged – built for harsh environments
- Precise - up to 0.1mg resolution
- Direct – simple data connection to every process control
- Built-in overload protection, stainless steel housing
- Dry (IP54-in-use) and washdown configurations (IP66)
- Module Dimensions (mm): 240L x 85W x 126H
- Interface: 20mA Current Loop

Customer Benefits

- Increased productivity
- Shorter cycle times
- Developed for harsh environments
- Milligram weighing in industrial environment
- Reliable quality control
- Simple implementation
- Professional consultancy

Ordering Information

WM-Ex Weighing Modules for Hazardous Environments

Order Number	SAP Order Number	Construction	Readability	Capacity	Load Plate Dimensions	Shipping Weight (lb)	Suggested List Price (CDN$)
WM124x-Lcl	42102240	IP54 In-use	0.1 mg	121 g	60 x 60 mm	13.8 lb	$10,573
WM123x-Lcl	42102244		1 mg			13.8 lb	$8,528
WM503x-Lcl	42102248			510 g		13.8 lb	$9,551
WM3002x-Lcl	42102252		10 mg	3100 g	80 x 80 mm	14.8 lb	$7,952
WM6002x-Lcl	42102256			6100 g		14.8 lb	$8,528

WM-Ex Weighing Modules for Washdown Hazardous Environments

Order Number	SAP Order Number	Construction	Readability	Capacity	Load Plate Dimensions	Shipping Weight (lb)	Suggested List Price (CDN$)
WM124x-Wcl	42102241	IP66 Washdown	0.1 mg	121 g	60 x 60 mm	13.8 lb	$11,410
WM123x-Wcl	42102245		1 mg			13.8 lb	$9,366
WM503x-Wcl	42102249			510 g		13.8 lb	$10,386
WM3002x-Wcl	42102253		10 mg	3100 g	80 x 80 mm	14.8 lb	$8,788
WM6002x-Wcl	42102257			6100 g		14.8 lb	$9,366

Weighing Platforms

High Precision WMH-EX for Hazardous Areas



WMHB60sx-cl

CONSULTATIVE

Approvals

- FM approval for: Class I, II, III, Division 1, Groups A, B, C, D, E, F, G
- Protection type according ATEX 95: II 2 G EEx ib IIC T4; II 2 D IP 66/67 T 55 °C



Standard Features WMH-Ex

- Designed for integration in automated processes
- Same outstanding weighing performance as WMH platforms
- 19 updates per second
- APS768x CL and ACM200 CL for Power and Communications

Ordering Information

WMH OEM Weighing Modules (Measuring cell only)

Order Number	SAP Order Number	Readability	Capacity	Dimensions (mm) L	W	H		Shipping Weight (lb)	Suggested List Price (CDN$)
WMH15sx-cl	42102045	0.1 g	15 kg	180	252	87			$3,893
WMH32sx-cl	42102046		32 kg						$4,072

WMH Weighing Platforms

Order Number	SAP Order Number	Readability	Capacity	Dimensions (mm) L	W	H	Comparable K-Line product	Shipping Weight (lb)	Suggested List Price (CDN$)
WMHA15sx-cl	42102047	0.1 g	15 kg	350	280	117	KA15sx	29 lb	$5,876
WMHA32sx-cl	42102048		32 kg	350	280	117	KA32sx	29 lb	$6,679
WMHB60x-cl	42102069	1 g	60 kg	500	400	123	KB60.2x	77 lb	$6,208
WMHB60sx-cl	42102049						KB60sx.2x	77 lb	$8,439
WMHCC150x-cl	42102070		150 kg	800	600	130	KCC150x	160 lb	$7,364
WMHCC150sx-cl	42102050						KCC150sx	160 lb	$9,561
WMHCC300x-cl	42102071	2 g	300 kg				KCC300	160 lb	$7,637
WMHCC300sx-cl	42102051						KCC300sx	160 lb	$9,763
WMHC300x-cl	42102074			1000	800	115	KC300x	160 lb	$8,363
WMHC300sx-cl	42102054						KC300sx	160 lb	$11,116
WMHCS300x-cl	42102072			800			KCsx300x	160 lb	$8,595
WMHCS300sx-cl	42102052						KCsx300sx	160 lb	$10,842
WMHC600x-cl	42102075	10 g	600 kg	1000			KC600x	251 lb	$9,033
WMHC600sx-cl	42102055						KC600sx	251 lb	$11,745
WMHCS600x-cl	42102073			800			KCsx600x	251 lb	$9,689
WMHCS600sx-cl	42102053						KCsx600sx	251 lb	$12,161
WMHD600x-cl	42102092			1250	1000	180	KD600x	500 lb	$11,179
WMHD1500x-cl	42102106	20 g	1500 kg				KD1500x	595 lb	$11,469
WMHE1500x-cl	42102107			1500	1250	128	KE1500x	595 lb	$13,628
WMHES1500x-cl	42102113				1500	197	KEsx1500x	595 lb	$15,031
WMHE3000x-cl	42102121	50 g	3000 kg				KEsx3000x	656 lb	$16,058
WMHES3000x-cl	42102116						KEsx3000x	656 lb	$17,151

Additional accessories are located in K-Line sections
Order APS768x/ACM200 separately (see Hazardous Area section)

 ©Mettler-Toledo, LLC



WM-Ex / WMH-Ex

High Precision Hazardous Area Application Examples

CONSULTATIVE

Single WMH device with direct connection to PC



Example Item #	Description
WMHA32sx-cl	WMH-Ex line intrincically safe weighing platform, 32 kg, 350x280x117 mm
APS768XSCALE	APS768x power supply with Current Loop Interface
ACM200CL	ACM200 communication accessory with Current Loop interface and RS232 out
504376	RS232 cable PSU to 9F, 10 ft/3 m*

Notes

 ©Mettler-Toledo, LLC