PS60

PS60

Parcel Scale

COMMERCIAL

Approvals:

- NTEP Class III, 3000d, COC #95-165A4, Measurement Canada Approval #AM-5120

Standard Features:

- 7-digit LCD display, choice of mounting methods
- 12 in x 14 in Stainless Steel platter
- Bi-directional RS232 and USB interfaces
- Interface cables: 10 ft RS232 and 6 ft USB; (9 pin female connector for PC)
- Geo software
- lb & kg weighing

Accessories:

- Ball top platter
- Roller top platter

PS60 Model Configuration



Ordering Information

Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
PS60 Scale			
PS60U	150 lb/60 kg Parcel shipping scale (select weighing range, power/platter, and display options below and add the corresponding price)	17 lb	$703
Software Settings Position 1			
1	METTLER TOLEDO standard protocol (9600 baud, 7 data bits, 1 stop bit, even parity)	-	$0
Weighing Range Options Position 2			
1	Single range (150 x 0.05 lb/60 x 0.02 kg)	-	$0
4	MultiRange (0-60 lb x 0.02 lb, 60-150 lb x 0.05 lb) or (0-30 kg x 0.01 kg, 30-60 kg x 0.02 kg)	-	$70
Platter/Power Options Position 3			
0	Flat platter - AC Power Supply	2 lb	$0
4	Ball top platter - AC Power Supply	15 lb	$266
Display Options Position 4			
1	Base-mount display	1 lb	$62
2	Tower-mount display	1 lb	$102
3	Single wall-mount display	1 lb	$115
4	Dual wall-mount display	1 lb	$206
PS60 Destination Market Codes			
000	Use for US and Canada	-	$0

PS60

PS60 Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
02701100000	62005838	Base mount display (13"/0.3m cable)	2 lb	$101
02702100000	62005832	Tower display (14 ft/4 m cable)	2 lb	$139
02703100000	62005831	Single wall mount display with aluminum bracket (14 ft/4 m cable)	2 lb	$180
02704100000	62005837	Dual wall mount display with 2-aluminum brackets and "Y" cable (2 - 5 ft/1.5 m cables)	3 lb	$286
02705100000	62010756	Single wall mount display with "Y" Cable (14ft / 4m)	2 lb	$267
09010420000	62010763	"Y" cable for dual displays	1 lb	$107
16317400A	64052046	10 ft RS232 interface cable with RJ12 connector (9 pin female for pc)	2 lb	$86
16630200A	71211075	6 ft USB interface cable		$59
14881200A	130414	Extension cable to allow for remote displays (requires part #506251 adapter for PS60U)		$46
64084855	64084855	KOP: RS232 Cable (16317400A) with power supply		$143
09060161000	62009622	Ball top platter	15 lb	$274
09060164000	62010768	Roller top platter	15 lb	$340

Note: Only one port is available for display cabling. If more than one display is needed, order dual wall mount display.

 ©Mettler-Toledo, LLC

PS 6L

PS 6L

Letter/Parcel Weight Classifier

COMMERCIAL

Approvals:

- NTEP Class III, 3000d, COC #98-018A2 (US Only)

Standard Features:

- Multi-interval, lb-oz weighing mode
- 7-digit LCD display, choice of mounting methods
- 12 in x14 in Stainless Steel platter
- Bi-directional RS232 and USB interface
- Interface cables: 10 ft RS232 and 6 ft USB; (9 pin female connector for PC)
- Geo software
- lb & oz weighing

Accessories:

- Ball top platter

PS6L Model Configuration



Ordering Information

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
PS6L Weight Classifier				
PS6LU		150 lb Letter/Parcel weight classifier (select weighing range, power/platter, and display options below and add the corresponding price)	14.5 lb	$928
Software Settings Position 1				
1		METTLER TOLEDO standard protocol (9600 baud, 7 data bits, 1 stop bit,	-	$0
Weighing Range Options Position 2				
1		0-10 lb x 0.1 oz, 10-70 lb x 0.2 oz, 70-149 lb x 0.5 oz	-	$0
Platter/Power Options Position 3				
0		Stainless Steel platter	2 lb	$0
2		Stainless Steel ball top platter, 12 in x 14 in	15 lb	$237
Display Options Position 4				
1		Base-mount display	1 lb	$86
2		Tower-mount display	1 lb	$94
3		Single wall-mount display	1 lb	$108
PS6L Destination Market Codes				
000		Use for US and Canada	-	$0
PS6L Accessories				
16317400A	64052046	10 ft RS232 interface cable with RJ12 connector (9 pin female for PC)	2 lb	$86
16630200A	71211075	6 ft USB interface cable (9 pin female for PC)		$59
09060161000	62009622	Ball top platter	15 lb	$274

PS90

Parcel Scale



COMMERCIAL

Approvals:

- NTEP Class III, 3000d, COC #00-010A1, Measurement Canada Approval #AM-5357

Standard Features:

- 7-digit LCD display, choice of base or wall-mounting methods, 14 ft display cable
- Choice of platters
- Bi-directional RS232 interface
- Preconfigured METTLER TOLEDO serial protocol (9600 baud, 7 data bits, 1 stop bit, even parity)
- Computer Interface Cables Included: 10 ft RS232 cable (RJ12/DB9) and 6 ft USB cable (A/B)
- Geo software - Compensates sensitive factory calibration for local gravitational differences

Accessories:

- Flat top platter
- Ball top platter
- Roller top platter

Ordering Information

PS90 Scale

Order Number	SAP Order Number	Capacity	Platter	Shipping Weight (lb)	Suggested List Price (CDN$)
PS90U6006000	64068666	150 lb/60 kg	No platter - choose 0906 option from below	50 lb	$988
PS90U6026000	64068676		Flat top platter included	61 lb	$1,106
PS90U6036000	64068677		Roller top platter included	67 lb	$1,539
PS90U6046000	64068678		Ball top platter included	72 lb	$1,594
PS90U6106000	64068674	300 lb/150 kg	No platter - choose 0906 option from below	50 lb	$1,106
PS90U6126000	64068679		Flat top platter included	61 lb	$1,240
PS90U6136000	64068680		Roller top platter included	67 lb	$1,646
PS90U6146000	64068681		Ball top platter included	72 lb	$1,701

PS90 Platters - COMMERCIAL DISCOUNT APPLIES TO PLATTERS (U.S. ONLY)

Order Number	SAP Order Number	Description	Size	Steel	Features	Shipping Weight (lb)	Suggested List Price (CDN$)
09060167000	62010770	Flat top platter	15.75" x 19.75"	Stainless	—	11 lb	$154
09060168000	62010771	Roller top platter	16" x 22.6"	Painted	8 Galvanized steel rollers	17 lb	$599
09060169000	62010772	Ball top platter	15.75" x 19.75"	Painted	17 Stainless Steel roller balls	22 lb	$656

PS90 Conveyor Application Accessories

64058112	64058112	Conveyor drop-in kit for Ball or Roller top platter (Includes brackets and longer feet)	22 lb	$304

©Mettler-Toledo, LLC



BASELINE

BASELINE™ CBx

Analog Scale Bases

COMMERCIAL

Approvals:

- NTEP Class III, 5000d, COC #02-081,Measurement Canada Approval MAL-AM-5500
- Factory Mutual (FM) - CB--X units only; FM Certification 3015499

Standard Features:

- X-versions are FM approved
- 304 Stainless Steel platter
- Painted steel construction
- Six overload stops
- Single point loadcell
- 6.5 ft (2 m) loadcell cable design (12" base), 10 ft (3 m) (18" base)

Ordering Information

BASELINE CBx Hazardous Area Scale Bases

Order Number	SAP Order Number	PlatformSize	Maximum Capacity	Approved Maximum Capacity	Approved Minimum Readability	Shipping Weight (lb)	Suggested List Price (CDN$)
CB60X	71150783	12" x 12" x 3.5"	60 kg	60 kg/120 lb	0.01 kg/0.02 lb	20 lb	$1,106
CB150X	71150784	18" x 18" x 3.5"	150 kg	150 kg/300 lb	0.02 kg/0.05 lb	59 lb	$1,394

BASELINE CBx Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
09240070000	64049717	Stainless Steel Cart, solid top with holes for 9", 12", 18" platforms 28"L x 24"W x 30.5"H	45 lb	$1,287
A082534020	68012730	Plastic splice box for extending load cell cable (TYPE 4X)	2 lb	$114
TB100448	72999960	Stainless Steel splice box for extending load cell cable	2 lb	$261

BASELINE CBx Accessories - Columns

72198699	72198699	Column, CS, open back rectangular, 13"/330 mm, flat top, tapped M8 hole	$93
72198700	72198700	Column, CS, open back rectangular, 26"/660 mm, flat top, tapped M8 hole	$109
72198701	72198701	Column, CS, open back rectangular, 35.5"/900 mm, flat top, tapped M8 hole	$127
72198702	72198702	Column, SS, open back rectangular, 13"/330 mm, flat top, tapped M8 hole	$127
72198703	72198703	Column, SS, open back rectangular, 26"/660 mm, flat top, tapped M8 hole	$149
72198704	72198704	Column, SS, open back rectangular, 35.5"/900 mm, flat top, tapped M8 hole	$171

BASELINE CBx Accessories - Special Tops

71145009	71145009	Roller conveyor, galvanized rollers, painted Mild Steel, 12" x 12"/305 x 305 mm	$358
72198689	72198689	Roller conveyor, galvanized rollers, painted Mild Steel, 18" x 18"/457 x 457 mm	$387
72198694	72198694	Ball top, galvanized balls, painted Mild Steel, 18" x 18"/457 x 457 mm	$409

Planned Phase Out June 2013

BASELINE™ CBUx Ultra

Analog Scale Bases



BASELINE CBUx

APPLIED

Approvals:

- NTEP Class III, 10,000d, COC #02-081, Measurement Canada Approval MAL-AM-5500
- Factory Mutual (FM) approved (all CBU versions); FM Certification 3015499

Standard Features:

- All CBU are FM approved
- 304 Stainless Steel platter
- Single point loadcell
- Painted steel construction
- Six overload stops
- 6.5 ft (2 m) loadcell cable design (9"/12" bases), 10 ft (3 m) (18"/24" bases)

Ordering Information

BASELINE CBUx Ultra Hazardous Area Scale Bases

Order Number	SAP Order Number	PlatformSize	Capacity* lb	Capacity* kg	Resolution* lb	Resolution* kg	Shipping Weight (lb)	Suggested List Price (CDN$)
CBU6X	71150785	9" x 9" x 3.15"	15 lb	6 kg	0.002 lb	0.001 kg	12 lb	$1,287
CBU15X	71150786	9" x 9" x 3.15"	30 lb	15 kg	0.005 lb	0.002 kg	12 lb	$1,287
CBU30X	71150787	12" x 12" x 3.5"	60 lb	30 kg	0.01 lb	0.005 kg	20 lb	$1,587
CBU60X	71150788	12" x 12" x 3.5"	120 lb	60 kg	0.02 lb	0.01 kg	20 lb	$1,587
CBU60LX	71150789	18" x 18" x 3.5"	120 lb	60 kg	0.02 lb	0.01 kg	59 lb	$2,040
CBU150X	71150790	18" x 18" x 3.5"	300 lb	150 kg	0.05 lb	0.02 kg	59 lb	$2,040
CBU300X	71150791	24" x 24" x 5.9"	600 lb	300 kg	0.1 lb	0.05 kg	88 lb	$2,488

BASELINE CBUx Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
09240070000	64049717	Stainless Steel Cart, solid top with holes for 9", 12", 18" platforms 28"L x 24"W x 30.5"H	45 lb	$1,287
A082534020	68012730	Plastic splice box for extending load cell cable (TYPE 4X)	2 lb	$114
TB100448	72999960	Stainless Steel splice box for extending load cell cable	2 lb	$261

BASELINE CBUx Accessories - Columns

72198699	72198699	Column, CS, open back rectangular, 13"/330 mm, flat top, tapped M8 hole	$93
72198700	72198700	Column, CS, open back rectangular, 26"/660 mm, flat top, tapped M8 hole	$109
72198701	72198701	Column, CS, open back rectangular, 35.5"/900 mm, flat top, tapped M8 hole	$127
72198702	72198702	Column, SS, open back rectangular, 13"/330 mm, flat top, tapped M8 hole	$127
72198703	72198703	Column, SS, open back rectangular, 26"/660 mm, flat top, tapped M8 hole	$149
72198704	72198704	Column, SS, open back rectangular, 35.5"/900 mm, flat top, tapped M8 hole	$171

BASELINE CBUx Accessories - Special Tops

71145009	71145009	Roller conveyor, galvanized rollers, painted Mild Steel, 12" x 12"/305 x 305 mm	$358
72198689	72198689	Roller conveyor, galvanized rollers, painted Mild Steel, 18" x 18"/457 x 457 mm	$387
72198690	72198690	Roller conveyor, galvanized rollers, painted Mild Steel, 24" x 24"/610 x 610 mm	$494
72198694	72198694	Ball top, galvanized balls, painted Mild Steel, 18" x 18"/457 x 457 mm	$409
72198695	72198695	Ball top, galvanized balls, painted Mild Steel, 24" x 24"/610 x 610 mm	$494

* may exceed approved capacity/resolution

Planned Phase Out June 2013

©Mettler-Toledo, LLC

BASELINE HD

BASELINE™ HD

Analog Scale Bases

APPLIED

Approvals:

- NTEP Class III, 5000d, COC #99-013A1
- Measurement Canada Approval #AM-5289, Rev.1
- Factory Mutual (FM) approved load cell

Standard Features:

- Mild Steel with 304 Stainless Steel platter
- Heavy duty flexure support
- VERTEX® load cell "rocker pin" suspension
- 15 ft load cell cable
- Hermetically sealed stainless steel load cells (except for HD050 models)
- Utilizes 2mV/V loadcells

Shipping Note:

- All HD bases are palletized and must ship via a common carrier (LTL)

Accessories;

- Columns, brackets, Wheel Kit, Shim Kit

Ordering Information

BASELINE HD - Stainless Steel Platter Included

Order Number	SAP Order Number	Platform Size (Inches)	Construction	Standard Maximum Capacity	Approved Maximum Capacity	Approved Minimum Readability	Shipping Weight (lb)	Suggested List Price (CDN$)
HD050PR	61010510	20x20x6	Mild Steel	50 kg	100 lb/50 kg	0.02 lb/0.01 kg	100 lb	$3,491
HD100PR	61010514	20x20x6	Mild Steel	100 kg	250 lb/100 kg	0.05 lb/0.02 kg	100 lb	$3,491
HD250PR	61010520	20x20x6	Mild Steel	250 kg	500 lb/250 kg	0.1 lb/0.05 kg	100 lb	$3,491
HD250PL	61010519	24x30x9	Mild Steel	250 kg	500 lb/250 kg	0.1 lb/0.05 kg	345 lb	$4,992
HD500PL	61010526	24x30x9	Mild Steel	500 kg	1000 lb/500 kg	0.2 lb/0.1 kg	345 lb	$4,992
HD050SR	61010512	20x20x6	Stainless	50 kg	100 lb/50 kg	0.02 lb/0.01 kg	100 lb	$4,125
HD100SR	61010516	20x20x6	Stainless	100 kg	250 lb/100 kg	0.05 lb/0.02 kg	100 lb	$4,125
HD250SR	61010524	20x20x6	Stainless	250 kg	500 lb/250 kg	0.1 lb/0.05 kg	100 lb	$4,125
HD250SL	61010523	24x30x9	Stainless	250 kg	500 lb/250 kg	0.1 lb/0.05 kg	345 lb	$6,068
HD500SL	61010508	24x30x9	Stainless	500 kg	1000 lb/500 kg	0.2 lb/0.1 kg	345 lb	$6,068

BASELINE HD - Platter Not Included (Order Custom Top Plate and/or Transfer Platter from the Following Section)

Order Number	SAP Order Number	Platform Size (Inches)	Construction	Standard Maximum Capacity	Approved Maximum Capacity	Approved Minimum Readability	Shipping Weight (lb)	Suggested List Price (CDN$)
HD050PA	61010509	20x20x6	Mild Steel	50 kg	100 lb/50 kg	0.02 lb/0.01 kg	85 lb	$3,320
HD100PA	61010513	20x20x6	Mild Steel	100 kg	250 lb/100 kg	0.05 lb/0.02 kg	85 lb	$3,320
HD250PA	61010517	20x20x6	Mild Steel	250 kg	500 lb/250 kg	0.1 lb/0.05 kg	85 lb	$3,320
HD250PB	61010518	24x30x9	Mild Steel	250 kg	500 lb/250 kg	0.1 lb/0.05 kg	320 lb	$4,816
HD500PB	61010525	24x30x9	Mild Steel	500 kg	1000 lb/500 kg	0.2 lb/0.1 kg	320 lb	$4,816
HD050SA	61010511	20x20x6	Stainless	50 kg	100 lb/50 kg	0.02 lb/0.01 kg	85 lb	$3,955
HD100SA	61010515	20x20x6	Stainless	100 kg	250 lb/100 kg	0.05 lb/0.02 kg	85 lb	$3,955
HD250SA	61010521	20x20x6	Stainless	250 kg	500 lb/250 kg	0.1 lb/0.05 kg	85 lb	$3,955
HD250SB	61010522	24x30x9	Stainless	250 kg	500 lb/250 kg	0.1 lb/0.05 kg	320 lb	$5,892
HD500SB	61010507	24x30x9	Stainless	500 kg	1000 lb/500 kg	0.2 lb/0.1 kg	320 lb	$5,892

BASELINE™ HD

BASELINE HD Mounting Top Plate

Order Number	SAP Order Number	Scale Base Dimensions	Top Plate Size	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
HD-010000	61024548	20" x 20"	20" x 20" x 1/2"	Mild Steel	30 lb	$471
HD-010001	61024549	20" x 20"	24" x 24" x 1/2"	Mild Steel	35 lb	$471
HD-010002	69035066	20" x 20"	20" x 24" x 1/2"	Mild Steel	32 lb	$471
HD-010010	61024554	24" x 30"	24" x 30" x 1/2"	Mild Steel	50 lb	$641
HD-010011	61024555	24" x 30"	30" x 30" x 1/2"	Mild Steel	60 lb	$641
HD-010012	69035075	24" x 30"	30" x 36" x 1/2"	Mild Steel	70 lb	$641
HD-010014	61024557	24" x 30"	24" x 36" x 1/2"	Mild Steel	55 lb	$641
HD-010003	61024550	20" x 20"	20" x 20" x 1/2"	Stainless	30 lb	$1,061
HD-010004	61024551	20" x 20"	24" x 24" x 1/2"	Stainless	35 lb	$1,061
HD-010005	61024552	20" x 20"	20" x 24" x 1/2"	Stainless	32 lb	$1,061
HD-010006	69033550	20" x 20"	17 3/4" x 23 5/8" x 1/2"	Stainless	30 lb	$1,061
HD-010013	61024556	20" x 20"	24" x 30" x 1/2"	Stainless	50 lb	$1,061
HD-010007	61024553	24" x 30"	24" x 30" x 1/2"	Stainless	95 lb	$1,219
HD-010008	69035071	24" x 30"	30" x 30" x 1/2"	Stainless	60 lb	$1,219
HD-010009	69035072	24" x 30"	30" x 36" x 1/2"	Stainless	70 lb	$1,219

BASELINE HD Transfer Platter

Order Number	SAP Order Number	Scale Base Dimensions	Top Plate Size	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
HD-010015	61024558	20" x 20"	20"x20" Ball transfer, 1" balls	Mild Steel	30 lb	$817
HD-010018	61036198	20" x 20"	20"x20" Ball transfer, 1" balls	Stainless	50 lb	$1,275
HD-010016	61035698	20" x 20"	20"x22" Roller track, 22" rollers	Mild Steel	35 lb	$1,066
HD-010017	61036384	24" x 30"	30"x28" Roller track, 27" rollers	Mild Steel	32 lb	$1,327

BASELINE HD Accessories

Order Number	SAP Order Number	Description		Shipping Weight (lb)	Suggested List Price (CDN$)
HD-060000	69033554	CS Stand, No wheels, Adjustable height feet, 24" x 30", 26" high			$1,718
HD-060004	61038051	CS Stand, 24" x 30", 19" high			$1,140
HD-060001	61037365	SS Cart w/wheels 20" x 20", 13" high			$2,550
HD-060003	61037466	SS Cart w/wheels 24" x 30", 14-7/8" high			$2,856
HD-060002	61037366	SS Cart w/wheels 20" x 20", 27" high			$3,773
HD-060005	61038052	SS Cart w/wheels 12" x 14" shelf on column, 24" x 30", 14-7/8" high			$3,236
HD-060006	61044054	SS Cart w/wheels 12" x 14" shelf on column, 20" x 20", 13" high			$4,136
ACFICB0000	61042797	37.5 in Mild Steel Bolt-on Column	(requires HD-030001)	125 lb	$296
ACFICJ0000	61042798	37.5 in Stainless Steel Bolt-on Column	(requires HD-030001)	125 lb	$399
ACFCHJ0000	61042804	"Loop" Handle, SS, For Bolt-On Column			$149
ACFICJ0002	61043661	Bolt-On Column, SS, 19 in	(requires HD-030001)	62lb	$340
HD-030001	61037666	Stainless Steel Adapter Bracket (attaches Bolt-on Column to HD scale base)			$142
HD-020004	61036000	SS Wheel Kit with brake for 20" x 20" base (includes HD-030001 column mounting bracket)		40 lb	$935
HD-020001	69035077	SS Wheel Kit with brake for 24" x 30" base (includes HD-030001 column mounting bracket)		52 lb	$935
HD-040000	61024560	Stainless Steel Shim Kit for 20" x 20" base		5 lb	$103
HD-040001	61024561	Stainless Steel Shim Kit for 24" x 30" base		5 lb	$103
ACFMPJ0000	61042807	Universal SS accessory mounting plate			$114

Shipping Note: All HD bases are palletized and must ship via a common carrier (LTL)

 ©Mettler-Toledo, LLC



K-line

High Precision Scale Bases
KA/KB/KCC 3-300 kg

APPLIED

Approvals:

- NTEP Class II, 32000d, Class III, 10000d, COC #00-075 (e = legal-for-trade, d = displayed readability)
- Measurement Canada Approval #MAL-M73

Standard Features

- MonoBloc Technology
- Measuring cell cable length 8 ft (2.5 m)
- IP67 protection
- Base and load plate

Ordering Information

Bench and Stand Scales

Order Number	SAP Order Number	Overall Dimensions	Construction: Load Plate/ Base	Standard Configuration*	Approved Configuration**	Shipping Weight (lb)	Suggested List Price (CDN$)
KA15s	504084	350 x 280 mm (13.8" x 11")	SS/SS	15 kg x 0.1 g (30 x 0.0002 lb)	15 kg (e = 1 g, d = 0.1 g)	29 lb	$4,222
KA32s	504653		SS/SS	32 kg x 0.1 g (70 x 0.0002 lb)	32 kg (e = 1 g, d = 0.1 g)	29 lb	$6,026
KB60.2	504778	500 x 400 mm 20" x 16"	SS/BPC	60 kg x 1 g (120 x 0.002 lb)	60 kg (e = 10 g, d = 1 g)	77 lb	$4,284
KB60s.2	504828		SS/SS				$6,665
KCC150	504827	800 x 600 mm 32" x 24"	SS/BPC	150 kg x 1 g (300 x 0.002 lb)	150 kg (e = 10 g, d = 1 g)	160 lb	$5,755
KCC150s	504881		SS/SS			160 lb	$8,366
KCC300	504779		SS/BPC	300 kg x 2 g (600 x 0.005 lb)	300 kg (Multi-Interval - 0.02 kg, 0.05 kg, 0.1 kg)	160 lb	$6,361
KCC300s	504882		SS/SS			160 lb	$9,054

KA/KB/KCC Accessories - Roller Tracks

Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
503640	503640	Carbon Steel Roller Track - dry environment for KB Scales	$534
504852	504852	Carbon Steel Roller Track - dry environment for KCC Scales	$964
22001647	22001647	Stainless Steel Roller Track for KB Scales (not for hazardous areas)	$669
22001648	22001648	Stainless Steel Roller Track for KCC Scales (not for hazardous areas)	$1,259

KA/KB/KCC Accessories - Floor Stands

Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
504131	504131	44 in Carbon Steel Floor Stand for ID Terminals	$404
503700	503700	Freestanding Carbon Steel Base Plate (Provides added stability)	$247
504132	504132	44 in Stainless Steel Floor Stand for ID Terminals	$857
22014834	22014834	40 in/ 1000 mm Stainless Steel Square Tube Floor Stand with M8 hole ***	$688
503701	503701	Freestanding Stainless Steel Base Plate (Provides added stability - 18.5 x 18.5 in/ 470 x 470 mm)	$447

* may exceed approved resolution
** for additional approved configurations, see MAL-M73

K-line High Precision Scale Bases

KA/KB/KCC Accessories - Stands and Columns

Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
503631	503631	22" Black Powder Coat Bench Scale Stand for KB Scales	$414
504853	504853	22" Black Powder Coat Bench Scale Stand for KCC Scales	$624
504127	504127	23" Black Powder Coat Column for ID Terminals (attaches to Bench Scale Stand)	$389
503632	503632	22" Stainless Steel Bench Scale Stand for KB Scales	$658
504854	504854	22" Stainless Steel Bench Scale Stand for KCC Scales	$964
504128	504128	23" Stainless Steel Column for ID Terminals (attaches to Bench Scale Stand)	$746
22014835	22014835	500 mm Stainless Steel Column with M8 hole *** (attaches to Bench Scale Stand)	$510
504439	504439	330 mm Stainless Steel Column for ID Terminals (attaches to KA and KB Scales)	$435
22014836	22014836	330 mm Stainless Steel Column with M8 hole *** (attaches to KA and KB Scales)	$292

*** includes IND4x9 terminal bracket - refer to page Instrumentation section to order other terminal brackets ***



504439 or
22014836
330 mm
SS



23" Column
for ID Terminals

Bench
Scale
Stand

KA/KB/KCC Accessories - Cables and Miscellaneous

Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
504134	504134	Measuring cell extension cable. Interconnects with existing cable. Provides a 33 ft (10 m) extension	$311
504133	504133	Cable Adapter Kit. Needed for use with 504177, when it is necessary to extend the measuring cell cable beyond 33 ft (10 m) maximum distance of extension 310 ft (94 m)	$569
504177	504177	IDNet Cable/Foot -- Maximum Distance = 310 ft (94 m). Intended for use with 504133 - cable adapter kit, when cable extension is required beyond 33 ft. For distances equal to or less than 33 ft, use 504134 which is a complete cable	$4.18
13864800A		IDNet Adapter Harness, Connection of K-Line, R/G/B's to JagXtreme when used with JagXtreme IDNet interface module	$185
504458	504458	I/O Cable, 10 m (33 ft) with 19 pin male connector (required for Digital I/O option)	$212
22011967	22011967	Relay 4	$382
22003718	#N/A	24v Power Supply	$352



504131 or 504132
ID Terminal Floor



504134
Measuring Cell
Extension Cable



504133
Cable Adaptor Kit

504177
ID Net Cable/Foot

 ©Mettler-Toledo, LLC

PBA220

PBA220

Analog Scale Bases
Painted Steel with Stainless Steel Platter

COMMERCIAL

Approvals:
- NTEP Class III, 3000d, COC #08-011 (all sizes, all capacities), Measurement Canada Approval #AM-5673 (3000d)
- Measurement Canada Approval pending
- OIML R60 C3 MT1242 - TC5382, MT1022 - TC5442

Standard Features:
- Aluminum models MT1022, MT1241 analog load cells
- 6 kg to 300 kg capacities
- IP67 ingress protection
- Rectangular and Square sizes
- 304 Stainless Steel platter
- Painted steel frame
- Up to six overload stops

Ordering Information

PBA220 Rectangular Scale Base

Order Number	SAP Order Number	Platform Size mm (in)	Standard Maximum Capacity	Approved Maximum Capacity	Approved Minimum Readability	Cable Length	Shipping Weight (lb)	Suggested List Price (CDN$)
72195849	72195849	240 x 300 x 68.5	6 kg	6 kg/15 lb	0.002 kg/0.005 lb	1.0 m/ 3.3 ft	15 lb	$641
72195850	72195850		15 kg	15 kg/30 lb	0.005 kg/0.01 lb		15 lb	$641
72195851	72195851	300 x 400 x 77.5	35 kg	35 kg/60 lb	0.01 kg/0.02 lb	2.0 m/ 6.5 ft	24 lb	$777
72195852	72195852		60 kg	60 kg/150 lb	0.02 kg/0.05 lb		24 lb	$777
72195853	72195853	400 x 500 x 79 (16" x 20") - B	60 kg	60 kg/150 lb	0.02 kg/0.05 lb	2.5 m/ 8.2 ft	49 lb	$970
72195854	72195854		150 kg	150 kg/300 lb	0.05 kg/0.1 lb		49 lb	$970
72195855	72195855	500 x 650 x 115 (20" x 26") - BC	60 kg	60 kg/150 lb	0.02 kg/0.05 lb	2.5 m/ 8.2 ft	55 lb	$1,094
72195856	72195856		150 kg	150 kg/300 lb	0.05 kg/0.1 lb		55 lb	$1,094
72195857	72195857		300 kg	300 kg/600 lb	0.1 kg/0.2 lb		55 lb	$1,094
72195858	72195858	600 x 800 x 130 (24" x 32") - CC	60 kg	60 kg/150 lb	0.02 kg/0.05 lb	2.5 m/ 8.2 ft	139 lb	$1,412
72195859	72195859		150 kg	150 kg/300 lb	0.05 kg/0.1 lb		139 lb	$1,412
72195860	72195860		300 kg	300 kg/600 lb	0.1 kg/0.2 lb		139 lb	$1,412

PBA220 Square Scale Base

72195882	72195882	229 x 229 x 68.5	6 kg	6 kg/15 lb	0.002 kg/0.005 lb	1.0 m/ 3.3 ft	12 lb	$567
72195883	72195883	305 x 305 x 77.5 (12" x 12") - QB	15 kg	15 kg/30 lb	0.005 kg/0.01 lb	2.0 m/ 6.5 ft	21 lb	$675
72195884	72195884		35 kg	35 kg/60 lb	0.01 kg/0.02 lb		21 lb	$675
72195885	72195885		60 kg	60 kg/150 lb	0.02 kg/0.05 lb		21 lb	$675
72195886	72195886	457 x 457 x 79 (18" x 18") - QC	60 kg	60 kg/150 lb	0.02 kg/0.05 lb	2.5 m/ 8.2 ft	51 lb	$975
72195887	72195887		150 kg	150 kg/300 lb	0.05 kg/0.1 lb		51 lb	$975
72195888	72195888	610 x 610 x 115 (24" x 24") - QD	60 kg	60 kg/150 lb	0.02 kg/0.05 lb	2.5 m/ 8.2 ft	84 lb	$1,225
72195889	72195889		150 kg	150 kg/300 lb	0.05 kg/0.1 lb		84 lb	$1,225
72195890	72195890		300 kg	300 kg/600 lb	0.1 kg/0.2 lb		84 lb	$1,225

PBA220 Analog Scale Bases

PBA220 Accessories				
Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
A082534020	68012730	Splice box, plastic for extending load cell cable (TYPE 4X)	2 lb	$114
TB100448	72999960	Splice box, Stainless Steel for extending load cell cable	2 lb	$261
PBA220 Accessories - Columns				
72198699	72198699	Column, CS, open back rectangular, 13 in/330 mm, flat top, tapped M8 hole		$93
72198700	72198700	Column, CS, open back rectangular, 26 in/660 mm, flat top, tapped M8 hole		$109
72198701	72198701	Column, CS, open back rectangular, 35.5 in/900 mm, flat top, tapped M8 ho		$127
72198702	72198702	Column, SS, open back rectangular, 13 in/330 mm, flat top, tapped M8 hole		$127
72198703	72198703	Column, SS, open back rectangular, 26 in/660 mm, flat top, tapped M8 hole		$149
72198704	72198704	Column, SS, open back rectangular, 35.5 in/900 mm, flat top, tapped M8 ho		$171
22012636	22012636	20 in/ 500 mm Carbon Steel square tube floor stand with M8 hole ***		$550
22012637	22012637	40 in/ 1000 mm Carbon Steel square tube floor stand with M8 hole ***		$579
503700	503700	Freestanding Carbon Steel Base Plate (Provides added stability)		$247
22014834	22014834	40 in/ 1000 mm Stainless Steel square tube Floor Stand with M8 hole ***		$688
503701	503701	Freestanding Stainless Steel Base Plate (Provides added stability - 18.5 x 18.5 in/ 470 x 470 mm)		$447

*** Includes IND4x9 terminal bracket - refer to page IN-25 to order other terminal brackets ***

PBA220 Accessories - Stands and Carts				
503631	503631	Wheeled stand, CS, open top, 16 in x 20 in/400 x 500 mm, 'B'		$414
504853	504853	Wheeled stand, CS, open top, 24 in x 32 in/600 x 800 mm, 'CC'		$624
503632	503632	Wheeled stand, SS, open top, 16 in x 20 in/400 x 500 mm, 'B'		$658
504854	504854	Wheeled stand, SS, open top, 24 in x 32 in/600 x 800 mm, 'CC'		$964
72198696	72198696	Cart, Painted Mild Steel, low profile, open top for mobile weighing, 500 x 650 x 130 mm (column incl)		$596
72198697	72198697	Cart, Painted Mild Steel, low profile, open top for mobile weighing, 600 x 800 x 130 mm (column incl)		$630
09240070000	64049717	Stainless Steel cart, solid top with holes for 9 in, 12 in, 18 in platforms	45 lb	$1,287
PBA220 Accessories - Special Tops				
71145009	71145009	Roller conveyor, galvanized rollers, painted Mild Steel, 12 in x 12 in/305 x 305 mm		$358
72198705	72198705	Roller conveyor, galvanized rollers, painted Mild Steel, 16 in x 20 in/400 x 500 mm		$387
72198707	72198707	Roller conveyor, galvanized rollers, painted Mild Steel, 20 in x 26 in/500 x 650 mm		$545
72198709	72198709	Roller conveyor, galvanized rollers, painted Mild Steel, 24 in x 32 in/600 x 800 mm		$601
72198689	72198689	Roller conveyor, galvanized rollers, painted Mild Steel, 18 in x 18 in/457 x 457 mm		$387
72198690	72198690	Roller conveyor, galvanized rollers, painted Mild Steel, 24 in x 24 in/610 x 610 mm		$494
72198691	72198691	Ball top, galvanized balls, painted Mild Steel, 16 in x 20 in/400 x 500 mm		$409
72198692	72198692	Ball top, galvanized balls, painted Mild Steel, 20 in x 26 in/500 x 650 mm		$494
72198693	72198693	Ball top, galvanized balls, painted Mild Steel, 24 in x 32 in/600 x 800 mm		$545
72198694	72198694	Ball top, galvanized balls, painted Mild Steel, 18 in x 18 in/457 x 457 mm		$409
72198695	72198695	Ball top, galvanized balls, painted Mild Steel, 24 in x 24 in/610 x 610 mm		$494

©Mettler-Toledo, LLC



PBA330

Analog Scale Bases
Powder Coated Steel with Stainless Steel Platter

COMMERCIAL

Approvals:

- NTEP Class III, 5000d, COC #06-075 (71208736 and 71208746 are not NTEP approved)
- Measurement Canada Approval #AM-5622 (71208736 is not approved)
- OIML C3 TC 5843 (785 load cell), TC5842 (795 load cell), TC6064 (805 load cell)

Standard Features:

- Aluminum model 785, 795, 805 analog load cell
- 6 kg to 600 kg capacities
- IP65 ingress protection
- Rectangular and Square sizes
- 304 Stainless Steel platter, rounded corners
- Powder coated steel frame
- Up to six overload stops

Planned Phase Out June 2012

Ordering Information

PBA330 Rectangular Scale Base

Order Number	SAP Order Number	Platform Size mm (in)	Standard Maximum Capacity	Approved Maximum Capacity	Approved Minimum Readability	Cable Length	Shipping Weight (lb)	Suggested List Price (CDN$)
71208687	71208687	240 x 300 x 80 (9.5" x 12") - A	6 kg	5 kg/10 lb	0.001 kg/0.002 lb	1.5 m/ 4.9 ft	15 lb	$794
71208725	71208725		15 kg	10 kg/25 lb	0.002 kg/0.005 lb		15 lb	$794
71208726	71208726	300 x 400 x 86 (12" x 16") - BB	35 kg	25 kg/50 lb	0.005 kg/0.01 lb	1.5 m/ 4.9 ft	24 lb	$975
71208727	71208727		60 kg	50 kg/100 lb	0.01 kg/0.02 lb	2.5 m/ 8.2 ft	24 lb	$975
71208728	71208728	400 x 500 x 86 (16" x 20") - B	60 kg	50 kg/100 lb	0.01 kg/0.02 lb	2.5 m/ 8.2 ft	49 lb	$1,219
71208729	71208729		150 kg	100 kg/250 lb	0.025 kg/0.05 lb		49 lb	$1,219
71208730	71208730	500 x 650 x 110 (20" x 26") - BC	60 kg	50 kg/100 lb	0.01 kg/0.02 lb	5.0 m/ 16.4 ft	55 lb	$1,372
71208731	71208731		150 kg	100 kg/250 lb	0.02 kg/0.05 lb		55 lb	$1,372
71208732	71208732		300 kg	250 kg/500 lb	0.05 kg/0.1 lb		55 lb	$1,372
71208733	71208733	600 x 800 x 120 (24" x 32") - CC	60 kg	50 kg/100 lb	0.01 kg/0.02 lb	5.0 m/ 16.4 ft	139 lb	$1,768
71208734	71208734		150 kg	100 kg/250 lb	0.02 kg/0.05 lb		139 lb	$1,768
71208735	71208735		300 kg	250 kg/500 lb	0.05 kg/0.1 lb		139 lb	$1,768
71208736	71208736		600 kg	N/A	N/A		139 lb	$1,768

PBA330 Square Scale Base

71208746	71208746	229 x 229 x 77 (9" x 9") - QA	6 kg	N/A	N/A	1.5 m/ 4.9 ft	12 lb	$721
71208747	71208747	305 x 305 x 85 (12" x 12") - QB	15 kg	10 kg/25 lb	0.002 kg/0.005 lb	1.5 m/ 4.9 ft	21 lb	$834
71208748	71208748		35 kg	25 kg/50 lb	0.005 kg/0.01 lb		21 lb	$834
71208749	71208749		60 kg	50 kg/100 lb	0.01 kg/0.02 lb	2.5 m/ 8.2 ft	21 lb	$834
71208750	71208750	457 x 457 x 87 (18" x 18") - QC	60 kg	50 kg/100 lb	0.01 kg/0.02 lb	2.5 m/ 8.2 ft	51 lb	$1,214
71208751	71208751		150 kg	100 kg/250 lb	0.02 kg/0.05 lb		51 lb	$1,214
71208834	71208834	610 x 610 x 110 (24" x 24") - QD	60 kg	50 kg/100 lb	0.01 kg/0.02 lb	5.0 m/ 16.4 ft	84 lb	$1,531
71208835	71208835		150 kg	100 kg/250 lb	0.02 kg/0.05 lb		84 lb	$1,531
71208752	71208752		300 kg	250 kg/500 lb	0.05 kg/0.1 lb		84 lb	$1,531

PBA330 Analog Scale Bases

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
PBA330 Accessories				
A082534020	68012730	Splice box, plastic for extending load cell cable (TYPE 4X)	2 lb	$114
TB100448	72999960	Splice box, Stainless Steel for extending load cell cable	2 lb	$261
PBA330 Accessories - Columns				
72198699	72198699	Column, CS, open back rectangular, 13"/330 mm, flat top, tapped M8 hole		$93
72198700	72198700	Column, CS, open back rectangular, 26"/660 mm, flat top, tapped M8 hole		$109
72198701	72198701	Column, CS, open back rectangular, 35.5"/900 mm, flat top, tapped M8 hole		$127
72198702	72198702	Column, SS, open back rectangular, 13"/330 mm, flat top, tapped M8 hole		$127
72198703	72198703	Column, SS, open back rectangular, 26"/660 mm, flat top, tapped M8 hole		$149
72198704	72198704	Column, SS, open back rectangular, 35.5"/900 mm, flat top, tapped M8 hole		$171
22012636	22012636	20"/ 500 mm Carbon Steel square tube Floor Stand with M8 hole ***		$550
22012637	22012637	40"/ 1000 mm Carbon Steel square tube Floor Stand with M8 hole ***		$579
503700	503700	Freestanding Carbon Steel Base Plate (Provides added stability)		$247
22014834	22014834	40"/ 1000 mm Stainless Steel square tube Floor Stand with M8 hole ***		$688
503701	503701	Freestanding Stainless Steel Base Plate (Provides added stability - 18.5 x 18.5 in/ 470 x 470 mm)		$447

*** Includes IND4x9 terminal bracket - refer to page IN-25 to order other terminal brackets ***

PBA330 Accessories - Stands and Carts				
503631	503631	Wheeled stand, CS, open top, 16" x 20"/400 x 500 mm, 'B'		$414
504853	504853	Wheeled stand, CS, open top, 24" x 32"/600 x 800 mm, 'CC'		$624
503632	503632	Wheeled stand, SS, open top, 16" x 20"/400 x 500 mm, 'B'		$658
504854	504854	Wheeled stand, SS, open top, 24" x 32"/600 x 800 mm, 'CC'		$964
72198696	72198696	Cart, Painted Mild Steel, low profile, open top for mobile weighing, 500 x 650 x 130 mm		$596
72198697	72198697	Cart, Painted Mild Steel, low profile, open top for mobile weighing, 600 x 800 x 130 mm		$630
09240070000	64049717	Stainless Steel cart, solid top with holes for 9 in, 12 in, 18 in platforms	45 lb	$1,287
PBA330 Accessories - Special Tops				
71145009	71145009	Roller conveyor, galvanized rollers, painted Mild Steel, 12" x 12"/305 x 305 mm		$358
72198705	72198705	Roller conveyor, galvanized rollers, painted Mild Steel, 16" x 20"/400 x 500 mm		$387
72198707	72198707	Roller conveyor, galvanized rollers, painted Mild Steel, 20" x 26"/500 x 650 mm		$545
72198709	72198709	Roller conveyor, galvanized rollers, painted Mild Steel, 24" x 32"/600 x 800 mm		$601
72198689	72198689	Roller conveyor, galvanized rollers, painted Mild Steel, 18" x 18"/457 x 457 mm		$387
72198690	72198690	Roller conveyor, galvanized rollers, painted Mild Steel, 24" x 24"/610 x 610 mm		$494
72198691	72198691	Ball top, galvanized balls, painted Mild Steel, 16" x 20"/400 x 500 mm		$409
72198692	72198692	Ball top, galvanized balls, painted Mild Steel, 20" x 26"/500 x 650 mm		$494
72198693	72198693	Ball top, galvanized balls, painted Mild Steel, 24" x 32"/600 x 800 mm		$545
72198694	72198694	Ball top, galvanized balls, painted Mild Steel, 18" x 18"/457 x 457 mm		$409
72198695	72198695	Ball top, galvanized balls, painted Mild Steel, 24" x 24"/610 x 610 mm		$494

Planned Phase Out June 2013

©Mettler-Toledo, LLC

PBA655

Analog Scale Bases
Powder Coated Steel with Stainless Steel Platter

COMMERCIAL

Approvals:

- NTEP Class III, 10,000d, COC #02-081A2 (30024678 is not NTEP approved)
- Measurement Canada Approval #AM-5500 Rev 1 (30024678 is not approved)
- OIML C6 TC5843 (785 load cell), TC5842 (795 load cell), TC6064 (805 load cell)

Standard Features:

- Aluminum model 785, 795, 805 analog load cell
- 6 kg to 600 kg capacities
- IP65 ingress protection
- Rectangular Sizes
- 304 Stainless Steel platter, rounded corners
- Powder coated steel frame
- Six overload stops





Ordering Information

PBA655 Analog Scale Base

Order Number	SAP Order Number	Platform Size mm (in)	Standard Maximum Capacity	Approved Maximum Capacity	Approved Minimum Readability	Cable Length	Shipping Weight (lb)	Suggested List Price (CDN$)
30024666	30024666	240 x 300 x 80 (9.5" x 12") - A	6 kg	5 kg/10 lb	0.5 g/0.001 lb	1 m/ 3.28 ft	15 lb	$736
30024667	30024667		12 kg	10 kg/20 lb	1.0 g/0.002 lb		15 lb	$736
30024668	30024668	300 x 400 x 86 (12" x 16") - BB	30 kg	20 kg/50 lb	2.0 g/0.005 lb	2 m/ 6.56 ft	26 lb	$900
30024669	30024669		60 kg	50 kg/100 lb	5.0 g/0.01 lb	2 m/ 6.56 ft	26 lb	$900
30024670	30024670	400 x 500 x 86 (16" x 20") - B	60 kg	50 kg/100 lb	5.0 g/0.01 lb	2.5 m/ 8.2 ft	49 lb	$1,126
30024671	30024671		120 kg	100 kg/200 lb	10.0 g/0.02 lb		49 lb	$1,126
30024672	30024672	500 x 650 x 110 (20" x 26") - BC	60 kg	50 kg/100 lb	5.0 g/0.01 lb	2.5 m/ 8.2 ft	59 lb	$1,272
30024673	30024673		120 kg	100 kg/200 lb	00.0 g/0.02 lb		59 lb	$1,272
30024674	30024674		300 kg	200 kg/500 lb	20.0 g/0.05 lb		59 lb	$1,272
30024675	30024675	600 x 800 x 120 (24" x 32") - CC	60 kg	50 kg/100 lb	5.0 g/0.01 lb	2.5 m/ 8.2 ft	101 lb	$1,639
30024676	30024676		120 kg	100 kg/200 lb	10.0 g/0.02 lb		101 lb	$1,639
30024677	30024677		300 kg	200 kg/500 lb	20.0 g/0.05 lb		101 lb	$1,639
30024678	30024678		600 kg	600kg/1000lb	N/A		101 lb	$1,639

PBA655 Analog Scale Bases

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
PBA655 Accessories				
A082534020	68012730	Splice box, plastic for extending load cell cable (TYPE 4X)	2 lb	$114
TB100448	72999960	Splice box, Stainless Steel for extending load cell cable	2 lb	$261
PBA655 Accessories - Columns				
72198699	72198699	Column, CS, open back rectangular, 13"/330 mm, flat top, tapped M8 hole		$93
72198700	72198700	Column, CS, open back rectangular, 26"/660 mm, flat top, tapped M8 hole		$109
72198701	72198701	Column, CS, open back rectangular, 35.5"/900 mm, flat top, tapped M8 hole		$127
72198702	72198702	Column, SS, open back rectangular, 13"/330 mm, flat top, tapped M8 hole		$127
72198703	72198703	Column, SS, open back rectangular, 26"/660 mm, flat top, tapped M8 hole		$149
72198704	72198704	Column, SS, open back rectangular, 35.5"/900 mm, flat top, tapped M8 hole		$171
503700	503700	Freestanding Carbon Steel Base Plate (Provides added stability)		$247
503701	503701	Freestanding Stainless Steel Base Plate		$447
PBA655 Accessories - Stands and Carts				
503631	503631	Wheeled stand, CS, open top, 16" x 20"/400 x 500 mm, 'B'		$414
504853	504853	Wheeled stand, CS, open top, 24" x 32"/600 x 800 mm, 'CC'		$624
503632	503632	Wheeled stand, SS, open top, 16" x 20"/400 x 500 mm, 'B'		$658
504854	504854	Wheeled stand, SS, open top, 24" x 32"/600 x 800 mm, 'CC'		$964
72198696	72198696	Cart, Painted Mild Steel, low profile, open top for mobile weighing, 500 x 650 x 130 mm		$596
72198697	72198697	Cart, Painted Mild Steel, low profile, open top for mobile weighing, 600 x 800 x 130 mm		$630
09240070000	64049717	Stainless Steel cart, solid top with holes for 9 in, 12 in, 18 in platforms	45 lb	$1,287
PBA655 Accessories - Special Tops				
72198705	72198705	Roller conveyor, galvanized rollers, painted Mild Steel, 16" x 20"/400 x 500 mm		$387
72198707	72198707	Roller conveyor, galvanized rollers, painted Mild Steel, 20" x 26"/500 x 650 mm		$545
72198709	72198709	Roller conveyor, galvanized rollers, painted Mild Steel, 24" x 32"/600 x 800 mm		$601
72198691	72198691	Ball top, galvanized balls, painted Mild Steel, 16" x 20"/400 x 500 mm		$409
72198692	72198692	Ball top, galvanized balls, painted Mild Steel, 20" x 26"/500 x 650 mm		$494
72198693	72198693	Ball top, galvanized balls, painted Mild Steel, 24" x 32"/600 x 800 mm		$545

©Mettler-Toledo, LLC

PBA655x

Analog Scale Bases
Powder Coated Steel with Stainless Steel Platter

Approvals:

- NTEP Class III, 10,000d, COC #02-081A2 (30024704 is not NTEP approved)
- Measurement Canada Approval #AM-5500 Rev 1 (30024704 is not approved)
- OIML C6 TC5843 (785 load cell), TC5842 (795 load cell), TC6064 (805 load cell)

Standard Features:

- Aluminum model 785, 795, 805 analog load cell
- 6 kg to 600 kg capacities
- IP65 ingress protection
- Rectangular Sizes
- 304 Stainless Steel platter, rounded corners
- Powder coated steel frame
- Six overload stops





Ordering Information

PBA655x Analog Scale Base

Order Number	SAP Order Number	Platform Size mm (in)	Standard Maximum Capacity	Approved Maximum Capacity	Approved Minimum Readability	Cable Length	Shipping Weight (lb)	Suggested List Price (CDN$)
30024692	30024692	240 x 300 x 80 (9.5" x 12") - A	6 kg	5 kg/10 lb	0.5 g/0.001 lb	1 m/ 3.28 ft	15 lb	$978
30024693	30024693		12 kg	10 kg/20 lb	1.0 g/0.002 lb		15 lb	$978
30024694	30024694	300 x 400 x 86 (12" x 16") - BB	30 kg	20 kg/50 lb	2.0 g/0.005 lb	2 m/ 6.56 ft	26 lb	$1,142
30024695	30024695		60 kg	50 kg/100 lb	5.0 g/0.01 lb	2 m/ 6.56 ft	26 lb	$1,142
30024696	30024696	400 x 500 x 86 (16" x 20") - B	60 kg	50 kg/100 lb	5.0 g/0.01 lb	2.5 m/ 8.2 ft	49 lb	$1,368
30024697	30024697		120 kg	100 kg/200 lb	10.0 g/0.02 lb		49 lb	$1,368
30024698	30024698	500 x 650 x 110 (20" x 26") - BC	60 kg	50 kg/100 lb	5.0 g/0.01 lb	2.5 m/ 8.2 ft	59 lb	$1,514
30024699	30024699		120 kg	100 kg/200 lb	00.0 g/0.02 lb		59 lb	$1,514
30024700	30024700		300 kg	200 kg/500 lb	20.0 g/0.05 lb		59 lb	$1,514
30024701	30024701	600 x 800 x 120 (24" x 32") - CC	60 kg	50 kg/100 lb	5.0 g/0.01 lb	2.5 m/ 8.2 ft	101 lb	$1,881
30024702	30024702		120 kg	100 kg/200 lb	10.0 g/0.02 lb		101 lb	$1,881
30024703	30024703		300 kg	200 kg/500 lb	20.0 g/0.05 lb		101 lb	$1,881
30024704	30024704		600 kg	600 kg/1000 lb	N/A		101 lb	$1,881

PBA655x Analog Scale Bases

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
PBA655x Accessories				
A082534020	68012730	Splice box, plastic for extending load cell cable (TYPE 4X)	2 lb	$114
TB100448	72999960	Splice box, Stainless Steel for extending load cell cable	2 lb	$261
PBA655x Accessories - Columns				
72198699	72198699	Column, CS, open back rectangular, 13"/330 mm, flat top, tapped M8 hole		$93
72198700	72198700	Column, CS, open back rectangular, 26"/660 mm, flat top, tapped M8 hole		$109
72198701	72198701	Column, CS, open back rectangular, 35.5"/900 mm, flat top, tapped M8 hole		$127
72198702	72198702	Column, SS, open back rectangular, 13"/330 mm, flat top, tapped M8 hole		$127
72198703	72198703	Column, SS, open back rectangular, 26"/660 mm, flat top, tapped M8 hole		$149
72198704	72198704	Column, SS, open back rectangular, 35.5"/900 mm, flat top, tapped M8 hole		$171
503700	503700	Freestanding Carbon Steel Base Plate (Provides added stability)		$247
503701	503701	Freestanding Stainless Steel Base Plate		$447
PBA655x Accessories - Stands and Carts				
503631	503631	Wheeled stand, CS, open top, 16" x 20"/400 x 500 mm, 'B'		$414
504853	504853	Wheeled stand, CS, open top, 24" x 32"/600 x 800 mm, 'CC'		$624
503632	503632	Wheeled stand, SS, open top, 16" x 20"/400 x 500 mm, 'B'		$658
504854	504854	Wheeled stand, SS, open top, 24" x 32"/600 x 800 mm, 'CC'		$964
72198696	72198696	Cart, Painted Mild Steel, low profile, open top for mobile weighing, 500 x 650 x 130 mm		$596
72198697	72198697	Cart, Painted Mild Steel, low profile, open top for mobile weighing, 600 x 800 x 130 mm		$630
09240070000	64049717	Stainless Steel cart, solid top with holes for 9 in, 12 in, 18 in platforms	45 lb	$1,287
PBA655x Accessories - Special Tops				
72198705	72198705	Roller conveyor, galvanized rollers, painted Mild Steel, 16" x 20"/400 x 500 mm		$387
72198707	72198707	Roller conveyor, galvanized rollers, painted Mild Steel, 20" x 26"/500 x 650 mm		$545
72198709	72198709	Roller conveyor, galvanized rollers, painted Mild Steel, 24" x 32"/600 x 800 mm		$601
72198691	72198691	Ball top, galvanized balls, painted Mild Steel, 16" x 20"/400 x 500 mm		$409
72198692	72198692	Ball top, galvanized balls, painted Mild Steel, 20" x 26"/500 x 650 mm		$494
72198693	72198693	Ball top, galvanized balls, painted Mild Steel, 24" x 32"/600 x 800 mm		$545

©Mettler-Toledo, LLC

PBA226

Analog Scale Bases
Stainless Steel Construction

COMMERCIAL

Approvals:

- NTEP Class III, 5000d (COC 09-073)
- Measurement Canada Approval AM-5760
- OIML Class III, 3000e

Standard Features:

- Aluminum Potted Analog Load Cells
- 3 kg to 150 kg capacities
- IP65 ingress protection
- Rectangular and Square sizes
- 304 stainless steel

Ordering Information

PBA226 without Hygienic Kit

Order Number	SAP Order Number	Description	Platform Size	Capacity	Approved Minimum Readability	Cable Length	Suggested List Price (CDN$)
72229485	72229485	PBA226-A3	240x300mm (9.5"x12")-A	3 kg/5 lb	1 g/0.001 lb	1.8 m / 5.9 ft	$867
72229487	72229487	PBA226-A6		6 kg/10 lb	2 g/0.002 lb		$867
72229489	72229489	PBA226-A15		15 kg/25 lb	5 g/0.005 lb		$867
72229491	72229491	PBA226-BB30	300x400mm (12"x16")-BB	30 kg/50 lb	10 g/0.01 lb	2.3 m / 7.5 ft	$1,061
72229494	72229494	PBA226-BB60		60 kg/100 lb	20 g/0.02 lb		$1,061
72229492	72229492	PBA226-B30	400x500mm (16"x20")-B	30 kg/50 lb	10 g/0.01 lb	2.3 m / 7.5 ft	$1,293
72229495	72229495	PBA226-B60		60 kg/100 lb	20 g/0.02 lb		$1,293
72234426	72234426	PBA226-B150		150 kg/250 lb	50 g/0.05 lb		$1,293
72229486	72229486	PBA226-QA3	229x229mm (9"x9")-QA	3 kg/5 lb	1 g/0.001 lb	1.8 m/5.9 ft	$777
72229488	72229488	PBA226-QA6		6 kg/10 lb	2 g/0.002 lb		$777
72229490	72229490	PBA226-QB15	305x305mm (12"x12")-QB	15 kg/25 lb	5 g/0.005 lb	2.3 m/7.5 ft	$913
72229493	72229493	PBA226-QB30		30 kg/50 lb	10 g/0.01 lb		$913
72229496	72229496	PBA226-QB60		60 kg/100 lb	20 g/0.02 lb		$913
72234425	72234425	PBA226-QC60	457x457mm (18"x18")-QC	60 kg/100 lb	20 g/0.02 lb	3.3 m/10.8 ft	$1,293
72234427	72234427	PBA226-QC150		150 kg/250 lb	50 g/0.05 lb		$1,293

PBA226 with Hygienic Kit

72245583	72245583	PBA226-A3H	240x300mm (9.5"x12")-A	3 kg/5 lb	1 g/0.001 lb	1.8 m / 5.9 ft	$959
72245584	72245584	PBA226-A6H		6 kg/10 lb	2 g/0.002 lb		$959
72245585	72245585	PBA226-A15H		15 kg/25 lb	5 g/0.005 lb		$959
72245586	72245586	PBA226-BB30H	300x400mm (12"x16")-BB	30 kg/50 lb	10 g/0.01 lb	2.3 m / 7.5 ft	$1,151
72245587	72245587	PBA226-BB60H		60 kg/100 lb	20 g/0.02 lb		$1,151
72245588	72245588	PBA226-B30H	400x500mm (16"x20")-B	30 kg/50 lb	10 g/0.01 lb	2.3 m / 7.5 ft	$1,383
72245589	72245589	PBA226-B60H		60 kg/100 lb	20 g/0.02 lb		$1,383
71211183	71211183	PBA226-B150H		150 kg/250 lb	50 g/0.05 lb		$1,383
72245590	72245590	PBA226-QA3H	229x229mm (9"x9")-QA	3 kg/5 lb	1 g/0.001 lb	1.8 m/5.9 ft	$879
72245591	72245591	PBA226-QA6H		6 kg/10 lb	2 g/0.002 lb		$879
72245592	72245592	PBA226-QB15H	305x305mm (12"x12")-QB	15 kg/25 lb	5 g/0.005 lb	2.3 m/7.5 ft	$1,004
72245593	72245593	PBA226-QB30H		30 kg/50 lb	10 g/0.01 lb		$1,004
72245594	72245594	PBA226-QB60H		60 kg/100 lb	20 g/0.02 lb		$1,004
71211184	71211184	PBA226-QC60H	457x457mm (18"x18")-QC	60 kg/100 lb	20 g/0.02 lb	3.3 m/10.8 ft	$1,389
71211185	71211185	PBA226-QC150H		150 kg/250 lb	50 g/0.05 lb		$1,389

PBA426 (x)

Analog Scale Bases
Stainless Steel Construction

APPLIED

Approvals:

- NTEP Class III, 5000d (COC 10-049)
- Measurement Canada Approval AM-5783
- OIML Class III, 3000e
- EX version: ATEX Approved for Zone 1/21, FM Approved IS, Class I, II, III, Division 1 (Load Cell)

Standard Features:

- Stainless Steel Potted Analog Load Cells
- 3 kg to 60 kg capacities
- IP65 / IP67 ingress protection
- Rectangular and Square sizes
- 304 stainless steel

Ordering Information

PBA426 Stainless Steel Platform

Order Number	SAP Order Number	Description	Platform Size	Capacity	Approved Minimum Readability	Cable Length	Suggested List Price (CDN$)
72229533	72229533	PBA426-A3	240x300mm (9.5"x12")-A	3 kg/5 lb	1 g/ NA*	3 m / 9.9 ft	$1,054
72229535	72229535	PBA426-A6		6 kg/10 lb	2 g/0.002 lb		$1,054
72229537	72229537	PBA426-A15		15 kg/25 lb	5 g/0.005 lb		$1,054
72229539	72229539	PBA426-BB30	300x400mm (12"x16")-BB	30 kg/50 lb	10 g/0.01 lb		$1,247
72229542	72229542	PBA426-BB60		60 kg/100 lb	20 g/0.02 lb		$1,247
72229541	72229541	PBA426-B30	400x500mm (16"x20")-B	30 kg/50 lb	10 g/0.01 lb		$1,485
72229543	72229543	PBA426-B60		60 kg/100 lb	20 g/0.02 lb		$1,485
72229534	72229534	PBA426-QA3	229x229mm (9"x9")-QA	3 kg/5 lb	1 g/NA*		$970
72229536	72229536	PBA426-QA6		6 kg/10 lb	2 g/0.002 lb		$970
72229538	72229538	PBA426-QB15	305x305mm (12"x12")-QB	15 kg/25 lb	5 g/0.005 lb		$1,100
72229540	72229540	PBA426-QB30		30 kg/50 lb	10 g/0.01 lb		$1,100
72229544	72229544	PBA426-QB60		60 kg/100 lb	20 g/0.02 lb		$1,100

PBA426 Stainless Steel Platform - with Hygienic Kit

72245571	72245571	PBA426-A3H	240x300mm (9.5"x12")-A	3 kg/5 lb	1 g/ NA*	3 m / 9.9 ft	$1,146
72245572	72245572	PBA426-A6H		6 kg/10 lb	2 g/0.002 lb		$1,146
72245573	72245573	PBA426-A15H		15 kg/25 lb	5 g/0.005 lb		$1,146
72245574	72245574	PBA426-BB30H	300x400mm (12"x16")-BB	30 kg/50 lb	10 g/0.01 lb		$1,333
72245575	72245575	PBA426-BB60H		60 kg/100 lb	20 g/0.02 lb		$1,333
72245576	72245576	PBA426-B30H	400x500mm (16"x20")-B	30 kg/50 lb	10 g/0.01 lb		$1,576
72245577	72245577	PBA426-B60H		60 kg/100 lb	20 g/0.02 lb		$1,576
72245578	72245578	PBA426-QA3H	229x229mm (9"x9")-QA	3 kg/5 lb	1 g/NA*		$1,061
72245579	72245579	PBA426-QA6H		6 kg/10 lb	2 g/0.002 lb		$1,061
72245580	72245580	PBA426-QB15H	305x305mm (12"x12")-QB	15 kg/25 lb	5 g/0.005 lb		$1,191
72245581	72245581	PBA426-QB30H		30 kg/50 lb	10 g/0.01 lb		$1,191
72245582	72245582	PBA426-QB60H		60 kg/100 lb	20 g/0.02 lb		$1,191

 ©Mettler-Toledo, LLC

PBA426

PBA426 Stainless Steel Platform - With EX Approval

Order Number	SAP Order Number	Description	Platform Size	Capacity	Approved Minimum Readability	Cable Length	Suggested List Price (CDN$)
72237298		PBA426X-A3	240x300mm (9.5"x12")-A	3 kg/5 lb	1 g/ NA*	3 m / 9.9 ft	$1,309
72237300	64088003	PBA426X-A6		6 kg/10 lb	2 g/0.002 lb		$1,309
72237302		PBA426X-A15		15 kg/25 lb	5 g/0.005 lb		$1,309
72237304	72237304	PBA426X-BB30	300x400mm (12"x16")-BB	30 kg/50 lb	10 g/0.01 lb		$1,502
72237307	64088001	PBA426X-BB60		60 kg/100 lb	20 g/0.02 lb		$1,502
72237306		PBA426X-B30	400x500mm (16"x20")-B	30 kg/50 lb	10 g/0.01 lb		$1,741
72237308	64087140	PBA426X-B60		60 kg/100 lb	20 g/0.02 lb		$1,741
72237299		PBA426X-QA3	229x229mm (9"x9")-QA	3 kg/5 lb	1 g/NA*		$1,230
72237301		PBA426X-QA6		6 kg/10 lb	2 g/0.002 lb		$1,230
72237303	64088213	PBA426X-QB15	305x305mm (12"x12")-QB	15 kg/25 lb	5 g/0.005 lb		$1,355
72237305		PBA426X-QB30		30 kg/50 lb	10 g/0.01 lb		$1,355
72237309	72237309	PBA426X-QB60		60 kg/100 lb	20 g/0.02 lb		$1,355

PBA426 Stainless Steel Platform - with Hygienic Kit and EX Approval

71211159	71211159	PBA426X-A3H	240x300mm (9.5"x12")-A	3 kg/5 lb	1 g/ NA*	3 m / 9.9 ft	$1,401
71211160	71211160	PBA426X-A6H		6 kg/10 lb	2 g/0.002 lb		$1,401
71211161	71211161	PBA426X-A15H		15 kg/25 lb	5 g/0.005 lb		$1,401
71211162	71211162	PBA426X-BB30H	300x400mm (12"x16")-BB	30 kg/50 lb	10 g/0.01 lb		$1,599
71211163	71211163	PBA426X-BB60H		60 kg/100 lb	20 g/0.02 lb		$1,599
71211164		PBA426X-B30H	400x500mm (16"x20")-B	30 kg/50 lb	10 g/0.01 lb		$1,831
71211165	71211165	PBA426X-B60H		60 kg/100 lb	20 g/0.02 lb		$1,831
71211166		PBA426X-QA3H	229x229mm (9"x9")-QA	3 kg/5 lb	1 g/NA*		$1,315
71211167		PBA426X-QA6H		6 kg/10 lb	2 g/0.002 lb		$1,315
71211168		PBA426X-QB15H	305x305mm (12"x12")-QB	15 kg/25 lb	5 g/0.005 lb		$1,446
71211169	71211169	PBA426X-QB30H		30 kg/50 lb	10 g/0.01 lb		$1,446
71211170		PBA426X-QB60H		60 kg/100 lb	20 g/0.02 lb		$1,446

PBA429 (x)

Analog Scale Bases
Stainless Steel Construction

APPLIED

Approvals:

- NTEP Class III, 5000d (COC 10-049)
- Measurement Canada Approval AM-5783
- OIML Class III, 3000e
- EX version: ATEX Approved for Zone 1/21, FM Approved IS, Class I, II, III, Division 1 (Load Cell)

Standard Features:

- Hermetically Sealed Stainless Steel Analog Load Cells
- 3 kg to 60 kg capacities
- IP68 / IP69k ingress protection
- Rectangular and Square sizes
- 304 stainless steel

Ordering Information

PBA429 Stainless Steel Platform

Order Number	SAP Order Number	Description	Platform Size	Capacity	Approved Minimum Readability	Cable Length	Suggested List Price (CDN$)
71211147	71211147	PBA429-A3	240x300mm (9.5"x12")-A	3 kg/5 lb	1 g/ NA*	3 m / 9.9 ft	$1,360
71211148	71211148	PBA429-A6		6 kg/10 lb	2 g/0.002 lb		$1,360
71211149	71211149	PBA429-A15		15 kg/25 lb	5 g/0.005 lb		$1,360
71211150	71211150	PBA429-BB30	300x400mm (12"x16")-BB	30 kg/50 lb	10 g/0.01 lb		$1,565
71211151	71211151	PBA429-BB60		60 kg/100 lb	20 g/0.02 lb		$1,565
71211152	71211152	PBA429-B30	400x500mm (16"x20")-B	30 kg/50 lb	10 g/0.01 lb		$1,797
71211153	71211153	PBA429-B60		60 kg/100 lb	20 g/0.02 lb		$1,797
71211154	71211154	PBA429-QA3	229x229mm (9"x9")-QA	3 kg/5 lb	1 g/NA*		$1,281
71211155	71211155	PBA429-QA6		6 kg/10 lb	2 g/0.002 lb		$1,281
71211156	71211156	PBA429-QB15	305x305mm (12"x12")-QB	15 kg/25 lb	5 g/0.005 lb		$1,412
71211157	71211157	PBA429-QB30		30 kg/50 lb	10 g/0.01 lb		$1,412
71211158	71211158	PBA429-QB60		60 kg/100 lb	20 g/0.02 lb		$1,412

PBA429 Stainless Steel Platform - with Hygienic Kit

72229521	72229521	PBA429-A3H	240x300mm (9.5"x12")-A	3 kg/5 lb	1 g/ NA*	3 m / 9.9 ft	$1,457
72229523	72229523	PBA429-A6H		6 kg/10 lb	2 g/0.002 lb		$1,457
72229525	72229525	PBA429-A15H		15 kg/25 lb	5 g/0.005 lb		$1,457
72229527	72229527	PBA429-BB30H	300x400mm (12"x16")-BB	30 kg/50 lb	10 g/0.01 lb		$1,644
72229530	72229530	PBA429-BB60H		60 kg/100 lb	20 g/0.02 lb		$1,644
72229529	72229529	PBA429-B30H	400x500mm (16"x20")-B	30 kg/50 lb	10 g/0.01 lb		$1,887
72229532	72229532	PBA429-B60H		60 kg/100 lb	20 g/0.02 lb		$1,887
72229522	72229522	PBA429-QA3H	229x229mm (9"x9")-QA	3 kg/5 lb	1 g/NA*		$1,372
72229524	72229524	PBA429-QA6H		6 kg/10 lb	2 g/0.002 lb		$1,372
72229526	72229526	PBA429-QB15H	305x305mm (12"x12")-QB	15 kg/25 lb	5 g/0.005 lb		$1,502
72229528	72229528	PBA429-QB30H		30 kg/50 lb	10 g/0.01 lb		$1,502
72229531	72229531	PBA429-QB60H		60 kg/100 lb	20 g/0.02 lb		$1,502

 ©Mettler-Toledo, LLC

PBA429

PBA429 Stainless Steel Platform - With EX Approval

Order Number	SAP Order Number	Description	Platform Size	Capacity	Approved Minimum Readability	Cable Length	Suggested List Price (CDN$)
71211171	71211171	PBA429X-A3	240x300mm (9.5"x12")-A	3 kg/5 lb	1 g/ NA*	3 m / 9.9 ft	$1,621
71211172	71211172	PBA429X-A6		6 kg/10 lb	2 g/0.002 lb		$1,621
71211173		PBA429X-A15		15 kg/25 lb	5 g/0.005 lb		$1,621
71211174		PBA429X-BB30	300x400mm (12"x16")-BB	30 kg/50 lb	10 g/0.01 lb		$1,820
71211175	71211175	PBA429X-BB60		60 kg/100 lb	20 g/0.02 lb		$1,820
71211176		PBA429X-B30	400x500mm (16"x20")-B	30 kg/50 lb	10 g/0.01 lb		$2,052
71211177		PBA429X-B60		60 kg/100 lb	20 g/0.02 lb		$2,052
71211178		PBA429X-QA3	229x229mm (9"x9")-QA	3 kg/5 lb	1 g/NA*		$1,536
71211179		PBA429X-QA6		6 kg/10 lb	2 g/0.002 lb		$1,536
71211180		PBA429X-QB15	305x305mm (12"x12")-QB	15 kg/25 lb	5 g/0.005 lb		$1,667
71211181		PBA429X-QB30		30 kg/50 lb	10 g/0.01 lb		$1,667
71211182		PBA429X-QB60		60 kg/100 lb	20 g/0.02 lb		$1,667

PBA429 Stainless Steel Platform - with Hygienic Kit and EX Approval

72237286		PBA429X-A3H	240x300mm (9.5"x12")-A	3 kg/5 lb	1 g/ NA*	3 m / 9.9 ft	$1,718
72237288		PBA429X-A6H		6 kg/10 lb	2 g/0.002 lb		$1,718
72237290		PBA429X-A15H		15 kg/25 lb	5 g/0.005 lb		$1,718
72237292		PBA429X-BB30H	300x400mm (12"x16")-BB	30 kg/50 lb	10 g/0.01 lb		$1,910
72237295		PBA429X-BB60H		60 kg/100 lb	20 g/0.02 lb		$1,910
72237294		PBA429X-B30H	400x500mm (16"x20")-B	30 kg/50 lb	10 g/0.01 lb		$2,148
72237297	72237297	PBA429X-B60H		60 kg/100 lb	20 g/0.02 lb		$2,148
72237287		PBA429X-QA3H	229x229mm (9"x9")-QA	3 kg/5 lb	1 g/NA*		$1,633
72237289		PBA429X-QA6H		6 kg/10 lb	2 g/0.002 lb		$1,633
72237291		PBA429X-QB15H	305x305mm (12"x12")-QB	15 kg/25 lb	5 g/0.005 lb		$1,763
72237293		PBA429X-QB30H		30 kg/50 lb	10 g/0.01 lb		$1,763
72237296	72237296	PBA429X-QB60H		60 kg/100 lb	20 g/0.02 lb		$1,763

PBA430

Analog Scale Bases
Stainless Steel



PBA430

APPLIED

Approvals:

- USA: NTEP Class III, 5000d, COC #06-067 (except 3 kg & 600 kg capacities)
- Measurement Canada Approval #AM-5606 (except 3 kg & 600 kg capacities)
- OIML C3 D09-04.34 (708 load cell), D09-04.35 (709 load cell)
- NSF, EHEDG, GMP, FM certifications

Standard Features:

- 3 kg to 600 kg capacities
- Up to 30,000d readability (not legal for trade)
- Square and rectangular sizes
- 304 Stainless Steel platter, no lip
- IP68 & IP69k protection
- Electro-polished Stainless Steel frame (except CC size)
- Up to six overload stops
- Stainless Steel hermetically sealed model 708/709 analog loadcell

Options

- 316 Stainless Steel platter

Ordering Information

PBA430 Rectangular Platform

Order Number	SAP Order Number	Platform Size mm (in)	Maximum Capacity	Approved Maximum Capacity	Approved Minimum Readability	Cable Length	Shipping Weight (lb)	Suggested List Price (CDN$)
22010255	22010255	240 x 300 (9.5" x 12") - A	3 kg	N/A	N/A	1.5 m (4.9 ft)	15 lb	$1,672
22010256	22010256		6 kg	5 kg / 10 lb	0.001 kg / 0.002 lb		15 lb	$1,672
22010257	22010257		15 kg	10 kg / 25 lb	0.002 kg / 0.005 lb		15 lb	$1,672
22010259	22010259	300 x 400 (12" x 16") - BB	30 kg	25 kg / 50 lb	0.005 kg / 0.01 lb	1.5 m (4.9 ft)	20 lb	$1,967
22010260	22010260		60 kg	50 kg / 100 lb	0.01 kg / 0.02 lb	2.5 m (8.2 ft)	20 lb	$1,967
22010261	22010261	400 x 500 (16" x 20") - B	30 kg	25 kg / 50 lb	0.005 kg / 0.01 lb	1.5 m (4.9 ft)	34 lb	$2,335
22010262	22010262		60 kg	50 kg / 100 lb	0.01 kg / 0.02 lb	2.5 m (8.2 ft)	34 lb	$2,335
22010263	22010263		150 kg	100 kg / 250 lb	0.02 kg / 0.05 lb		34 lb	$2,335
22010264	22010264	500 x 650 (20" x 26") - BC	60 kg	50 kg / 100 lb	0.01 kg / 0.02 lb	5.0 m (16.4 ft)	65 lb	$3,077
22010265	22010265		150 kg	100 kg / 250 lb	0.02 kg / 0.05 lb		65 lb	$3,077
22010266	22010266		300 kg	250 kg / 500 lb	0.05 kg / 0.1 lb		65 lb	$3,077

 ©Mettler-Toledo, LLC

PBA430

PBA430 Rectangular Platforms (continued)

Order Number	SAP Order Number	Platform Size mm (in)	Maximum Capacity	Approved Maximum Capacity	Approved Minimum Readability	Cable Length	Shipping Weight (lb)	Suggested List Price (CDN$)
22010267	22010267	600 x 800 (24" x 32") - CC	60 kg	50 kg / 100 lb	0.01 kg / 0.02 lb	5.0 m (16.4 ft)	125 lb	$4,052
22010268	22010268		150 kg	100 kg / 250 lb	0.02 kg / 0.05 lb		125 lb	$4,052
22010269	22010269		300 kg	250 kg / 500 lb	0.05 kg / 0.1 lb		125 lb	$4,052
22010270	22010270		600 kg	N/A	N/A		125 lb	$4,052

PBA430 Square Platforms (continued)

22008757	22008757	229 x 229 (9" x 9") - QA	6 kg	5 kg / 10 lb	0.001 kg / 0.002 lb	1.5 m (4.9 ft)	15 lb	$1,627
22008758	22008758	305 x 305 (12" x 12") - QB	15 kg	10 kg / 25 lb	0.002 kg / 0.005 lb		23 lb	$1,831
22008759	22008759		30 kg	25 kg / 50 lb	0.005 kg / 0.01 lb		23 lb	$1,831
22008760	22008760		60 kg	50 kg / 100 lb	0.01 kg / 0.02 lb	2.5 m (8.2 ft)	23 lb	$1,831
22008761	22008761	457 x 457 (18" x 18") - QC	60 kg	50 kg / 100 lb	0.01 kg / 0.02 lb		31 lb	$2,675
22008762	22008762		150 kg	100 kg / 250 lb	0.02 kg / 0.05 lb		31 lb	$2,675

PBA430 Accessories - Optional 316 Stainless Steel Platter

Order Number	SAP Order Number	Description		Suggested List Price (CDN$)
22015081		316 SS Platter 229 x 229 mm (9" x 9")	316 SS Platters are optional accessories purchased separately (no substituting for 304 SS platter)	$182
22010316		316 SS Platter 240 x 300 mm (9.5" x 12")		$176
22010317		316 SS Platter 300 x 400 mm (12" x 16")		$318
22015083	22015083	316 SS Platter 305 x 305 mm (12" x 12")		$227
22010318	22010318	316 SS Platter 400 x 500 mm (16" x 20")		$414
22015085	22015085	316 SS Platter 457 x 457 mm (18" x 18")		$318
22010319	22010319	316 SS Platter 500 x 650 mm (20" x 26")		$374
22010320	22010320	316 SS Platter 600 x 800 mm (24" x 32")		$443

PBA430

PBA430 Accessories - Stands / Carts and Special Tops				
Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
503632	503632	Wheeled SS stand - 400 mm (W) x 500 mm (L) x 560 mm (H) - B size, open top		$658
504854	504854	Wheeled SS stand - 600 mm (W) x 800 mm (L) x 560 mm (H) - CC size, open top		$964
72225939	72225939	Stainless Steel Cart, low profile, open top, 500 x 650 x 130 mm (BC)	45 lb	$1,565
72225940	72225940	Stainless Steel Cart, low profile, open top, 600 x 800 x 130 mm (CC)	45 lb	$1,683
09240070000	64049717	Stainless Steel Cart, solid top with holes for 9", 12", 18" platforms 28"L x 24"W x 30.5"H	45 lb	$1,287
503640	503640	Galvanized Roller Track - 16" x 20" / 400 x 500 mm; wt = 9kg,19.8#		$534
22012638	22012638	Galvanized Roller Track - 20" x 26" / 500 x 650 mm; wt = 13.6kg, 30#		$709
504852	504852	Galvanized Roller Track - 24" x 32" / 600 x 800 mm; wt = 22kg, 48.5#		$964
22001647	22001647	304 Stainless Steel Roller Track - 16" x 20" / 400 x 500 mm; wt = 9kg, 19.8#		$669
22012799	22012799	304 Stainless Steel Roller Track - 20" x 26" / 500 x 650 mm; wt = 13.6kg, 30#		$1,174
22001648	22001648	304 Stainless Steel Roller Track - 24" x 32" / 600 x 800 mm; wt = 22kg, 48.5#		$1,259
PBA430 Accessories - Columns				
504128	504128	Pillar support - square tube column to be mounted to scale stand - ID terminal		$746
504132	504132	40 in/1000 mm square tube SS Floor Stand with M8 hole (includes ID terminal bracket)		$857
22014834	22014834	40 in/1000 mm square tube SS Floor Stand with M8 hole (includes IND4x9 bracket)		$688
503701	503701	Freestanding Stainless Steel Base Plate (Provides added stability - 18.5 x 18.5 in/ 470 x 470 mm)		$447
22010334	22010334	13"/330 mm square open back SS column with tapped M8 hole (includes ID terminal bracket)		$400
22010335	22010335	26"/660 mm square open back SS column with tapped M8 hole (includes ID terminal bracket)		$534
64087891	64087891	ICS429 Hygenic Column w/integrated terminal (AC Power)	Table top to top of terminal is 15 inches	$1,430
64087892	64087892	ICS439 Hygenic Column w/integrated terminal (AC Power)		$1,540
64087905	64087905	ICS449 Hygenic Column w/integrated terminal (AC Power)		$1,540
64087906	64087906	ICS469 Hygenic Column w/integrated terminal (AC Power)		$1,650

ICS4x9 hygienic column w/integrated terminal
(can be used with PBA220,PBA330,PBA430, and all PBAx2x)

 ©Mettler-Toledo, LLC

ICS425

Basic Weigh Compact Scale

Standard Features:

- Graphic LCD display with backlights
- Die-cast aluminium housing IP54 (terminal IP65)
- 2 selectable display modes
- Fully Automated Calibration Technology (FACT) for MonoBloc® scale
- Standard: 1 RS232 plus 1 optional interface selectable from: RS232, RS422/485, USB device, USB host, Ethernet, WLAN, Digital I/O
- Date and time
- Optional exchangeable battery

ICS425 Model Configuration



Ordering Information

COMMERCIAL

ICS425 Compact Units - Straight Weighing - Strain Gauge (base model, capacity, platform size)

Order Number	Description	Platform Size	Capacity	Readability (1x6000d)	Shipping Weight (lb)	Suggested List Price (CDN$)
425SF2B4H0	ICS425d-3SM/f	8 x 10 in	6lb / 3 kg	0.001lb / 0.0005kg	12.1 lb	$1,282
425SF3B4H0	ICS425d-6SM/f		12lb / 6 kg	0.002lb / 0.001kg	12.1 lb	$1,282
425SF4C4H0	ICS425d-15LA/f	10 x 14 in	30lb / 15 kg	0.005lb / 0.002kg	12.1 lb	$1,396
425SF7C4H0	ICS425d-35LA/f		60lb / 35 kg	0.01lb / 0.005kg	12.1 lb	$1,396

APPLIED

ICS425 Compact Units - Straight Weighing - MonoBloc (base model, capacity, platform size)

Order Number	Description	Platform Size	Capacity	Readability (1x6000d)	Shipping Weight (lb)	Suggested List Price (CDN$)
425SF1AUM0	ICS425k-0.6XS/f	6 x 5 in	1.2 lb / 0.6 kg	0.00002 lb / 0.000001 kg	12.5 lb	$3,494
425SF2AUM0	ICS425k-3XS/f		6lb / 3 kg	0.0002lb / 0.00001kg	12.5 lb	$2,541
425SF3AUM0	ICS425k-6XS/f		12lb / 6 kg	0.0002lb / 0.00001kg	12.5 lb	$3,063
425SF3BUM0	ICS425k-6SM/f	8 x 10 in	12lb / 6 kg	0.002lb / 0.0001kg	12.5 lb	$2,892
425SF4CUM0	ICS425k-15LA/f	10 x 14 in	30 lb / 15 kg	0.002lb / 0.0001kg	19.8 lb	$3,142
425SF7CUM0	ICS425k-35LA/f		60lb / 35 kg	0.002lb / 0.0001kg	19.8 lb	$3,494

ICS425 Basic Weigh

First & Second Interface Options (select 1)			
Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
A00	RS-232 + No Option	-	$0

Power Options		
A	120 VAC, North American Plug	$0
B	230 VAC, Schuko Plug	$0
M	Battery, North American Plug	$0
N	Battery, Schuko Plug	$0

Other Options		
1	IP54	$0
9	Exchange, Battery Pack (IP54)	$523

ICS4_5 Series Field Installable Kits			
Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
22023619	22023619	Field kit for RS232	$241
22023620	22023620	Field kit for RS422/485 (Dig Scale)	$301
22023621	22023621	Field kit for Ethernet	$504
22023622	22023622	Field kit for USB Device (slave)	$301
22023624	22023624	Field kit for Digital I/O	$301
22023625	22023625	Field kit for WLAN	$811

ICS4_5 Accessories			
30032637	30032637	Terminal Bracket (ICSxx5, for stand/wall/desk)	$99
72198699	72198699	Column, CS, Open Back rectangular, 13"/330mm, Flat Top, M8 Hole	$93
72198700	72198700	Column, CS, Open Back rectangular, 26"/660mm, Flat Top, M8 Hole	$109
72243747	72243747	Power Cord ext. US	$35

ICSxx5 Complete Cables (straight)			
22018967	22018967	Cable M12 USB Male Type A 3.0m (USB Device)	$126
22017601	22017601	Cable M12 RS-232 Female SUB D9	$126
22017602	22017602	Cable M12 RS-232 Male SUB D9	$126
22017603	22017603	Cable M12 RS422/485 - Open Ends	$126
22018969	22018969	Cable M12 Digital I/O - Open Ends	$126
22017610	22017610	Cable M12 Ethernet - RJ45 5.0m	$126
22017604	22017604	Cable M12 USB Female Type A 0.2m (USB Host)	$121
30029387	30029387	M12 Cable, straight, PQ16 Printer Cable	$125
30029388	30029388	M12 Cable, bend, PQ16 Printer Cable	$125
30029400	30029400	M12 Cable, Printer Cable, straight	$126
30029401	30029401	M12 Cable, Printer Cable, bend	$126

ICSxx5 Battery Options			
72263693	72263693	Battery Charger M12 straight (power supply external) w/o power cord	$149
30032647	30032647	ICSxx5 Battery Pack (snap in)	$262
30035339		External battery charging station	$266

©Mettler-Toledo, LLC

XS

SM

LA

ICS435

Basic Weigh Compact Scale

Standard Features:

- Graphic LCD display with backlights
- Die-cast aluminium housing IP54 (terminal IP65)
- 2 selectable display modes
- Date and time
- Optional exchangeable battery
- Numeric keypad
- Fully Automated Calibration Technology (FACT) for MonoBloc® scale
- Standard: 1 RS232 plus 1 optional interface selectable from: RS232, RS422/485, USB device, USB host, Ethernet, WLAN, Digital I/O

ICS435 Model Configuration



Ordering Information

COMMERCIAL

ICS435 Compact Units - Straight Weighing - Strain Gauge (base model, capacity, platform size)

Order Number	Description	Platform Size	Capacity	Readability (1x6000d)	Shipping Weight (lb)	Suggested List Price (CDN$)
435SF2B4H0	ICS435d-3SM/f	8 x 10 in	6lb / 3 kg	0.001lb / 0.0005kg	12.1 lb	$1,452
435SF3B4H0	ICS435d-6SM/f		12lb / 6 kg	0.002lb / 0.001kg	12.1 lb	$1,452
435SF4C4H0	ICS435d-15LA/f	10 x 14 in	30lb / 15 kg	0.005lb / 0.002kg	12.1 lb	$1,566
435SF7C4H0	ICS435d-35LA/f		60lb / 35 kg	0.01lb / 0.005kg	12.1 lb	$1,566

APPLIED

ICS435 Compact Units - Straight Weighing - MonoBloc (base model, capacity, platform size)

Order Number	Description	Platform Size	Capacity	Readability (1x6000d)	Shipping Weight (lb)	Suggested List Price (CDN$)
435SF1AUM0	ICS435k-0.6XS/f	6 x 5 in	1.2 lb / 0.6 kg	0.00002 lb / 0.000001 kg	12.5 lb	$3,663
435SF2AUM0	ICS435k-3XS/f		6lb / 3 kg	0.0002lb / 0.00001kg	12.5 lb	$2,711
435SF3AUM0	ICS435k-6XS/f		12lb / 6 kg	0.0002lb / 0.00001kg	12.5 lb	$3,233
435SF3BUM0	ICS435k-6SM/f	8 x 10 in	12lb / 6 kg	0.002lb / 0.0001kg	12.5 lb	$3,063
435SF4CUM0	ICS435k-15LA/f	10 x 14 in	30 lb / 15 kg	0.002lb / 0.0001kg	19.8 lb	$3,313
435SF7CUM0	ICS435k-35LA/f		60lb / 35 kg	0.002lb / 0.0001kg	19.8 lb	$3,663

ICS435 Basic Weigh

First & Second Interface Options (select 1)			
Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
A00	RS-232 + No Option	-	$0

Power Options		
A	120 VAC, North American Plug	$0
B	230 VAC, Schuko Plug	$0
M	Battery, North American Plug	$0
N	Battery, Schuko Plug	$0

Other Options		
1	IP54	$0
9	Exchange, Battery Pack (IP54)	$523

ICS4_5 Series Field Installable Kits			
Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
22023619	22023619	Field kit for RS232	$241
22023620	22023620	Field kit for RS422/485 (Dig Scale)	$301
22023621	22023621	Field kit for Ethernet	$504
22023622	22023622	Field kit for USB Device (slave)	$301
22023624	22023624	Field kit for Digital I/O	$301
22023625	22023625	Field kit for WLAN	$811

ICS4_5 Accessories			
30032637	30032637	Terminal Bracket (ICSxx5, for stand/wall/desk)	$99
72198699	72198699	Column, CS, Open Back rectangular, 13"/330mm, Flat Top, M8 Hole	$93
72198700	72198700	Column, CS, Open Back rectangular, 26"/660mm, Flat Top, M8 Hole	$109
72243747	72243747	Power Cord ext. US	$35

ICSxx5 Complete Cables (straight)			
22018967	22018967	Cable M12 USB Male Type A 3.0m (USB Device)	$126
22017601	22017601	Cable M12 RS-232 Female SUB D9	$126
22017602	22017602	Cable M12 RS-232 Male SUB D9	$126
22017603	22017603	Cable M12 RS422/485 - Open Ends	$126
22018969	22018969	Cable M12 Digital I/O - Open Ends	$126
22017610	22017610	Cable M12 Ethernet - RJ45 5.0m	$126
22017604	22017604	Cable M12 USB Female Type A 0.2m (USB Host)	$121
30029387	30029387	M12 Cable, straight, PQ16 Printer Cable	$125
30029388	30029388	M12 Cable, bend, PQ16 Printer Cable	$125
30029400	30029400	M12 Cable, Printer Cable, straight	$126
30029401	30029401	M12 Cable, Printer Cable, bend	$126

ICSxx5 Battery Options			
72263693	72263693	Battery Charger M12 straight (power supply external) w/o power cord	$149
30032647	30032647	ICSxx5 Battery Pack (snap in)	$262
30035339		External battery charging station	$266

©Mettler-Toledo, LLC

BBA422 / BBK422

4 Series Basic Weigh Scale

Approvals:

- NTEP Class II 60,000 (MonoBloc); Class III 7,500d (Analog); COC #01-050A6
- Measurement Canada Approval #AM-5437 Revision 2

Standard Features:

- Fast LCD display with back-light
- Die-cast aluminum housing
- 1-Bi-directional RS232 interface
- Zero, Tare, Print, Units, Clear, and On/Off keys

Accessories:

- NiMH rechargable battery pack
- Protective in-use cover

Options:

- Second I/O option: Digital, RS485, USB, or Ethernet TCP/IP (Connection to PC)

4 Series Model Configuration

Model	Protection	Capacity (kg)	Size	Application	Power Option	Software	Interface Option
Basic Weigh	2	03,06,15,35,60	P, S	M (Basic)	0,1	00	00,01,02,03,04,05
B B A 4 2	2	1 5	S	M	0	0 0	0 2

Ordering Information

COMMERCIAL

4 Series Basic - Analog Load Cell

Order Number	Overall Dimensions	Weigh Pan Size	Standard Configuration	Approved Configuration	Shipping Weight (lb)	Suggested List Price (CDN$)
BBA42203PM	10.4" x 13.2" x 4.0"	7.9" x 9.5"	6 x 0.0005 lb / 3 x 0.0002 kg	6 x 0.001 lb / 3 x 0.0005 kg	13 lb	$1,287
BBA42206PM			12 x 0.001 lb / 6 x 0.0005 kg	12 x 0.002 lb / 6 x 0.001 kg	13 lb	$1,287
BBA42215SM	14.2" x 14.6" x 4.5"	9.5" x 13.8"	30 x 0.002 lb / 15 x 0.001 kg	30 x 0.005 lb / 15 x 0.002 kg	21 lb	$1,355
BBA42235SM			70 x 0.005 lb / 35 x 0.002 kg	70 x 0.01 lb / 35 x 0.005 kg	21 lb	$1,355
BBA42260SM			120 x 0.01 lb / 60 x 0.005 kg	120 x 0.02 lb / 60 x 0.01 kg	21 lb	$1,355

APPLIED

4 Series Basic - MonoBloc Load Cell

Order Number	Overall Dimensions	Weigh Pan Size	Standard Configuration	Approved Configuration	Shipping Weight (lb)	Suggested List Price (CDN$)
BBK42203PM	10.4" x 13.2" x 4.0"	6.5" x 6.5"	6 x 0.00002 lb/3 kg x 0.01 g	6 x 0.0002 lb/3 kg x 0.1 g	13 lb	$2,539
BBK42206PM		7.9" x 9.5"	12 x 0.00005 lb/6 kg x 0.02 g	12 x 0.0005 lb/6 kg x 0.2 g	13 lb	$2,539
BBK42215SM	14.2" x 14.6" x 4.5"	9.5" x 13.8"	30 x 0.0001 lb/15 kg x 0.05 g	30 x 0.001 lb/15 kg x 0.5 g	21 lb	$2,980
BBK42235SM			70 x 0.0002 lb/35 kg x 0.1 g	70 x 0.002 lb/35 kg x 1.0 g	21 lb	$3,581

Planned Phase Out June 2013

4 Series Basic Weigh

Power Option

Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
0	120 VAC Power Supply	-	$0
1	30 hour NiMH rechargable battery pack	2 lb	$381

Software Option (choose one only)

00	none	$0

Second Interface Option (choose one only)

00	none	$0
01	RS232	$200
02	Digital I/O	$516
03	RS485	$516
04	USB (slave)	$516
05	Ethernet TCP/IP (Connection to PC) (not IP65)	$516

4 Series Field Installation Kits

Order Number	SAP Order Number	Option Number	Model	Description	Suggested List Price (CDN$)
22013167	22013167	01	Basic	Field kit for 2nd RS232	$222
22013142	22013142	02	Basic	Field kit for Digital I/O	$539
22013145	22013145	03	Basic	Field kit for RS485	$539
22013144	22013144	04	Basic	Field kit for USB (slave)	$539
22013143	22013143	05	Basic	Field kit for Ethernet TCP/IP (Connection to PC) (not IP65)	$539

4 Series Basic Weigh Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
22013140	22013140	30 hour NiMH rechargable battery pack kit for BBA422 / BBK422		$387
22013141	22013141	External power connector kit (includes AC adapter)		$99
22013791	22013791	Mating cable (6 ft) for connecting 12-20 VDC power source to 22013141		$60
21203903	21203903	Certification kit (W&M sealing kit for legal-for-trade applications)		$62
22013180	22013180	BBA422 / BBA425 / BBK422 User Manual		$35
229175	229175	Antitheft device, metal rod lock		$69
590101	590101	Antitheft device, cable lock		$72
21203207	21203207	Scale protective in-use cover for small chassis		$41
21203206	21203206	Scale protective in-use cover for large chassis		$41
09010310000	62009189	Soft sided carrying case for large chassis (not to be used with BBK)		$138
225269	225269	Glass draft shield for BBK4x203 - 135 mm working height (requires 22011304 adapter plate)		$259
22011304	22011304	Adapter plate (required with 225269 draft shield)		$280
11101051	11101051	RS232 Connection cable, Scale to PC 9m to 9f (1 meter)		$78
410024	410024	RS232 Connection cable, Scale to PC 9m to 9f (1.8 meter)		$116
A15637300A	68002738	RS232 Connection cable, Scale to PC 9m to 9f (5 meter)		$53

Planned Phase Out June 2013

 ©Mettler-Toledo, LLC

BBA425 Series

4 Series Basic Weigh Scale
IP65 Protection

COMMERCIAL

Approvals:
- NTEP Class III, 7500d, COC #01-050A6
- Measurement Canada Approval #AM-5437 Revision 2

Standard Features:
- Fast LCD display with back-light
- Die-cast aluminum housing
- IP65/Type 4 protection
- 1-Bi-directional RS232 interface
- Zero, Tare, Print, Units, Clear, and On/Off keys

Accessories:
- NiMH battery pack
- Protective in-use cover

Options:
- Second I/O option: Digital, RS485, USB

Planned Phase Out June 2013

4 Series Model Configuration

Model	Protection	Capacity (kg)	Size	Application	Power Option	Software	Interface Option
Basic Weigh	IP65	03,06,15,35	P, S	M (Basic)	0,1	00	00,01,02,03,04
B B A 4 2	5	1 5	S	M	0	0 0	0 2

Ordering Information

4 Series Basic - IP65

Order Number	Overall Dimensions	Weigh Pan Size	Standard Configuration	Approved Configuration	Shipping Weight (lb)	Suggested List Price (CDN$)
BBA42503PM	10.4" x 13.2" x 4.0"	7.9" x 9.5"	6 x 0.0005 lb / 3 x 0.0002 kg	6 x 0.001 lb / 3 x 0.0005 kg	13 lb	$1,621
BBA42506PM			12 x 0.001 lb / 6 x 0.0005 kg	12 x 0.002 lb / 6 x 0.001 kg	13 lb	$1,621
BBA42515SM	14.2" x 14.6" x 4.5"	9.5" x 13.8"	30 x 0.002 lb / 15 x 0.001 kg	30 x 0.005 lb / 15 x 0.002 kg	21 lb	$1,763
BBA42535SM			70 x 0.005 lb / 35 x 0.002 kg	70 x 0.01 lb / 35 x 0.005 kg	21 lb	$1,763

Power Options

Option	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
0	120 VAC Power Supply	-	$0
1	30 hour NiMH rechargable battery pack	2 lb	$381

Second Interface Option (choose one only)

00	none	$0
02	Digital I/O	$516
03	RS485	$516
04	USB (slave)	$516

ICS429 Series

Compact Bench Scales

ICS429

ICS42

ICS42

APPLIED

Approvals:

- OIML Class III 3000e, NTEP 5000d, Resolutions up to 15000d not approved by W&M.

Standard Features:

- IP68 & 69 protection
- LCD with backlighting Display
- 3 selectable display modes
- RS232 interface default standard
- Basic weighing & Average weighing
- Event and error message
- Optional battery
- "C" versions includes 2.5m/8.2ft cable
- 3 types of platforms available; Aluminum Potted, Stainless Steel Potted, or Stainless Steel Hermetically Sealed

429 Series Model Configuration

Model	Capacity	Size	Software	Construction	Load Cell	Power	Scale	Interface	Reserved
429	003,006,015, 030,060	0A,BB,0B ,QA,QB	S	T, F, C	A, P, H	1,2,4,A,B,D	0	0,1,2,3,4,5	0

429 003 0A S T A 1 0 0 0

Ordering Information

ICS429 Bench Scales

Model	Description	Platform Size	Capacity (lb/kg)	Platform	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
4290030ASxA	ICS429a-A3	240x300mm (9.5"x12")	6lb/3kg	PBA226 Aluminum Potted Load Cell	$1,038	$1,554
4290060ASxA	ICS429a-A6	240x300mm (9.5"x12")	12lb/6kg		$1,038	$1,554
4290150ASxA	ICS429a-A15	240x300mm (9.5"x12")	30lb/15kg		$1,038	$1,554
429030BBSxA	ICS429a-BB30	300x400mm (12"x16")	60lb/30kg		$1,100	$1,707
429060BBSxA	ICS429a-BB60	300x400mm (12"x16")	120lb/60kg		$1,100	$1,707
4290300BSxA	ICS429a-B30	400x500mm (16"x20")	60lb/30kg		$1,247	
4290600BSxA	ICS429a-B60	400x500mm (16"x20")	120lb/60kg		$1,247	
429003QASxA	ICS429a-QA3	229x229mm (9"x9")	6lb/3kg		$1,020	$1,536
429006QASxA	ICS429a-QA6	229x229mm (9"x9")	12lb/6kg		$1,020	$1,536
429015QBSxA	ICS429a-QB15	305x305mm (12"x12")	30lb/15kg		$1,072	$1,672
429030QBSxA	ICS429a-QB30	305x305mm (12"x12")	60lb/30kg		$1,072	$1,672
429060QBSxA	ICS429a-QB60	305x305mm (12"x12")	120lb/60kg		$1,072	$1,672
4290030ASxP	ICS429a-A3	240x300mm (9.5"x12")	6lb/3kg	PBA426 Stainless Steel Potted Load Cell	$1,214	$1,729
4290060ASxP	ICS429a-A6	240x300mm (9.5"x12")	12lb/6kg		$1,214	$1,729
4290150ASxP	ICS429a-A15	240x300mm (9.5"x12")	30lb/15kg		$1,214	$1,729
429030BBSxP	ICS429a-BB30	300x400mm (12"x16")	60lb/30kg		$1,270	$1,859
429060BBSxP	ICS429a-BB60	300x400mm (12"x16")	120lb/60kg		$1,270	$1,859
4290300BSxP	ICS429a-B30	400x500mm (16"x20")	60lb/30kg		$1,457	
4290600BSxP	ICS429a-B60	400x500mm (16"x20")	120lb/60kg		$1,457	
429003QASxP	ICS429a-QA3	229x229mm (9"x9")	6lb/3kg		$1,196	$1,712
429006QASxP	ICS429a-QA6	229x229mm (9"x9")	12lb/6kg		$1,196	$1,712
429015QBSxP	ICS429a-QB15	305x305mm (12"x12")	30lb/15kg		$1,247	$1,825
429030QBSxP	ICS429a-QB30	305x305mm (12"x12")	60lb/30kg		$1,247	$1,825
429060QBSxP	ICS429a-QB60	305x305mm (12"x12")	120lb/60kg		$1,247	$1,825

 ©Mettler-Toledo, LLC

ICS429 Compact Bench Scales

ICS429 Bench Scales (cont.)

Model	Description	Platform Size	Capacity (lb/kg)	Platform	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
4290030ASxH	ICS429a-A3	240x300mm (9.5"x12")	6lb/3kg	PBA429 Stainless Steel Hermetic Load Cell	$1,417	$1,950
4290060ASxH	ICS429a-A6	240x300mm (9.5"x12")	12lb/6kg		$1,417	$1,950
4290150ASxH	ICS429a-A15	240x300mm (9.5"x12")	30lb/15kg		$1,417	$1,950
429030BBSxH	ICS429a-BB30	300x400mm (12"x16")	60lb/30kg		$1,473	$2,068
429060BBSxH	ICS429a-BB60	300x400mm (12"x16")	120lb/60kg		$1,473	$2,068
4290300BSxH	ICS429a-B30	400x500mm (16"x20")	60lb/30kg		$1,604	
4290600BSxH	ICS429a-B60	400x500mm (16"x20")	120lb/60kg		$1,604	
429003QASxH	ICS429a-QA3	229x229mm (9"x9")	6lb/3kg		$1,406	$1,933
429006QASxH	ICS429a-QA6	229x229mm (9"x9")	12lb/6kg		$1,406	$1,933
429015QBSxH	ICS429a-QB15	305x305mm (12"x12")	30lb/15kg		$1,451	$2,046
429030QBSxH	ICS429a-QB30	305x305mm (12"x12")	60lb/30kg		$1,451	$2,046
429060QBSxH	ICS429a-QB60	305x305mm (12"x12")	120lb/60kg		$1,451	$2,046

Construction

Option	Description		Suggested List Price (CDN$)
T	Table	(**note:** be sure to add this bracket cost if manually configuring without the "configurator")	$55
F	Front Mount	(**note:** be sure to add this bracket cost if manually configuring without the "configurator")	$55
C	Column	(Hygienic, closed column)	$0

Power Option

Option	Description	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
1	Internal Battery (with charger) & North American Power Plug	$301	$363
2	Internal Battery (with charger) & Schuko Power Plug	$301	$363
4	Internal Battery (with charger) & Australian Power Plug	$301	$363
A	120VAC, North American Power Plug	$35	$35
B	220VAC, Schuko Power Plug	$35	$35
D	240VAC, Australian Power Plug	$35	$35

Scale Option

Option	Description		Suggested List Price (CDN$)
0	Analog	(**note:** be sure to add this cost if manually configuring without the "configurator")	$273

Second Interface Option (choose one only)

Option	Description	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
0	No interface	$0	$0
1	RS232	$261	$340
2	Digital I/O	$324	$403
3	RS422/485	$261	$340
4	USB Device (slave)	$324	$403
5	Ethernet	$448	$527

ICS429 Compact Bench Scales

ICS4x9 Accessories

Order Number	SAP Order Number	Description	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
72243268	72243268	Table Stand ICS4x9/6x9 (Wall/Column bracket; included with "T" versions)	T - (table)		$58
72243269	72243269	Table Stand ICS4x9/6x9 (optional bracket for desk mounting)	T - (table)		$63
72243270	72243270	Fix Stand ICS4x9 (Front bracket; included with "F" versions)	F - (front)		$58
72198702	72198702	Stainless Steel 330mm (13") column (Not BC or CC Size)	T-(table)		$127
72198703	72198703	Stainless Steel 660mm (26") column (Not BC or CC Size)	T-(table)		$149
72198704	72198704	Stainless Steel 990mm (35.4") column (Not BC or CC Size)	T-(table)		$171
72223842	72223842	Charging PCB	All		$176
22020882	22020882	Battery ICS4x9/6x9	All		$290
64087891	64087891	ICS429 Hygenic Column w/integrated terminal (AC Power)	Table top to top of terminal is 15 inches		$1,430
64087892	64087892	ICS439 Hygenic Column w/integrated terminal (AC Power)			$1,540
64087905	64087905	ICS449 Hygenic Column w/integrated terminal (AC Power)			$1,540
64087906	64087906	ICS469 Hygenic Column w/integrated terminal (AC Power)			$1,650
72243747	72243747	Internal Battery, North American Power Plug			$35
72243744	72243744	Internal Battery, Schuko Power Plug			$35
72243748	72243748	Internal Battery, Australian Power Plug			$35
72243740	72243740	120VAC, North American Power Plug			$35
72243737	72243737	220VAC, Schuko Power Plug			$35
72243741	72243741	240VAC, Australian Power Plug			$35

ICS4x9 Complete Cables (attached plugs are 90 degree oriented)

22021087	22021087	RS232 - Cable for SICS Scale (3m, 8 pin M12 <-> 9 pin D Sub plug)	$126
22021088	22021088	RS232 - Cable for PC (3m, 8 pin M12 <-> 9 pin D Sub receptacle)	$126
22021089	22021089	RS422/RS485 - Cable (3m, 6pin M12 <-> Open end)	$97
22021090	22021090	Ethernet 10/100 Base T twisted pair cable (5m, 4pin M12 <-> RJ45)	$108
22021091	22021091	Ethernet 10/100 Base T twisted pair cable (20m, 4pin M12 <-> RJ45)	$194
22021092	22021092	USB cable for PC connection (3m, 4 pin M12 coding A <-> USB series A plug)	$114
22021093	22021093	Dig I/O Cable to connect RelayBox (10m, 12 pin M12 <-> Open end; ref: relay box 22011967)	$203
30029400	30029400	Printer Cable, straight, (8 pin M12<-> 25 pin D sub male)	$126
30029401	30029401	Printer Cable, 90 degree, (8 pin M12<-> 25 pin D sub male)	$126

ICS4x9 Cable Plugs Only (no solder req'd, plugs are straight line oriented)

22022056	22022056	RS232 Counter Plug (8 pin, M12, IP67)	$154
22022058	22022058	Ethernet Counter Plug (4 pin, Coding D, M12, IP67)	$120
22022059	22022059	USB Counter Plug (4 pin, Coding A, M12, IP67)	$120

ICS4x9 Option Kits (can be ordered independantly)

Order Number	SAP Order Number	Description	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
72243265	72243265	Analog Scale Board	All		$273
64086201	64086201	RS232	T or F (Table or Front)		$261
64086202	64086202	Digital I/O	T or F (Table or Front)		$324
64086203	64086203	RS422/RS485	T or F (Table or Front)		$261
64086204	64086204	USB Device (slave)	T or F (Table or Front)		$324
64086205	64086205	Ethernet	T or F (Table or Front)		$448
64086206	64086206	RS232	C (Column)		$340
64086207	64086207	Digital I/O	C (Column)		$403
64086208	64086208	RS422/RS485	C (Column)		$340
64086209	64086209	USB Device (slave)	C (Column)		$403
64086210	64086210	Ethernet	C (Column)		$527

©Mettler-Toledo, LLC

ICS439 "c"

ICS439

ICS439

ICS439

Compact Bench Scales

APPLIED

Approvals:

- OIML Class III 3000e, NTEP 5000d, Resolutions up to 15000d not approved by W&M.

Standard Features:

- IP68 & 69k protection
- LCD with backlighting Display
- 3 selectable display modes
- RS232 interface default standard
- "C" versions includes 2.5m/8.2ft cable
- Basic weighing & Average weighing
- Event and error message
- Optional battery
- Numeric Keypad
- 3 types of platforms available; Aluminum Potted, Stainless Steel Potted, or Stainless Steel Hermetically Sealed

439 Series Model Configuration

Model	Capacity	Size	Software	Construction	Load Cell	Power	Scale	Interface
439	003,006,015, 030,060	0A,BB,0B ,QA,QB	S	T, F, C	A, P, H	1,2,4,A,B,D	0	0,1,2,3,4,5

439 003 0A S T A 1 0 0 0

Ordering Information

ICS439 Bench Scales

Model	Description	Platform Size	Capacity (lb/kg)	Platform	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
4390030ASxA	ICS439a-A3	240x300mm (9.5"x12")	6lb/3kg	PBA226 Aluminum Potted Load Cell	$1,162	$1,723
4390060ASxA	ICS439a-A6	240x300mm (9.5"x12")	12lb/6kg		$1,162	$1,723
4390150ASxA	ICS439a-A15	240x300mm (9.5"x12")	30lb/15kg		$1,162	$1,723
439030BBSxA	ICS439a-BB30	300x400mm (12"x16")	60lb/30kg		$1,230	$1,876
439060BBSxA	ICS439a-BB60	300x400mm (12"x16")	120lb/60kg		$1,230	$1,876
4390300BSxA	ICS439a-B30	400x500mm (16"x20")	60lb/30kg		$1,383	
4390600BSxA	ICS439a-B60	400x500mm (16"x20")	120lb/60kg		$1,383	
439003QASxA	ICS439a-QA3	229x229mm (9"x9")	6lb/3kg		$1,151	$1,707
439006QASxA	ICS439a-QA6	229x229mm (9"x9")	12lb/6kg		$1,151	$1,707
439015QBSxA	ICS439a-QB15	305x305mm (12"x12")	30lb/15kg		$1,196	$1,836
439030QBSxA	ICS439a-QB30	305x305mm (12"x12")	60lb/30kg		$1,196	$1,836
439060QBSxA	ICS439a-QB60	305x305mm (12"x12")	120lb/60kg		$1,196	$1,836
4390030ASxP	ICS439a-A3	240x300mm (9.5"x12")	6lb/3kg	PBA426 Stainless Steel Potted Load Cell	$1,344	$1,899
4390060ASxP	ICS439a-A6	240x300mm (9.5"x12")	12lb/6kg		$1,344	$1,899
4390150ASxP	ICS439a-A15	240x300mm (9.5"x12")	30lb/15kg		$1,344	$1,899
439030BBSxP	ICS439a-BB30	300x400mm (12"x16")	60lb/30kg		$1,406	$2,023
439060BBSxP	ICS439a-BB60	300x400mm (12"x16")	120lb/60kg		$1,406	$2,023
4390300BSxP	ICS439a-B30	400x500mm (16"x20")	60lb/30kg		$1,593	
4390600BSxP	ICS439a-B60	400x500mm (16"x20")	120lb/60kg		$1,593	
439003QASxP	ICS439a-QA3	229x229mm (9"x9")	6lb/3kg		$1,333	$1,881
439006QASxP	ICS439a-QA6	229x229mm (9"x9")	12lb/6kg		$1,333	$1,881
439015QBSxP	ICS439a-QB15	305x305mm (12"x12")	30lb/15kg		$1,383	$1,995
439030QBSxP	ICS439a-QB30	305x305mm (12"x12")	60lb/30kg		$1,383	$1,995
439060QBSxP	ICS439a-QB60	305x305mm (12"x12")	120lb/60kg		$1,383	$1,995

ICS439 Compact Bench Scales

ICS439 Bench Scales (cont.)

Model	Description	Platform Size	Capacity (lb/kg)	Platform	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
4390030ASxH	ICS439a-A3	240x300mm (9.5"x12")	6lb/3kg	PBA429 Stainless Steel Hermetic Load Cell	$1,547	$2,114
4390060ASxH	ICS439a-A6	240x300mm (9.5"x12")	12lb/6kg		$1,547	$2,114
4390150ASxH	ICS439a-A15	240x300mm (9.5"x12")	30lb/15kg		$1,547	$2,114
439030BBSxH	ICS439a-BB30	300x400mm (12"x16")	60lb/30kg		$1,610	$2,239
439060BBSxH	ICS439a-BB60	300x400mm (12"x16")	120lb/60kg		$1,610	$2,239
4390300BSxH	ICS439a-B30	400x500mm (16"x20")	60lb/30kg		$1,734	
4390600BSxH	ICS439a-B60	400x500mm (16"x20")	120lb/60kg		$1,734	
439003QASxH	ICS439a-QA3	229x229mm (9"x9")	6lb/3kg		$1,531	$2,097
439006QASxH	ICS439a-QA6	229x229mm (9"x9")	12lb/6kg		$1,531	$2,097
439015QBSxH	ICS439a-QB15	305x305mm (12"x12")	30lb/15kg		$1,587	$2,216
439030QBSxH	ICS439a-QB30	305x305mm (12"x12")	60lb/30kg		$1,587	$2,216
439060QBSxH	ICS439a-QB60	305x305mm (12"x12")	120lb/60kg		$1,587	$2,216

Construction

Option	Description		Suggested List Price (CDN$)
T	Table	(**note:** be sure to add this bracket cost if manually configuring without the "configurator")	$55
F	Front Mount	(**note:** be sure to add this bracket cost if manually configuring without the "configurator")	$55
C	Column	(Hygienic, closed column)	$0

Power Option

Option	Description	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
1	Internal Battery (with charger) & North American Power Plug	$301	$363
2	Internal Battery (with charger) & Schuko Power Plug	$301	$363
4	Internal Battery (with charger) & Australian Power Plug	$301	$363
A	120VAC, North American Power Plug	$35	$35
B	220VAC, Schuko Power Plug	$35	$35
D	240VAC, Australian Power Plug	$35	$35

Scale Option

Option	Description		Suggested List Price (CDN$)
0	Analog	(**note:** be sure to add this cost if manually configuring without the "configurator")	$273

Second Interface Option (choose one only)

Option	Description	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
0	No interface	$0	$0
1	RS232	$261	$340
2	Digital I/O	$324	$403
3	RS422/485	$261	$340
4	USB Device (slave)	$324	$403
5	Ethernet	$448	$527

 ©Mettler-Toledo, LLC

ICS439 Compact Bench Scales

ICS4x9 Accessories

Order Number	SAP Order Number	Description	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
72243268	72243268	Table Stand ICS4x9/6x9 (Wall/Column bracket; included with "T" versions)	T - (table)		$58
72243269	72243269	Table Stand ICS4x9/6x9 (optional bracket for desk mounting)	T - (table)		$63
72243270	72243270	Fix Stand ICS4x9 (Front bracket; included with "F" versions)	F - (front)		$58
72198702	72198702	Stainless Steel 330mm (13") column	T-(table)		$127
72198703	72198703	Stainless Steel 660mm (26") column	T-(table)		$149
72198704	72198704	Stainless Steel 990mm (35.4") column	T-(table)		$171
72223842	72223842	Charging PCB	All		$176
22020882	22020882	Battery ICS4x9/6x9	All		$290
64087891	64087891	ICS429 Hygenic Column w/integrated terminal (AC Power)	Table top to top of terminal is 15 inches		$1,430
64087892	64087892	ICS439 Hygenic Column w/integrated terminal (AC Power)			$1,540
64087905	64087905	ICS449 Hygenic Column w/integrated terminal (AC Power)			$1,540
64087906	64087906	ICS469 Hygenic Column w/integrated terminal (AC Power)			$1,650
72243747	72243747	Internal Battery, North American Power Plug			$35
72243744	72243744	Internal Battery, Schuko Power Plug			$35
72243748	72243748	Internal Battery, Australian Power Plug			$35
72243740	72243740	120VAC, North American Power Plug			$35
72243737	72243737	220VAC, Schuko Power Plug			$35
72243741	72243741	240VAC, Australian Power Plug			$35

ICS4x9 Complete Cables (attached plugs are 90 degree oriented)

22021087	22021087	RS232 - Cable for SICS Scale (3m, 8 pin M12 <-> 9 pin D Sub plug)	$126
22021088	22021088	RS232 - Cable for PC (3m, 8 pin M12 <-> 9 pin D Sub receptacle)	$126
22021089	22021089	RS422/RS485 - Cable (3m, 6pin M12 <-> Open end)	$97
22021090	22021090	Ethernet 10/100 Base T twisted pair cable (5m, 4pin M12 <-> RJ45)	$108
22021091	22021091	Ethernet 10/100 Base T twisted pair cable (20m, 4pin M12 <-> RJ45)	$194
22021092	22021092	USB cable for PC connection (3m, 4 pin M12 coding A <-> USB series A plug)	$114
22021093	22021093	Dig I/O Cable to connect RelayBox (10m, 12 pin M12 <-> Open end; ref: relay box 22011967)	$203
30029400	30029400	Printer Cable, straight, (8 pin M12<-> 25 pin D sub male)	$126
30029401	30029401	Printer Cable, 90 degree, (8 pin M12<-> 25 pin D sub male)	$126

ICS4x9 Cable Plugs Only (no solder req'd, plugs are straight line oriented)

22022056	22022056	RS232 Counter Plug (8 pin, M12, IP67)	$154
22022058	22022058	Ethernet Counter Plug (4 pin, Coding D, M12, IP67)	$120
22022059	22022059	USB Counter Plug (4 pin, Coding A, M12, IP67)	$120

ICS4x9 Option Kits (can be ordered independantly)

Order Number	SAP Order Number	Description	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
72243265	72243265	Analog Scale Board	All		$273
64086201	64086201	RS232	T or F (Table or Front)		$261
64086202	64086202	Digital I/O	T or F (Table or Front)		$324
64086203	64086203	RS422/RS485	T or F (Table or Front)		$261
64086204	64086204	USB Device (slave)	T or F (Table or Front)		$324
64086205	64086205	Ethernet	T or F (Table or Front)		$448
64086206	64086206	RS232	C (Column)		$340
64086207	64086207	Digital I/O	C (Column)		$403
64086208	64086208	RS422/RS485	C (Column)		$340
64086209	64086209	USB Device (slave)	C (Column)		$403
64086210	64086210	Ethernet	C (Column)		$527

ICS449 Series

Compact Bench Scales

ICS449

ICS449

ICS449

APPLIED

Approvals:

- OIML Class III 3000e, NTEP 5000d, Resolutions up to 15000d not approved by W&M.

Standard Features:

- IP68 & 69k protection
- LCD with backlighting Display
- 3 selectable display modes
- RS232 interface default standard
- Optional Battery
- Event and error message
- Colorweight function
- Backlight color (customizable)
- Basic weighing & Averaging weighing
- Over/Under checkweighing
- Piece counting
- "C" versions include 2.5m/8.2ft cable
- 3 types of platforms available; Aluminum Potted, Stainless Steel Potted, or Stainless Steel Hermetically Sealed

449 Series Model Configuration

Model	Capacity	Size	Software	Construction	Load Cell	Power	Scale	Interface	Reserved
449	003,006,015, 030,060	0A,BB,0B ,QA,QB	U	T, F, C	A, P, H	1,2,4,A,B,D	0	0,1,2,3,4,5	0
449	003	0A	U	T	A	1	0	0	0

Ordering Information

ICS449 Bench Scales

Model	Description	Platform Size	Capacity (lb/kg)	Platform	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
4490030AUxA	ICS449a-A3	240x300mm (9.5"x12")	6lb/3kg	PBA226 Aluminum Potted Load Cell	$1,162	$1,723
4490060AUxA	ICS449a-A6	240x300mm (9.5"x12")	12lb/6kg		$1,162	$1,723
4490150AUxA	ICS449a-A15	240x300mm (9.5"x12")	30lb/15kg		$1,162	$1,723
449030BBUxA	ICS449a-BB30	300x400mm (12"x16")	60lb/30kg		$1,230	$1,876
449060BBUxA	ICS449a-BB60	300x400mm (12"x16")	120lb/60kg		$1,230	$1,876
4490300BUxA	ICS449a-B30	400x500mm (16"x20")	60lb/30kg		$1,383	
4490600BUxA	ICS449a-B60	400x500mm (16"x20")	120lb/60kg		$1,383	
449003QAUxA	ICS449a-QA3	229x229mm (9"x9")	6lb/3kg		$1,151	$1,707
449006QAUxA	ICS449a-QA6	229x229mm (9"x9")	12lb/6kg		$1,151	$1,707
449015QBUxA	ICS449a-QB15	305x305mm (12"x12")	30lb/15kg		$1,196	$1,836
449030QBUxA	ICS449a-QB30	305x305mm (12"x12")	60lb/30kg		$1,196	$1,836
449060QBUxA	ICS449a-QB60	305x305mm (12"x12")	120lb/60kg		$1,196	$1,836
4490030AUxP	ICS449a-A3	240x300mm (9.5"x12")	6lb/3kg	PBA426 Stainless Steel Potted Load Cell	$1,344	$1,899
4490060AUxP	ICS449a-A6	240x300mm (9.5"x12")	12lb/6kg		$1,344	$1,899
4490150AUxP	ICS449a-A15	240x300mm (9.5"x12")	30lb/15kg		$1,344	$1,899
449030BBUxP	ICS449a-BB30	300x400mm (12"x16")	60lb/30kg		$1,406	$2,023
449060BBUxP	ICS449a-BB60	300x400mm (12"x16")	120lb/60kg		$1,406	$2,023
4490300BUxP	ICS449a-B30	400x500mm (16"x20")	60lb/30kg		$1,593	
4490600BUxP	ICS449a-B60	400x500mm (16"x20")	120lb/60kg		$1,593	
449003QAUxP	ICS449a-QA3	229x229mm (9"x9")	6lb/3kg		$1,333	$1,881
449006QAUxP	ICS449a-QA6	229x229mm (9"x9")	12lb/6kg		$1,333	$1,881
449015QBUxP	ICS449a-QB15	305x305mm (12"x12")	30lb/15kg		$1,383	$1,995
449030QBUxP	ICS449a-QB30	305x305mm (12"x12")	60lb/30kg		$1,383	$1,995
449060QBUxP	ICS449a-QB60	305x305mm (12"x12")	120lb/60kg		$1,383	$1,995

 ©Mettler-Toledo, LLC

ICS449 Compact Bench Scales

ICS449 Bench Scales (cont.)

Model	Description	Platform Size	Capacity (lb/kg)	Platform	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
4490030AUxH	ICS449a-A3	240x300mm (9.5"x12")	6lb/3kg	PBA429 Stainless Steel Hermetic Load Cell	$1,547	$2,114
4490060AUxH	ICS449a-A6	240x300mm (9.5"x12")	12lb/6kg		$1,547	$2,114
4490150AUxH	ICS449a-A15	240x300mm (9.5"x12")	30lb/15kg		$1,547	$2,114
449030BBUxH	ICS449a-BB30	300x400mm (12"x16")	60lb/30kg		$1,610	$2,239
449060BBUxH	ICS449a-BB60	300x400mm (12"x16")	120lb/60kg		$1,610	$2,239
4490300BUxH	ICS449a-B30	400x500mm (16"x20")	60lb/30kg		$1,734	
4490600BUxH	ICS449a-B60	400x500mm (16"x20")	120lb/60kg		$1,734	
449003QAUxH	ICS449a-QA3	229x229mm (9"x9")	6lb/3kg		$1,531	$2,097
449006QAUxH	ICS449a-QA6	229x229mm (9"x9")	12lb/6kg		$1,531	$2,097
449015QBUxH	ICS449a-QB15	305x305mm (12"x12")	30lb/15kg		$1,587	$2,216
449030QBUxH	ICS449a-QB30	305x305mm (12"x12")	60lb/30kg		$1,587	$2,216
449060QBUxH	ICS449a-QB60	305x305mm (12"x12")	120lb/60kg		$1,587	$2,216

Construction

Option	Description		Suggested List Price (CDN$)
T	Table	(**note:** be sure to add this bracket cost if manually configuring without the "configurator")	$55
F	Front Mount	(**note:** be sure to add this bracket cost if manually configuring without the "configurator")	$55
C	Column	(Hygienic, closed column)	$0

Power Option

Option	Description	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
1	Internal Battery (with charger) & North American Power Plug	$301	$363
2	Internal Battery (with charger) & Schuko Power Plug	$301	$363
4	Internal Battery (with charger) & Australian Power Plug	$301	$363
A	120VAC, North American Power Plug	$35	$35
B	220VAC, Schuko Power Plug	$35	$35
D	240VAC, Australian Power Plug	$35	$35

Scale Option

Option	Description		Suggested List Price (CDN$)
0	Analog	(**note:** be sure to add this cost if manually configuring without the "configurator")	$273

Second Interface Option (choose one only)

Option	Description	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
0	No interface	$0	$0
1	RS232	$261	$340
2	Digital I/O	$324	$403
3	RS422/485	$261	$340
4	USB Device (slave)	$324	$403
5	Ethernet	$448	$527

ICS449 Compact Bench Scales

ICS4x9 Accessories

Order Number	SAP Order Number	Description	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
72243268	72243268	Table Stand ICS4x9/6x9 (Wall/Column bracket; included with "T" versions)	T - (table)		$58
72243269	72243269	Table Stand ICS4x9/6x9 (optional bracket for desk mounting)	T - (table)		$63
72243270	72243270	Fix Stand ICS4x9 (Front bracket; included with "F" versions)	F - (Front)		$58
72198702	72198702	Stainless Steel 330mm (13") column	T-(table)		$127
72198703	72198703	Stainless Steel 660mm (26") column	T-(table)		$149
72198704	72198704	Stainless Steel 990mm (35.4") column	T-(table)		$171
72223842	72223842	Charging PCB	All		$176
22020882	22020882	Battery ICS4x9/6x9	All		$290
64087891	64087891	ICS429 Hygenic Column w/integrated terminal (AC Power)	Table top to top of terminal is 15 inches		$1,430
64087892	64087892	ICS439 Hygenic Column w/integrated terminal (AC Power)			$1,540
64087905	64087905	ICS449 Hygenic Column w/integrated terminal (AC Power)			$1,540
64087906	64087906	ICS469 Hygenic Column w/integrated terminal (AC Power)			$1,650
72243747	72243747	Internal Battery, North American Power Plug			$35
72243744	72243744	Internal Battery, Schuko Power Plug			$35
72243748	72243748	Internal Battery, Australian Power Plug			$35
72243740	72243740	120VAC, North American Power Plug			$35
72243737	72243737	220VAC, Schuko Power Plug			$35
72243741	72243741	240VAC, Australian Power Plug			$35

ICS4x9 Complete Cables (attached plugs are 90 degree oriented)

22021087	22021087	RS232 - Cable for SICS Scale (3m, 8 pin M12 <-> 9 pin D Sub plug)	$126
22021088	22021088	RS232 - Cable for PC (3m, 8 pin M12 <-> 9 pin D Sub receptacle)	$126
22021089	22021089	RS422/RS485 - Cable (3m, 6pin M12 <-> Open end)	$97
22021090	22021090	Ethernet 10/100 Base T twisted pair cable (5m, 4pin M12 <-> RJ45)	$108
22021091	22021091	Ethernet 10/100 Base T twisted pair cable (20m, 4pin M12 <-> RJ45)	$194
22021092	22021092	USB cable for PC connection (3m, 4 pin M12 coding A <-> USB series A plug)	$114
22021093	22021093	Dig I/O Cable to connect RelayBox (10m, 12 pin M12 <-> Open end; ref: relay box 22011967)	$203
30029400	30029400	Printer Cable, straight, (8 pin M12<-> 25 pin D sub male)	$126
30029401	30029401	Printer Cable, 90 degree, (8 pin M12<-> 25 pin D sub male)	$126

ICS4x9 Cable Plugs Only (no solder req'd, plugs are straight line oriented)

22022056	22022056	RS232 Counter Plug (8 pin, M12, IP67)	$154
22022058	22022058	Ethernet Counter Plug (4 pin, Coding D, M12, IP67)	$120
22022059	22022059	USB Counter Plug (4 pin, Coding A, M12, IP67)	$120

ICS4x9 Option Kits (can be ordered independantly)

Order Number	SAP Order Number	Description	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
72243265	72243265	Analog Scale Board	All		$273
64086201	64086201	RS232	T or F (Table or Front)		$261
64086202	64086202	Digital I/O	T or F (Table or Front)		$324
64086203	64086203	RS422/RS485	T or F (Table or Front)		$261
64086204	64086204	USB Device (slave)	T or F (Table or Front)		$324
64086205	64086205	Ethernet	T or F (Table or Front)		$448
64086206	64086206	RS232	C (Column)		$340
64086207	64086207	Digital I/O	C (Column)		$403
64086208	64086208	RS422/RS485	C (Column)		$340
64086209	64086209	USB Device (slave)	C (Column)		$403
64086210	64086210	Ethernet	C (Column)		$527

©Mettler-Toledo, LLC

ICS469

ICS469 "f"

ICS469

ICS469

Compact Bench Scales

APPLIED

Approvals:

- OIML Class III 3000e, NTEP 5000d, Resolutions up to 15000d not approved by W&M.

Standard Features:

- IP68 & 69k protection
- LCD with backlighting Display
- 3 selectable display modes
- RS232 interface default standard
- Optional Battery
- Event and error message
- "C" versions include 2.5m/8.2ft cable
- Colorweight function
- Backlight color (customizable)
- Basic weighing & Averaging weighing
- Over/Under checkweighing
- Piece counting
- Numeric Keypad
- 3 types of platforms available; Aluminum Potted, Stainless Steel Potted, or Stainless Steel Hermetically Sealed

469 Series Model Configuration

Model	Capacity	Size	Software	Construction	Load Cell	Power	Scale	Interface	Reserved
469	003,006,015, 030,060	0A,BB,0B ,QA,QB	U	T, F, C	A, P, H	1,2,4,A,B,D	0	0,1,2,3,4,5	0
469	003	0A	U	T	A	1	0	0	0

Ordering Information

ICS469 Bench Scales

Model	Description	Platform Size	Capacity (lb/kg)	Platform	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
4690030AUxA	ICS469a-A3	240x300mm (9.5"x12")	6lb/3kg	PBA226 Aluminum Potted Load Cell	$1,344	$1,961
4690060AUxA	ICS449a-A6	240x300mm (9.5"x12")	12lb/6kg		$1,344	$1,961
4690150AUxA	ICS469a-A15	240x300mm (9.5"x12")	30lb/15kg		$1,344	$1,961
469030BBUxA	ICS469a-BB30	300x400mm (12"x16")	60lb/30kg		$1,412	$2,108
469060BBUxA	ICS469a-BB60	300x400mm (12"x16")	120lb/60kg		$1,412	$2,108
4690300BUxA	ICS469a-B30	400x500mm (16"x20")	60lb/30kg		$1,559	
4690600BUxA	ICS469a-B60	400x500mm (16"x20")	120lb/60kg		$1,559	
469003QAUxA	ICS469a-QA3	229x229mm (9"x9")	6lb/3kg		$1,333	$1,944
469006QAUxA	ICS469a-QA6	229x229mm (9"x9")	12lb/6kg		$1,333	$1,944
469015QBUxA	ICS469a-QB15	305x305mm (12"x12")	30lb/15kg		$1,383	$2,081
469030QBUxA	ICS469a-QB30	305x305mm (12"x12")	60lb/30kg		$1,383	$2,081
469060QBUxA	ICS469a-QB60	305x305mm (12"x12")	120lb/60kg		$1,383	$2,081
4690030AUxP	ICS469a-A3	240x300mm (9.5"x12")	6lb/3kg	PBA426 Stainless Steel Potted Load Cell	$1,520	$2,131
4690060AUxP	ICS469a-A6	240x300mm (9.5"x12")	12lb/6kg		$1,520	$2,131
4690150AUxP	ICS469a-A15	240x300mm (9.5"x12")	30lb/15kg		$1,520	$2,131
469030BBUxP	ICS469a-BB30	300x400mm (12"x16")	60lb/30kg		$1,587	$2,261
469060BBUxP	ICS469a-BB60	300x400mm (12"x16")	120lb/60kg		$1,587	$2,261
4690300BUxP	ICS469a-B30	400x500mm (16"x20")	60lb/30kg		$1,768	
4690600BUxP	ICS469a-B60	400x500mm (16"x20")	120lb/60kg		$1,768	
469003QAUxP	ICS469a-QA3	229x229mm (9"x9")	6lb/3kg		$1,507	$2,120
469006QAUxP	ICS469a-QA6	229x229mm (9"x9")	12lb/6kg		$1,507	$2,120
469015QBUxP	ICS469a-QB15	305x305mm (12"x12")	30lb/15kg		$1,559	$2,239
469030QBUxP	ICS469a-QB30	305x305mm (12"x12")	60lb/30kg		$1,559	$2,239
469060QBUxP	ICS469a-QB60	305x305mm (12"x12")	120lb/60kg		$1,559	$2,239

ICS469 Compact Bench Scales

ICS469 Bench Scales (cont.)

Model	Description	Platform Size	Capacity (lb/kg)	Platform	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
4690030AUxH	ICS469a-A3	240x300mm (9.5"x12")	6lb/3kg	PBA429 Stainless Steel Hermetic Load Cell	$1,729	$2,352
4690060AUxH	ICS469a-A6	240x300mm (9.5"x12")	12lb/6kg		$1,729	$2,352
4690150AUxH	ICS469a-A15	240x300mm (9.5"x12")	30lb/15kg		$1,729	$2,352
469030BBUxH	ICS469a-BB30	300x400mm (12"x16")	60lb/30kg		$1,786	$2,477
469060BBUxH	ICS469a-BB60	300x400mm (12"x16")	120lb/60kg		$1,786	$2,477
4690300BUxH	ICS469a-B30	400x500mm (16"x20")	60lb/30kg		$1,916	
4690600BUxH	ICS469a-B60	400x500mm (16"x20")	120lb/60kg		$1,916	
469003QAUxH	ICS469a-QA3	229x229mm (9"x9")	6lb/3kg		$1,718	$2,340
469006QAUxH	ICS469a-QA6	229x229mm (9"x9")	12lb/6kg		$1,718	$2,340
469015QBUxH	ICS469a-QB15	305x305mm (12"x12")	30lb/15kg		$1,763	$2,453
469030QBUxH	ICS469a-QB30	305x305mm (12"x12")	60lb/30kg		$1,763	$2,453
469060QBUxH	ICS469a-QB60	305x305mm (12"x12")	120lb/60kg		$1,763	$2,453

Construction

Option	Description		Suggested List Price (CDN$)
T	Table	(**note:** be sure to add this bracket cost if manually configuring without the "configurator")	$55
F	Front Mount	(**note:** be sure to add this bracket cost if manually configuring without the "configurator")	$55
C	Column	(Hygienic, closed column)	$0

Power Option

Option	Description	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
1	Internal Battery (with charger) & North American Power Plug	$301	$363
2	Internal Battery (with charger) & Schuko Power Plug	$301	$363
4	Internal Battery (with charger) & Australian Power Plug	$301	$363
A	120VAC, North American Power Plug	$35	$35
B	220VAC, Schuko Power Plug	$35	$35
D	240VAC, Australian Power Plug	$35	$35

Scale Option

Option	Description		Suggested List Price (CDN$)
0	Analog	(**note:** be sure to add this cost if manually configuring without the "configurator")	$273

Second Interface Option (choose one only)

Option	Description	Suggested List Price (CDN$) Table & Front	Suggested List Price (CDN$) Column
0	No interface	$0	$0
1	RS232	$261	$340
2	Digital I/O	$324	$403
3	RS422/485	$261	$340
4	USB Device (slave)	$324	$403
5	Ethernet	$448	$527

 ©Mettler-Toledo, LLC

ICS469 Compact Bench Scales

ICS4x9 Accessories

Order Number	SAP Order Number	Description	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
72243268	72243268	Table Stand ICS4x9/6x9 (Wall/Column bracket; included with "T" versions)	T - (table)		$58
72243269	72243269	Table Stand ICS4x9/6x9 (optional bracket for desk mounting)	T - (table)		$63
72243270	72243270	Fix Stand ICS4x9 (Front bracket; included with "F" versions)	F - (Front)		$58
72198702	72198702	Stainless Steel 330mm (13") column	T-(table)		$127
72198703	72198703	Stainless Steel 660mm (26") column	T-(table)		$149
72198704	72198704	Stainless Steel 990mm (35.4") column	T-(table)		$171
72223842	72223842	Charging PCB	All		$176
22020882	22020882	Battery ICS4x9/6x9	All		$290
64087891	64087891	ICS429 Hygenic Column w/integrated terminal (AC Power)	Table top to top of terminal is 15 inches		$1,430
64087892	64087892	ICS439 Hygenic Column w/integrated terminal (AC Power)			$1,540
64087905	64087905	ICS449 Hygenic Column w/integrated terminal (AC Power)			$1,540
64087906	64087906	ICS469 Hygenic Column w/integrated terminal (AC Power)			$1,650
72243747	72243747	Internal Battery, North American Power Plug			$35
72243744	72243744	Internal Battery, Schuko Power Plug			$35
72243748	72243748	Internal Battery, Australian Power Plug			$35
72243740	72243740	120VAC, North American Power Plug			$35
72243737	72243737	220VAC, Schuko Power Plug			$35
72243741	72243741	240VAC, Australian Power Plug			$35

ICS4x9 Complete Cables (attached plugs are 90 degree oriented)

22021087	22021087	RS232 - Cable for SICS Scale (3m, 8 pin M12 <-> 9 pin D Sub plug)	$126
22021088	22021088	RS232 - Cable for PC (3m, 8 pin M12 <-> 9 pin D Sub receptacle)	$126
22021089	22021089	RS422/RS485 - Cable (3m, 6pin M12 <-> Open end)	$97
22021090	22021090	Ethernet 10/100 Base T twisted pair cable (5m, 4pin M12 <-> RJ45)	$108
22021091	22021091	Ethernet 10/100 Base T twisted pair cable (20m, 4pin M12 <-> RJ45)	$194
22021092	22021092	USB cable for PC connection (3m, 4 pin M12 coding A <-> USB series A plug)	$114
22021093	22021093	Dig I/O Cable to connect RelayBox (10m, 12 pin M12 <-> Open end; ref: relay box 22011967)	$203
30029400	30029400	Printer Cable, straight, (8 pin M12<-> 25 pin D sub male)	$126
30029401	30029401	Printer Cable, 90 degree, (8 pin M12<-> 25 pin D sub male)	$126

ICS4x9 Cable Plugs Only (no solder req'd, plugs are straight line oriented)

22022056	22022056	RS232 Counter Plug (8 pin, M12, IP67)	$154
22022058	22022058	Ethernet Counter Plug (4 pin, Coding D, M12, IP67)	$120
22022059	22022059	USB Counter Plug (4 pin, Coding A, M12, IP67)	$120

ICS4x9 Option Kits (can be ordered independantly)

Order Number	SAP Order Number	Description	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
72243265	72243265	Analog Scale Board	All		$273
64086201	64086201	RS232	T or F (Table or Front)		$261
64086202	64086202	Digital I/O	T or F (Table or Front)		$324
64086203	64086203	RS422/RS485	T or F (Table or Front)		$261
64086204	64086204	USB Device (slave)	T or F (Table or Front)		$324
64086205	64086205	Ethernet	T or F (Table or Front)		$448
64086206	64086206	RS232	C (Column)		$340
64086207	64086207	Digital I/O	C (Column)		$403
64086208	64086208	RS422/RS485	C (Column)		$340
64086209	64086209	USB Device (slave)	C (Column)		$403
64086210	64086210	Ethernet	C (Column)		$527

ICS4x9 Series

Weighing Terminals

ICS429

ICS449

ICS439

ICS469

APPLIED

Approvals:

- OIML Class III 3000e, NTEP 5000d, Resolutions up to 300,000d (non-approved)

Standard Features:

- IP68 and IP69k Protection
- Backlit LCD display
- 3 selectable display modes
- Basic weighing & averaging weighing
- Event and error messages
- RS232 Interface standard
- Colorweight function (ICS449 & ICS469 only)
- Customizable backlight color (ICS449 & ICS469 only)
- Over/Under checkweighing (ICS449 & ICS469 only)
- Piece counting (ICS449 & ICS469 only)
- Numeric keypad (ICS439 & ICS469 only)
- Includes basic Wall / Desktop mounting bracket

Optional Features:

- Optional battery

ICS4x9 Model Configuration

Model	Capacity	Size	Software	Construction	Load Cell	Power	Scale	Interface	Reserved
429,439,449,469	000	00	S,U	I	0	1,2,4,A,B,D	0,1	0,1,2,3,4,5	0

429 000 00 S I 0 1 0 3 0

Ordering Information

ICS4x9 Terminals

Order Number	Model	Application	Maximum Resolution	Suggested List Price (CDN$)
42900000SI0	ICS429	Straight Weighing	300,000 d / 7500 e	$630
43900000SI0	ICS439	Straight Weighing		$754
44900000UI0	ICS449-check	Over/Under		$754
46900000UI0	ICS469-check	Over/Under		$964

Power Option (Choose one only)

Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
1	Internal Battery (with charger) & North American Power Plug		$301
2	Internal Battery (with charger) & Schuko Power Plug		$301
4	Internal Battery (with charger) & Australian Power Plug		$301
A	120 VAC, North American Power Plug		$35
B	220 VAC, Schuko Power Plug		$35
D	240 VAC, Australian Power Plug		$35

Scale Type (choose one only)

0	Analog Scale interface	$273
1	IDNet Scale interface	$273

 ©Mettler-Toledo, LLC

ICS4x9

Second Interface Option (choose one only)

Order Number	Description	Suggested List Price (CDN$)
0	None	$0
1	RS232	$261
2	Digital I/O	$324
3	RS422/485	$261
4	USB Device (slave)	$324
5	Ethernet TCP/IP (Connection to PC)	$448

ICS4x9 Accessories

Order Number	SAP Order Number	Description		Suggested List Price (CDN$)
72243268	72243268	Table stand ICS4x9/ICS6x9 (wall/column bracket; included with terminal only purchase)		$58
72243269	72243269	Table stand ICS4x9/ICS6x9 (Optional bracket for desk mounting)		$63
72243270	72243270	Fixed stand ICS4x9 (Optional front mount bracket)		$58
72198702	72198702	Stainless steel 330mm (13") Column	T - (table)	$127
72198703	72198703	Stainless steel 660mm (26") Column	T - (table)	$149
72198704	72198704	Stainless steel 990mm (35.4") Column	T - (table)	$171
72223842	72223842	Charging PCB		$176
22020882	22020882	Battery ICS4x9/ICS6x9		$290
72243747	72243747	Internal battery, North American power plug		$35
72243744	72243744	Internal battery, Schuko power plug		$35
72243748	72243748	Internal battery, Australian power plug		$35
72243740	72243740	120 VAC, North American power plug		$35
72243737	72243737	220 VAC, Schuko power plug		$35
72243741	72243741	240 VAC, Australian power plug		$35
64056496	64056496	Cylindrical Column Adapter		$42

ICS4x9 Complete Cables (attached plugs are 90 degree oriented)

22021087	22021087	RS232 - Cable for SICS Scale (3m, 8 pin M12 <-> 9 pin D Sub plug)	$126
22021088	22021088	RS232 - Cable for PC (3m, 8 pin M12 <-> 9 pin D Sub receptacle)	$126
22021089	22021089	RS422/RS485 - Cable (3m, 6pin M12 <-> Open end)	$97
22021090	22021090	Ethernet 10/100 Base T twisted pair cable (5m, 4pin M12 <-> RJ45)	$108
22021091	22021091	Ethernet 10/100 Base T twisted pair cable (20m, 4pin M12 <-> RJ45)	$194
22021092	22021092	USB cable for PC connection (3m, 4 pin M12 coding A <-> USB series A plug)	$114
22021093	22021093	Dig I/O Cable to connect RelayBox (10m, 12 pin M12 <-> Open end; ref: relay box 22011967)	$203
30029400	30029400	Printer Cable, straight, (8 pin M12<-> 25 pin D sub male)	$126
30029401	30029401	Printer Cable, 90 degree, (8 pin M12<-> 25 pin D sub male)	$126

ICS4x9 Cable Plugs Only

22022056	22022056	RS232 Counter Plug (8 pin, M12, IP67)	$154
22022058	22022058	Ethernet Counter Plug (4 pin, Coding D, M12, IP67)	$120
22022059	22022059	USB Counter Plug (4 pin, Coding A, M12, IP67)	$120

ICS4x9 Option Kits (can be ordered independantly)

72243265	72243265	Analog Scale Board	$273
72243266	72243266	IDNet Scale Board	$273
64086201	64086201	RS232	$261
64086202	64086202	Digital I/O	$324
64086203	64086203	RS422/RS485	$261
64086204	64086204	USB Device (slave)	$324
64086205	64086205	Ethernet	$448

ICS6x9 Series

Compact Bench Scales

ICS639 "c"

ICS669 "f"

ICS669 "t"

APPLIED

Approvals:

- OIML Class III 2 x 3000e, NTEP 5000d, Resolutions up to 30000d, not approved by W&M

Standard Features:

- Double sealed terminals with IP69K protection
- RS232 interface standard default
- Selectable display modes, as weel as event & error message
- "C" versions include 2.5m/8.2ft cable
- Long lasting piezo Alphanumeric keypad and 5 soft keys
- Optional battery, as well as wireless WLAN
- Alibi memory to assure compliance
- ICS639: Basic weigh/Average weigh, ICS669: Over/Under/Checkweigh/Piece Counting/Clasifying (12 customized weighing ranges)
- TFT graphic screen with ColorWeight® providing clarity – full color graphic for unmistakable results

6x9 Series Model Configuration

Model	Capacity	Size	Software	Construction	Load Cell	Power	Scale	Interface	Interface 3
639,669	003,006,015, 030,060	0A,BB,0B ,QA,QB	S,U,L	T, F, C	H	1,2,4,A,B,D	0	0,1,3,5,6	0,1,2,3,4

639 003 0A S T H 1 0 0 0

Ordering Information

ICS6x9 Bench Scales - Table (T) & Front (F) Versions

Model	Description	Platform Size	Capacity (lb/kg)	Platform		Suggested List Price (CDN$)
6390030AS	ICS639a-A3	240x300mm (9.5"x12")	6lb/3kg	Straight Weighing Terminal with PBA430 Stainless Steel Hermetic Load Cell		$3,201
6390060AS	ICS639a-A6	240x300mm (9.5"x12")	12lb/6kg			$3,201
6390150AS	ICS639a-A15	240x300mm (9.5"x12")	30lb/15kg			$3,201
639030BBS	ICS639a-BB30	300x400mm (12"x16")	60lb/30kg			$3,496
639060BBS	ICS639a-BB60	300x400mm (12"x16")	120lb/60kg			$3,496
6390300BS	ICS639a-B30	400x500mm (16"x20")	60lb/30kg			$3,865
6390600BS	ICS639a-B60	400x500mm (16"x20")	120lb/60kg			$3,865
639006QAS	ICS639a-QA6	229x229mm (9"x9")	12lb/6kg			$3,156
639015QBS	ICS639a-QB15	305x305mm (12"x12")	30lb/15kg			$3,360
639030QBS	ICS639a-QB30	305x305mm (12"x12")	60lb/30kg			$3,360
639060QBS	ICS639a-QB60	305x305mm (12"x12")	120lb/60kg			$3,360
6690030AU	ICS669a-A3	240x300mm (9.5"x12")	6lb/3kg	Over/Under Terminal with PBA430 Stainless Steel Hermetic Load Cell		$3,383
6690060AU	ICS669a-A6	240x300mm (9.5"x12")	12lb/6kg			$3,383
6690150AU	ICS669a-A15	240x300mm (9.5"x12")	30lb/15kg			$3,383
669030BBU	ICS669a-BB30	300x400mm (12"x16")	60lb/30kg			$3,678
669060BBU	ICS669a-BB60	300x400mm (12"x16")	120lb/60kg			$3,678
6690300BU	ICS669a-B30	400x500mm (16"x20")	60lb/30kg			$4,046
6690600BU	ICS469a-B60	400x500mm (16"x20")	120lb/60kg			$4,046
669006QAU	ICS669a-QA6	229x229mm (9"x9")	12lb/6kg			$3,338
669015QBU	ICS669a-QB15	305x305mm (12"x12")	30lb/15kg			$3,541
669030QBU	ICS669a-QB30	305x305mm (12"x12")	60lb/30kg			$3,541
669060QBU	ICS669a-QB60	305x305mm (12"x12")	120lb/60kg			$3,541

 ©Mettler-Toledo, LLC

ICS6x9 Compact Bench Scales

ICS6x9 Bench Scales - Table (T) & Front (F) Versions (cont.)

Model	Description	Platform Size	Capacity (lb/kg)	Platform		Suggested List Price (CDN$)
6690030AL	ICS669a-A3	240x300mm (9.5"x12")	6lb/3kg	Classyfiying Terminal with PBA430 Stainless Steel Hermetic Load Cell		$3,383
6690060AL	ICS669a-A6	240x300mm (9.5"x12")	12lb/6kg			$3,383
6690150AL	ICS669a-A15	240x300mm (9.5"x12")	30lb/15kg			$3,383
669030BBL	ICS669a-BB30	300x400mm (12"x16")	60lb/30kg			$3,678
669060BBL	ICS669a-BB60	300x400mm (12"x16")	120lb/60kg			$3,678
6690300BL	ICS669a-B30	400x500mm (16"x20")	60lb/30kg			$4,046
6690600BL	ICS669a-B60	400x500mm (16"x20")	120lb/60kg			$4,046
669006QAL	ICS669a-QA6	229x229mm (9"x9")	12lb/6kg			$3,338
669015QBL	ICS669a-QB15	305x305mm (12"x12")	30lb/15kg			$3,541
669030QBL	ICS669a-QB30	305x305mm (12"x12")	60lb/30kg			$3,541
669060QBL	ICS669a-QB60	305x305mm (12"x12")	120lb/60kg			$3,541

ICS6x9 Bench Scales - Column (C) Version

6390030ASCH	ICS639a-A3	240x300mm (9.5"x12")	6lb/3kg	Straight Weighing Terminal with PBA430 Stainless Steel Hermetic Load Cell		$3,791
6390060ASCH	ICS639a-A6	240x300mm (9.5"x12")	12lb/6kg			$3,791
6390150ASCH	ICS639a-A15	240x300mm (9.5"x12")	30lb/15kg			$3,791
639030BBSCH	ICS639a-BB30	300x400mm (12"x16")	60lb/30kg			$4,086
639060BBSCH	ICS639a-BB60	300x400mm (12"x16")	120lb/60kg			$4,086
639015QBSCH	ICS639a-QB15	305x305mm (12"x12")	30lb/15kg			$3,949
639030QBSCH	ICS639a-QB30	305x305mm (12"x12")	60lb/30kg			$3,949
639060QBSCH	ICS639a-QB60	305x305mm (12"x12")	120lb/60kg			$3,949
6690030AUCH	ICS669a-A3	240x300mm (9.5"x12")	6lb/3kg	Over/Under Terminal with PBA430 Stainless Steel Hermetic Load Cell		$3,973
6690060AUCH	ICS669a-A6	240x300mm (9.5"x12")	12lb/6kg			$3,973
6690150AUCH	ICS669a-A15	240x300mm (9.5"x12")	30lb/15kg			$3,973
669030BBUCH	ICS669a-BB30	300x400mm (12"x16")	60lb/30kg			$4,266
669060BBUCH	ICS669a-BB60	300x400mm (12"x16")	120lb/60kg			$4,266
669015QBUCH	ICS669a-QB15	305x305mm (12"x12")	30lb/15kg			$4,131
669030QBUCH	ICS669a-QB30	305x305mm (12"x12")	60lb/30kg			$4,131
669060QBUCH	ICS669a-QB60	305x305mm (12"x12")	120lb/60kg			$4,131
6690030ALCH	ICS669a-A3	240x300mm (9.5"x12")	6lb/3kg	Classifying Terminal with PBA430 Stainless Steel Hermetic Load Cell		$3,973
6690060ALCH	ICS669a-A6	240x300mm (9.5"x12")	12lb/6kg			$3,973
6690150ALCH	ICS669a-A15	240x300mm (9.5"x12")	30lb/15kg			$3,973
669030BBLCH	ICS669a-BB30	300x400mm (12"x16")	60lb/30kg			$4,266
669060BBLCH	ICS669a-BB60	300x400mm (12"x16")	120lb/60kg			$4,266
669015QBLCH	ICS669a-QB15	305x305mm (12"x12")	30lb/15kg			$4,131
669030QBLCH	ICS669a-QB30	305x305mm (12"x12")	60lb/30kg			$4,131
669060QBLCH	ICS669a-QB60	305x305mm (12"x12")	120lb/60kg			$4,131

ICS6x9 Compact Bench Scales

Construction

Option	Description		Suggested List Price (CDN$)
T	Table	(note: be sure to add this bracket cost if manually configuring without the "configurator")	$55
F	Front Mount	(note: be sure to add this bracket cost if manually configuring without the "configurator")	$61
C	Column	(Hygienic, closed column)	$0

Power Option

Option	Description	Suggested List Price (CDN$)
1	Internal Battery (with charger) & North American Power Plug	$466
2	Internal Battery (with charger) & Schuko Power Plug	$466
4	Internal Battery (with charger) & Australian Power Plug	$466
A	120VAC, North American Power Plug	$35
B	220VAC, Schuko Power Plug	$35
D	240VAC, Australian Power Plug	$35

Scale Option (Analog is the only option for bench scale combinations)

Option	Description		Suggested List Price (CDN$)
0	Analog	(note: be sure to add this cost if manually configuring without the "configurator")	$273

Second Interface Option (choose one only)

Option	Description	Suggested List Price (CDN$)	Suggested List Price (CDN$)
		Table & Front	Column
0	No interface	$0	$0
1	RS232	$261	$340
3	RS422/485	$261	$340
5	Ethernet	$448	$527
6	WLAN	$874	$840

Third Interface Option for Table and Front Mount Models ONLY (Choose only one)

Option	Description	Suggested List Price (CDN$)	Suggested List Price (CDN$)
		Table & Front	Column
0	No interface	$0	$0
1	RS232	$261	$340
2	Digital I/O	$324	$403
3	RS422/485	$261	$340
4	USB Device (slave)	$324	$403

 ©Mettler-Toledo, LLC

ICS6x9 Compact Bench Scales

ICS6x9 Accessories

Order Number	SAP Order Number	Description	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
72243268	72243268	Table Stand ICS4x9/6x9 (Wall/Column bracket; included with "T" versions)	T - (table)		$58
72243269	72243269	Table Stand ICS4x9/6x9 (optional bracket for desk mounting)	T - (table)		$63
72249701	72249701	Fix Stand ICS6x9 (Front bracket; included with "F" versions)	F - (front)		$63
72198702	72198702	Stainless Steel 330mm (13") column	T-(table)		$127
72198703	72198703	Stainless Steel 660mm (26") column	T-(table)		$149
72198704	72198704	Stainless Steel 990mm (35.4") column	T-(table)		$171
72223842	72223842	Charging PCB	All		$176
22020882	22020882	Battery ICS4x9/6x9	All		$290
72243747	72243747	Internal Battery, North American Power Plug			$35
72243744	72243744	Internal Battery, Schuko Power Plug			$35
72243748	72243748	Internal Battery, Australian Power Plug			$35
72243740	72243740	120VAC, North American Power Plug			$35
72243737	72243737	220VAC, Schuko Power Plug			$35
72243741	72243741	240VAC, Australian Power Plug			$35

ICS6x9 Complete Cables (attached plugs are 90 degree oriented)

22021087	22021087	RS232 - Cable for SICS Scale (3m, 8 pin M12 <-> 9 pin D Sub plug)	$126
22021088	22021088	RS232 - Cable for PC (3m, 8 pin M12 <-> 9 pin D Sub receptacle)	$126
22021089	22021089	RS422/RS485 - Cable (3m, 6pin M12 <-> Open end)	$97
22021090	22021090	Ethernet 10/100 Base T twisted pair cable (5m, 4pin M12 <-> RJ45)	$108
22021091	22021091	Ethernet 10/100 Base T twisted pair cable (20m, 4pin M12 <-> RJ45)	$194
22021092	22021092	USB cable for PC connection (3m, 4 pin M12 coding A <-> USB series A plug)	$114
22021093	22021093	Dig I/O Cable to connect RelayBox (10m, 12 pin M12 <-> Open end; ref: relay box 22011967)	$203
30029400	30029400	Printer Cable, straight, (8 pin M12<-> 25 pin D sub male)	$126
30029401	30029401	Printer Cable, 90 degree, (8 pin M12<-> 25 pin D sub male)	$126

ICS6x9 Cable Plugs Only (no solder req'd, plugs are straight line oriented)

22022056	22022056	RS232 Counter Plug (8 pin, M12, IP67)	$154
22022058	22022058	Ethernet Counter Plug (4 pin, Coding D, M12, IP67)	$120
22022059	22022059	USB Counter Plug (4 pin, Coding A, M12, IP67)	$120

ICS6x9 Option Kits (can be ordered independantly)

Order Number	SAP Order Number	Description	Construction	Shipping Weight (lb)	Suggested List Price (CDN$)
72243265	72243265	Analog Scale Board	All		$273
64086201	64086201	RS232	T or F (Table or Front)		$261
64086202	64086202	Digital I/O	T or F (Table or Front)		$324
64086203	64086203	RS422/RS485	T or F (Table or Front)		$261
64086204	64086204	USB Device (slave)	T or F (Table or Front)		$324
64086205	64086205	Ethernet	T or F (Table or Front)		$448
64086352	64086352	WLAN	T or F (Table or Front)		$874
64086206	64086206	RS232	C (Column)		$340
64086207	64086207	Digital I/O	C (Column)		$403
64086208	64086208	RS422/RS485	C (Column)		$340
64086209	64086209	USB Device (slave)	C (Column)		$403
64086210	64086210	Ethernet	C (Column)		$527
64086353	64086353	WLAN	C (Column)		$840

ICS6x9 Series

Weighing Terminals

ICS639

ICS669

APPLIED

Approvals:

- OIML Class III 2 x 3000x, NTEP 5000d, Resolutions up to 300,000d (non-approved)

Standard Features:

- Double sealed terminals with IP69k protection
- TFT graphic screen with Colorweight providing clarity - full color graphic for unmistakable results
- Selectable display modes, as well as event & error message
- ICS639: Basic weigh/Average weigh; ICS669: Over/Under/Checkweigh/Piece Counting/Classifying (12 customized weighing ranges)
- Long lasting piezo Alphanumeric keypad and 5 soft keys
- Optional battery as well as wireless WLAN
- Alibi memory to assure compliance
- RS232 interface standard default
- Includes basic Wall / Desktop mounting bracket

ICS6x9 Model Configuration

Model	Capacity	Size	Software	Construction	Load Cell	Power	Scale	Interface	Interface 3
639, 669	000	00	S,U,L	I	0	1,2,4,A,B,D	0,1,2,3,4	0,1,3,5,6	0,1,2,3,4

639 000 00 S I 0 1 1 1 3

Ordering Information

Order Number	Description	Suggested List Price (CDN$)
ICS6x9 Terminals		
63900000SI0	ICS639 Simple Weighing Full Keypad Terminal	$1,621
66900000UI0	ICS669 Over/Under Full Keypad Terminal	$1,802
66900000LI0	ICS669 Classifying Full Keypad Terminal	$1,802
Power Option (Choose one only)		
1	Internal Battery (with charger) & North American Power Plug	$466
2	Internal Battery (with charger) & Schuko Power Plug	$466
4	Internal Battery (with charger) & Australian Power Plug	$466
A	120 VAC, North American Power Plug	$35
B	220 VAC, Schuko Power Plug	$35
D	240 VAC, Australian Power Plug	$35
Scale Type (choose one only)		
0	One Analog scale interface	$273
1	One IDNet scale interface	$273
2	One Analog and One IDNet scale interface	$545
3	Two Analog scale interfaces	$545
4	Two IDNet scale interfaces	$545
Second Interface Option(choose one only)		
0	No Interface	$0
1	RS232	$261
3	RS422/RS485	$261
5	Ethernet	$448
6	WLAN	$874

 ©Mettler-Toledo, LLC

ICS6x9

Third Interface Option (choose one only)

Order Number	Description	Suggested List Price (CDN$)
0	None	$0
1	RS232	$261
2	Digital I/O	$324
3	RS422/485	$261
4	USB Device (slave)	$324

ICS6x9 Accessories

Order Number	SAP Order Number	Description		Suggested List Price (CDN$)
72243268	72243268	Table stand ICS4x9/ICS6x9 (wall/column bracket; included with terminal only pu		$58
72243269	72243269	Table stand ICS4x9/ICS6x9 (Optional bracket for desk mounting)		$63
72249701	72249701	Fixed stand ICS6x9 (Optional front mount bracket)		$63
72198702	72198702	Stainless steel 330mm (13") Column	T - (table)	$127
72198703	72198703	Stainless steel 660mm (26") Column	T - (table)	$149
72198704	72198704	Stainless steel 990mm (35.4") Column	T - (table)	$171
72223842	72223842	Charging PCB		$176
22020882	22020882	Battery ICS4x9/ICS6x9		$290
72243747	72243747	Internal battery, North American power plug		$35
72243744	72243744	Internal battery, Schuko power plug		$35
72243748	72243748	Internal battery, Australian power plug		$35
72243740	72243740	120 VAC, North American power plug		$35
72243737	72243737	220 VAC, Schuko power plug		$35
72243741	72243741	240 VAC, Australian power plug		$35
64056496	64056496	Cylindrical Column Adapter		$42

ICS6x9 Complete Cables (attached plugs are 90 degree oriented)

22021087	22021087	RS232 - Cable for SICS Scale (3m, 8 pin M12 <-> 9 pin D Sub plug)	$126
22021088	22021088	RS232 - Cable for PC (3m, 8 pin M12 <-> 9 pin D Sub receptacle)	$126
22021089	22021089	RS422/RS485 - Cable (3m, 6pin M12 <-> Open end)	$97
22021090	22021090	Ethernet 10/100 Base T twisted pair cable (5m, 4pin M12 <-> RJ45)	$108
22021091	22021091	Ethernet 10/100 Base T twisted pair cable (20m, 4pin M12 <-> RJ45)	$194
22021092	22021092	USB cable for PC connection (3m, 4 pin M12 coding A <-> USB series A plug)	$114
22021093	22021093	Dig I/O Cable to connect RelayBox (10m, 12 pin M12 <-> Open end; ref: relay box 22011967)	$203
30029400	30029400	Printer Cable, straight, (8 pin M12<-> 25 pin D sub male)	$126
30029401	30029401	Printer Cable, 90 degree, (8 pin M12<-> 25 pin D sub male)	$126

ICS6x9 Cable Plugs Only

22022056	22022056	RS232 Counter Plug (8 pin, M12, IP67)	$154
22022058	22022058	Ethernet Counter Plug (4 pin, Coding D, M12, IP67)	$120
22022059	22022059	USB Counter Plug (4 pin, Coding A, M12, IP67)	$120

ICS6x9 Option Kits (can be ordered independantly)

72243265	72243265	Analog Scale Board	$273
72243266	72243266	IDNet Scale Board	$273
64086201	64086201	RS232	$261
64086202	64086202	Digital I/O	$324
64086203	64086203	RS422/RS485	$261
64086204	64086204	USB Device (slave)	$324
64086205	64086205	Ethernet	$448
64086352	64086352	WLAN	$874

BBA221 / BBA221-W

Analog Bench Scale
Painted Steel with Stainless Steel Platter

COMMERCIAL

Approvals:

- NTEP Class III, 5000d, COC #08-025 (all sizes, all capacities); BBA221-W models are not approved as a single device
- Measurement Canada Approval #AM-5701
- OIML R60 C3 MT1242 - TC5382, MT1022 - TC5442

Standard Features:

- PBA220 Platform with IND221 Terminal and Open Back Column
- 6 kg to 300 kg capacities
- IP67 ingress protection
- Rectangular and Square sizes
- 304 Stainless Steel platter
- Painted steel frame
- Up to six overload stops
- Bright green 6-digit, 1.2 in LED weight display
- Basic Weighing with momentary (20 seconds) x 10 display
- Over/Under Checkweighing, Counting
- IP54 ABS plastic enclosure
- Single RS232 port
- On-touch keys for clear, tare, print, zero, and function
- AC or 4-C cell battery operation standard

- BBA221-W models packaged with 300kg/20"x26" base or 600kg/24"x32" base, AND carbon steel, swivel castor wheeled base

Ordering Information

Order Number	SAP Order Number	Platform Size mm (in)	Column Height	Standard Maximum Capacity	Approved Maximum Capacity	Approved Minimum Readability	Cable Length	Shipping Weight (lb)	Suggested List Price (CDN$)
BBA221 Rectangular Bench Scale									
72216760	72216760	240x300x492 (9.5"x12") - A	330 mm	6 kg	6 kg/15 lb	0.002 kg/0.005 lb	1.0 m/ 3.3 ft	15 lb	$1,043
72216761	72216761			15 kg	15 kg/30 lb	0.005 kg/0.01 lb		15 lb	$1,043
72216762	72216762	300x400x492 (12" x 16") - BB	330 mm	35 kg	35 kg/60 lb	0.01 kg/0.02 lb	2.0 m/ 6.5 ft	24 lb	$1,066
72216763	72216763			60 kg	60 kg/150 lb	0.02 kg/0.05 lb		24 lb	$1,066
72216764	72216764	400x500x812 (16" x 20") - B	660 mm	60 kg	60 kg/150 lb	0.02 kg/0.05 lb	2.5 m/ 8.2 ft	49 lb	$1,219
72216765	72216765			150 kg	150 kg/300 lb	0.05 kg/0.1 lb		49 lb	$1,219
72216766	72216766	500x650x1056 (20" x 26") - BC	900 mm	60 kg	60 kg/150 lb	0.02 kg/0.05 lb	2.5 m/ 8.2 ft	55 lb	$1,576
72216767	72216767			150 kg	150 kg/300 lb	0.05 kg/0.1 lb		55 lb	$1,576
72216768	72216768		35.4 in	300 kg	300 kg/600 lb	0.1 kg/0.2 lb		55 lb	$1,576
72216769	72216769	600x800x1056 (24" x 32") - CC	900 mm	60 kg	60 kg/150 lb	0.02 kg/0.05 lb	2.5 m/ 8.2 ft	139 lb	$1,865
72216770	72216770			150 kg	150 kg/300 lb	0.05 kg/0.1 lb		139 lb	$1,865
72216771	72216771		35.4 in	300 kg	300 kg/600 lb	0.1 kg/0.2 lb		139 lb	$1,865
BBA221 Square Bench Scale									
72216751	72216751	229x229x492 (9" x 9") - QA	330 mm	6 kg	6 kg/15 lb	0.002 kg/0.005 lb	1.0 m/ 3.3 ft	12 lb	$1,043
72216752	72216752	305x305x492 (12" x 12") - QB	330 mm	15 kg	15 kg/30 lb	0.005 kg/0.01 lb	2.0 m/ 6.5 ft	21 lb	$1,066
72216753	72216753			35 kg	35 kg/60 lb	0.01 kg/0.02 lb		21 lb	$1,066
72216754	72216754		13 in	60 kg	60 kg/150 lb	0.02 kg/0.05 lb		21 lb	$1,066
72216755	72216755	457x457x812 (18" x 18") - QC	660 mm	60 kg	60 kg/150 lb	0.02 kg/0.05 lb	2.5 m/ 8.2 ft	51 lb	$1,378
72216756	72216756			150 kg	150 kg/300 lb	0.05 kg/0.1 lb		51 lb	$1,378
72216757	72216757	610x610x1056 (24" x 24") - QD	900 mm	60 kg	60 kg/150 lb	0.02 kg/0.05 lb	2.5 m/ 8.2 ft	84 lb	$1,865
72216758	72216758			150 kg	150 kg/300 lb	0.05 kg/0.1 lb		84 lb	$1,865
72216759	72216759		35.4 in	300 kg	300 kg/600 lb	0.1 kg/0.2 lb		84 lb	$1,865
BBA221-W Heavy Duty Mobile Scale									
72255297	72255297	500x650 (20" x 26") - BC	900 mm	300 kg			2.5 m/ 8.2 ft	100 lb	$1,921
72255298	72255298	600 x 800 (24" x 32") - CC	900 mm	600 kg			2.5 m/ 8.2 ft	185 lb	$2,034

©Mettler-Toledo, LLC

BBA221/BBA221-W Analog Bench Scale

BBA221 Accessories - Stands and Carts				
Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
503631	503631	Wheeled stand, CS, open top, 22" high, 16 in x 20 in/400 x 500 mm		$414
504853	504853	Wheeled stand, CS, open top, 22" high, 24 in x 32 in/600 x 800 mm		$624
503632	503632	Wheeled stand, SS, open top, 22" high, 16 in x 20 in/400 x 500 mm		$658
504854	504854	Wheeled stand, SS, open top, 22" high, 24 in x 32 in/600 x 800 mm		$964
72198696	72198696	Cart, low profile, open top for mobile weighing, 500 x 650 x 130 mm (20x26, BC)		$596
72198697	72198697	Cart, low profile, open top for mobile weighing, 600 x 800 x 130 mm (24x32 CC)		$630
09240070000	64049717	Stainless Steel cart, solid top with holes for 9 in, 12 in, 18 in platforms	45 lb	$1,287

BBA221 Accessories - Special Tops				
71145009	71145009	Roller conveyor, galvanized rollers, painted Mild Steel, 12 in x 12 in/305 x 305 mm		$358
72198705	72198705	Roller conveyor, galvanized rollers, painted Mild Steel, 16 in x 20 in/400 x 500 mm		$387
72198707	72198707	Roller conveyor, galvanized rollers, painted Mild Steel, 20 in x 26 in/500 x 650 mm		$545
72198709	72198709	Roller conveyor, galvanized rollers, painted Mild Steel, 24 in x 32 in/600 x 800 mm		$601
72198689	72198689	Roller conveyor, galvanized rollers, painted Mild Steel, 18 in x 18 in/457 x 457 mm		$387
72198690	72198690	Roller conveyor, galvanized rollers, painted Mild Steel, 24 in x 24 in/610 x 610 mm		$494
72198691	72198691	Ball top, galvanized balls, painted Mild Steel, 16 in x 20 in/400 x 500 mm		$409
72198692	72198692	Ball top, galvanized balls, painted Mild Steel, 20 in x 26 in/500 x 650 mm		$494
72198693	72198693	Ball top, galvanized balls, painted Mild Steel, 24 in x 32 in/600 x 800 mm		$545
72198694	72198694	Ball top, galvanized balls, painted Mild Steel, 18 in x 18 in/457 x 457 mm		$409
72198695	72198695	Ball top, galvanized balls, painted Mild Steel, 24 in x 24 in/610 x 610 mm		$494

BBA226

Analog Bench Scale
All Stainless Steel Construction

BBA226

COMMERCIAL

Approvals:

- NTEP Class III, 5000d, COC #08-025A3 (15,000d uncertified)
- Measurement Canada Approval #AM-5701 Rev 1
- OIML R76/1992-NL1-07.12 Rev 1

Standard Features:

- ALUMINUM (IP65) or STAINLESS STEEL (IP65/IP67) potted loadcell
- 3 kg to 150 kg capacities
- Stainless steel terminal with IP65 ingress protection
- 304 SS terminal, load plate, column and (electro polished) platform
- Lb/Kg display unit switching
- Six overload stops
- Bright green 6-digit, 1.2" LED weight display
- Basic weighing with momentary (20 seconds) x 10 display
- Over/Under Checkweighing, Classifying, Counting
- Single RS232 port
- On-touch keys for on/off, clear, tare, print, zero, and function
- 100…240VAC power supply

Ordering Information

Order Number	SAP Order Number	Platform Size mm (in)	Column Height	Standard Maximum Capacity	Approved Maximum Capacity	Approved Minimum Readability	Cable Length	Shipping Weight (lb)	Suggested List Price (CDN$)
BBA226 ALUMINUM Potted Loadcell -Rectangular Platform									
72238604	72238604	240x300 (9.5"x12") - A	330 mm/ 13 in	3 kg	5 lb	0.001 lb	1.8 m/ 5.8 ft	23.3 lb	$1,219
72238605	72238605			6 kg	10 lb	0.002 lb		23.3 lb	$1,219
72238606	72238606			15 kg	15 lb	0.005 lb		23.3 lb	$1,219
72238607	72238607	300x400 (12" x 16") - BB	330 mm/ 13 in	30 kg	50 lb	0.01 lb	2.3 m/ 7.5 ft	29.2 lb	$1,349
72238608	72238608			60 kg	100 lb	0.02 lb		29.2 lb	$1,349
72238609	72238609	400x500 (16" x 20") - B	660 mm/ 26 in	30 kg	50 lb	0.01 lb	2.3 m/ 7.5 ft	43.5 lb	$1,547
72238610	72238610			60 kg	100 lb	0.02 lb		43.5 lb	$1,547
72238611	72238611			150 kg	250 lb	0.05 lb		43.5 lb	$1,547
BBA226 ALUMINUM Potted Loadcell - Square Platform									
72238589	72238589	228x228 (9" x 9") - QA	330 mm/ 13 in	3 kg	5 lb	0.001 lb	1.8 m/ 5.8 ft	20.7 lb	$1,168
72238590	72238590			6 kg	10 lb	0.002 lb		20.7 lb	$1,168
72238591	72238591	305x305 (12" x 12") - QB	330 mm/ 13 in	15 kg	25 lb	0.005 lb	2.3 m/ 7.5 ft	26 lb	$1,270
72238592	72238592			30 kg	50 lb	0.01 lb		26 lb	$1,270
72238593	72238593			60 kg	100 lb	0.02 lb		26 lb	$1,270
72238594	72238594	457x457 (18" x 18") - QC	660 mm/ 26 in	60 kg	100 lb	0.02 lb	3.3 m/ 10.8 ft	46.4 lb	$1,610
72238595	72238595			150 kg	250 lb	0.05 lb		46.4 lb	$1,610
BBA226 STAINLESS STEEL Potted Loadcell - Rectangular Platform									
72243510	72243510	240x300 (9.5" x 12") - A	330 mm/ 13 in	3 kg	5 lb	0.001 lb	3.0 m/ 9.9 ft	24.9 lb	$1,514
72243511	72243511			6 kg	10 lb	0.002 lb		24.9 lb	$1,514
72243512	72243512			15 kg	25 lb	0.005 lb		24.9 lb	$1,514
72243513	72243513	300x400 (12" x 16") - BB	330 mm/ 13 in	30 kg	50 lb	0.01 lb	3.0 m/ 9.9 ft	30.8 lb	$1,633
72243514	72243514			60 kg	100 lb	0.02 lb		30.8 lb	$1,633
72243515	72243515	400x500 (16" x 20") - B	660 mm/ 26 in	30 kg	50 lb	0.01 lb	3.0 m/ 9.9 ft	44.9 lb	$1,831
72243516	72243516			60 kg	100 lb	0.02 lb		44.9 lb	$1,881
BBA226 STAINLESS STEEL Potted Loadcell - Square Platform									
72243518	72243518	228x228 (9" x 9") - QA	330 mm/ 13 in	3 kg	5 lb	0.001 lb	3.0 m/ 9.9 ft	22.2 lb	$1,468
72243519	72243519			6 kg	10 lb	0.002 lb		22.2 lb	$1,468
72243520	72243520	305x305 (12" x 12") - QB	330 mm/ 13 in	15 kg	25 lb	0.005 lb	3.0 m/ 9.9 ft	27.5 lb	$1,559
72243521	72243521			30 kg	50 lb	0.01 lb		27.5 lb	$1,559
72243522	72243522			60 kg	100 lb	0.02 lb		27.5 lb	$1,559

 ©Mettler-Toledo, LLC

BBA226 Analog Bench Scale

BBA226 Accessories - Stands and Carts				
Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
72229393	72229393	Column/stand, SS, open back, 120mm/4.7 in		$137
72198702	72198702	Column/stand, SS, open back, 330mm/13 in		$127
72198703	72198703	Column/stand, SS, open back, 660mm/26 in		$149
72198704	72198704	Column/stand, SS, open back, 900mm/35.4 in		$171
503631	503631	Wheeled stand, CS, open top, 22" high, 16 in x 20 in/400 x 500 mm		$414
503632	503632	Wheeled stand, SS, open top, 22" high, 16 in x 20 in/400 x 500 mm		$658
09240070000	64049717	Stainless Steel cart, solid top with holes for 9 in, 12 in, 18 in platforms	45 lb	$1,287
BBA226 Accessories - Special Tops				
71145009	71145009	Roller conveyor, galvanized rollers, painted Mild Steel, 12 in x 12 in/305 x 305		$358
72198705	72198705	Roller conveyor, galvanized rollers, painted Mild Steel, 16 in x 20 in/400 x 500		$387
72198689	72198689	Roller conveyor, galvanized rollers, painted Mild Steel, 18 in x 18 in/457 x 457		$387
72198691	72198691	Ball top, galvanized balls, painted Mild Steel, 16 in x 20 in/400 x 500 mm	14.5 lb	$409
72198694	72198694	Ball top, galvanized balls, painted Mild Steel, 18 in x 18 in/457 x 457 mm	15.8 lb	$409
72198695	72198695	Ball top, galvanized balls, painted Mild Steel, 24 in x 24 in/610 x 610 mm	26.8 lb	$494

Notes

 ©Mettler-Toledo, LLC