HB-S

MJ33

HB/MJ

Halogen Moisture Analyzers

APPLIED

Standard Features:

- Proven halogen drying
  (Infrared drying on MJ33)
- Simple operation
- Rugged construction for production environments
- Large, easy-to-read displays
- Integrated printer models available

Ordering Information

Halogen Moisture Analyzers

Order Number	SAP Order Number	Maximum Sample Weight	Minimum Sample Weight	Balance Readability	Drying Adjust Steps	Display	Internal Printer	Shipping Weight (lb)	Suggested List Price (CDN$)
HB43-S	11121800	54 g	0.5 g	0.001 g	1°C	VFD w/BL	NO	23 lb	$5,013
MJ33	11121810	35 g	0.5 g	0.001 g	1°C	VFD w/BL	NO	23 lb	$3,590

Halogen Moisture Analyzer Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
LC-RS25	229050	RS232-C cable (DB25m/f, 6 ft) - 229050		$220
LC-RS9	229065	RS232-C cable (DB9f, 6 ft) - 229065		$243
RS-P42	229265	HB43 Printer		$1,020
72456	72456	Printer Paper, set of 5 rolls		$17

SmartCal - Reference Substance Analyzers (Only avaiable with HB Analyzers)

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
30005791	30005791	cSmartCal 24 tests		$718
30005793	30005793	cSmartCal 12 Tests		$414
30005790	30005790	SmartCal 24 tests		$508
30005792	30005792	SmartCal 12 tests		$286
30005918	30005918	StarterPac cSmartCal		$456
30005917	30005917	StarterPac SmartCal		$338

NewClassic ML Balances

(Replaces Classic Light Level)

APPLIED

Standard Features:

- 7 Segment display w/ backlighting
- Weighing capacities up to 6200 g,
- Readabilities from 0.0001 g to 0.1 g.
- 1-RS232 port standard
- Top plastic housing, die cast aluminum bottom housing (IP54)
- Supports below balance weighing
- All models are AC or battery powered
- Multiple Applications:
  - Parts Counting
  - Percent Weighing
  - Check weighing
  - Dynamic Weighing
  - Statistics

Ordering Information

Order Number	SAP Order Number	Readability	Capacity	Pan Dimensions	Housing Dimensions	Shipping Weight (lb)	Suggested List Price (CDN$)
ML - Analytical Entry Balance - Includes Tall Draftshield							
ML54	11145210	0.0001 g	52 g	3.5" / 90mm	11.4" x 7.6" x 13"	18	$3,276
ML104	11145216		120 g			18	$3,422
ML204	11145222		220 g			18	$4,161
ML - Precision Entry Balance - Includes Short Draftshield							
ML203E	11145255	0.001 g	220 g	4.7" / 120mm	11.4" x 7.2" x 7.4"	18	$1,863
ML303E	11145264		320 g			18	$2,079
ML - Compact Precision Entry Balance							
ML802E	11145303	0.01 g	820 g	6.3 " (160 mm)	11.4" x 7.2" x 3.3"	15	$1,742
ML1502E	11145315		1520 g			15	$2,007
ML3002E	11145327	0.01 g	3200 g	6.7" x 7.5" (170 x 190 mm)	11.4" x 7.2" x 3.3"	15	$2,022
ML4002E	11145333		4200 g			15	$2,718
ML601E	11143274	0.1 g	620 g	6.3" (160 mm)	11.4" x 7.2" x 3.3"	15	$1,309
ML1501E	11143277		1520 g			15	$1,763
ML3001E	11145351	0.1 g	3200 g	6.3" (160 mm)	11.4" x 7.2" x 3.3"	15	$1,969
ML6001E	11145369		6200 g			15	$2,065

©Mettler-Toledo, LLC

NewClassic ML Accessories

ML Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
12122030	12122030	In-use cover for ML Models with 235 mm Draft Shield (ML504, ML104, ML204)		$29
12122032	12122032	In-use cover for ML Models with Circular Weigh Pan		$30
12122031	12122031	In-use cover for ML Models with Rectangular Weigh Pan (ML3002E, ML4002E)		$29
11120270	11120270	Universal AC Adapter 120 - 240 VAC, 50/60Hz		$87
11600361	11600361	Anti-theft Cable		$178
11101051	11101051	Interface cable RS9 - RS9 (M/F) 1 m length (39")		Call
11101052	11101052	Interface cable RS9 - RS25 (M/F) 1 m length (39")		Call
11103691	11103691	RS-232 - USB Converter for connection to PC		$180
RS-P25	11124320	Printer with RS232C Connection to Balance		$602
RS-P26	12120788	Printer with RS232C Connection to Balance (with Date and Time)		$778
RS-P28	11124324	Printer with RS232C Connection to Balance (With Date, Time, Statistics, and Tota		$904
224200	224200	Auxiliary display RS/LC-BLD		$419
12121015	12121015	ML-DS-21 NewClassic Draft Shield Compatible with a ML models (Height: 227 mm)		$321
12122363	12122363	NewClassic PowerPac Battery PowerPac-M-12V		$492
12120057	12120057	RS232 Auxiliary Display		$350

NewClassic MS Balances

(Replaces Classic Plus Level)

APPLIED

Standard Features:

- FACT fully automatic time and temp-controlled internal adjustment
- Programmable shortcut keys
- Internal calibration for all models
- High Contrast Display (HCD)
- Below weighing hook for weighing below the balance
- Weighing in 16 different units
- Multiple languages: German, English, French, Spanish, Italian, Polish, Czech
- RS232-C interface is standard (9-pin female)
- Die-cast aluminum housing (IP54)
- MonoBloc Technology
- Multiple Applications: Piece counting, % weighing, Dynamic weighing, Check weighing, Free factor, Statistics, Formulation, Totaling
- USB Port

Ordering Information

Order Number	SAP Order Number	Readability (g)	Capacity (g)	Pan Dimensions	Housing Dimensions	Shipping Weight (lb)	Suggested List Price (CDN$)
MS - Analytical Balance - Includes Tall Draft Shield							
MS104S	11144914	0.0001g	120g	3.5" (90 mm)	13.7"x 8"x 13.6"	18	$4,101
MS204S	11144917		220g			18	$5,296
MS304S	11144920		320g			18	$6,314
MS - Precision Balance - Includes Short Draft Shield							
MS303S	11144929	0.001 g	320 g	5" x 5" (127 x 127 mm)	13.7" x 8" x 11"	18	$2,916
MS403S	11144932		420 g			18	$3,432
MS603S	11144938		620 g			18	$3,934
MS1003S	11144944		1020 g			18	$5,692
MS - Compact Precision Balance							
MS802S	11144950	0.01 g	820 g	6.7" x 7.9" (170 x 200 mm)	13.7" x 7.6" x 3.8"	15	$2,213
MS1602S	11144956		1620 g			15	$2,518
MS3002S	11144962		3200 g			15	$3,057
MS4002S	11144968		4200 g			15	$3,317
MS6002S	11144977		6200 g			15	$4,386
MS3001S	11144992	0.1g	3200 g	7.5" x 8.9" (190 x 226 mm)	13.7" x 7.6" x 3.8"	15	$2,437
MS6001S	11145001		6200 g			15	$2,788
MS8001S	11145004		8200 g			15	$3,164
MS12001L	11145013	0.1g	12200 g	13.8" x 9.6" (351 x 245 mm)	13.6" x 14.3" x 4.6"	20	$4,637
MS16001L	11145016		16200 g			20	$4,848
MS32001L	11145028		32200 g			20	$6,315
MS32000L	11124701	1 g	32200 g	13.8" x 9.6" (351 x 245 mm)	13.6" x 14.3" x 4.6"	20	$4,933
[1] MS15KLIPE	11145174	2 g	15000 g	13.8" x 9.6" (351 x 245 mm)	13.6" x 14.3" x 4.6"	20	$2,921
[1] MS24KLIPE	11145180		24000 g			20	$3,274
[2] MS4002SDR	11144971	0.01g/0.1g	820 g/4200 g	6.7" x 7.9" (170 x 200 mm)	13.7" x 7.6" x 3.8"	15	$2,687
[2] MS6002SDR	11144980		1220 g/6200 g			15	$3,756

[1] KLIPE = IP65 Top Loader with External Calibration

[2] DR = Delta Range models

©Mettler-Toledo, LLC

NewClassic ML Accessories

MS Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
12121850	12121850	In-use cover for MS-S Models with Draft Shield		$50
12121851	12121851	In-use cover for MS-S Models without Draft Shield		$50
12121852	12121852	In-use cover for MS-L Models with up to 1 g readability		$100
12121853	12121853	In-use cover for MS-L Models with up to 2-5 g readability		$100
11120270	11120270	Universal AC Adapter 120-240 VAC, 50/60 Hz, 0.3 A, 12 V, 0.84 A		$87
11600361	11600361	Anti-theft Cable		$178
11101051	11101051	Interface cable RS9 - RS9 (M/F) 1 m length (39")		Call
11101052	11101052	Interface cable RS9 - RS25 (M/F) 1 m length (39")		Call
11103691	11103691	RS232-USB Converter for Connection to PC		$180
RS-P25	11124320	Printer with RS232C Connection to Balance		$602
RS-P26	12120788	Printer with RS232C Connection to Balance (with date and time)		$778
RS-P28	11124324	Printer with RS232C Connection to Balance (with date, time, statistics and totalizing)		$904
224200	224200	Auxiliary display RS/LC-BLD		$419
12122363	12122363	NewClassic PowerPac Battery PowerPac-M-12V		$492
12120057	12120057	RS232 Auxiliary Display		$350
11132565	11132565	Hook for Below Balance Weighing (For MS-L Models only)		$102
11124245	11124245	Transport Case for MS-S Models		$1,055
12122405	12122405	Draft Shield with Sliding Doors for mg Models (165 mm)		$518
12122404	12122404	Draft Shield with Sliding Doors for 0.1 mg Models (237 mm)		$583
12121014	12121014	MS-DS-21 NewClassic Draft Shield for all MS-S Models (Height 213 mm)		$462

NewClassic MS Balances

Trade Approval

APPLIED

Approvals:

NTEP Certificate # 12-045

Standard Features:

- FACT fully automatic time and temp-controlled internal adjustment
- Programmable shortcut keys
- Internal calibration for all models
- Liquid Crystal Display (LCD)
- Remote Printer Capability
- Weighing in 16 different units
- Battery Power Supply
- RS232 Communication Port
- Die-cast aluminum housing (IP54)
- MonoBloc Technology
- Counting Feature for Prescription Filling (Class I/II only)
- USB Port

Ordering Information

Order Number	SAP Order Number	Description	Pan Dimensions	Housing Dimensions (Inches)	Suggested List Price (CDN$)
MS - Precision Balance - Includes Short Draft Shield (Shipping Weight 18lbs)					
11144930	11144930	MS303S/A 320g X .001g	5" x 5" (127 x 127 mm)	13.7 x 8 x 11	$3,072
11144933	11144933	MS403S/A 420g X .001g			$3,588
11144939	11144939	MS603S/A 620g X .001g			$3,975
11144945	11144945	MA1003S/A 1020g X .001g			$5,848
MS - Compact Precision Balance (Shipping Weight 18 lbs)					
11144951	11144951	MS802S/A 820g X .01g	6.7" x 7.9" (170 x 200 mm)	13.7 x 7.6 x 3.8	$2,369
11144957	11144957	MS1602S/A 1620 g X .01g			$2,674
11144963	11144963	MS3002S/A 3200 g X .01g			$3,213
11144969	11144969	MS4002S/A 4200 g X .01g			$3,376
11144978	11144978	MS6002S/A 6200 g X .01g			$4,542
11144993	11144993	MS3001S/A 3200 g X .1g	7.5" x 8.9" (190 x 226 mm)	13.7 x 7.6 x 3.8	$2,593
11145002	11145002	MS6001S/A 6200 g X .1g			$2,944
11145005	11145005	MS8001S/A 8200 g X .1g			$3,320
11145014	11145014	MS12001L/A12200 g	13.8" x 9.6" (351 x 245 mm)	13.6 x 14.3 x 4.6	$4,793
11145017	11145017	MS16001L/A16200 g			$5,004
11145142	11145142	MS32001L/A32200 g			$5,089
11145029	11145029	MS32000L/A 32200g X .1g	13.8" x 9.6" (351 x 245 mm)	13.6 x 14.3 x 4.6	$6,471
11145175 [1]	11145175	MS15KLIPE/A 6/15kg X 2/5g	13.8" x 9.6" (351 x 245 mm)	13.6 x 14.3 x 4.6	$3,077
11145181 [1]	11145181	MS24KLIPE/A 15/24kg X 5/10g			$3,430
11144972 [2]	11144972	MS4002SDR/A 820/4200g X .01/.1g	6.7" x 7.9" (170 x 200 mm)	13.7 x 7.6 x 3.8	$2,843
11144981 [2]	11144981	MS6002SDR/A 1220/6200g X .01/.1g			$3,912

[1] KLIPE = IP65 Top Loader with External Calibration

[2] DR = Delta Range models

©Mettler-Toledo, LLC

NewClassic ML Accessories

MS Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
12121850	12121850	In-use cover for MS-S Models with Draft Shield		$50
12121851	12121851	In-use cover for MS-S Models without Draft Shield		$50
12121852	12121852	In-use cover for MS-L Models with up to 1 g readability		$100
12121853	12121853	In-use cover for MS-L Models with up to 2-5 g readability		$100
11120270	11120270	Universal AC Adapter 120-240 VAC, 50/60 Hz, 0.3 A, 12 V, 0.84 A		$87
11600361	11600361	Anti-theft Cable		$178
11101051	11101051	Interface cable RS9 - RS9 (M/F) 1 m length (39")		Call
11101052	11101052	Interface cable RS9 - RS25 (M/F) 1 m length (39")		Call
11103691	11103691	RS232-USB Converter for Connection to PC		$180
RS-P25	11124320	Printer with RS232C Connection to Balance		$602
RS-P26	12120788	Printer with RS232C Connection to Balance (with date and time)		$778
RS-P28	11124324	Printer with RS232C Connection to Balance (with date, time, statistics and totalizing)		$904
224200	224200	Auxiliary display RS/LC-BLD		$419
12122363	12122363	NewClassic PowerPac Battery PowerPac-M-12V		$492
12120057	12120057	RS232 Auxiliary Display		$350
11132565	11132565	Hook for Below Balance Weighing (For MS-L Models only)		$102
11124245	11124245	Transport Case for MS-S Models		$1,055
12122405	12122405	Draft Shield with Sliding Doors for mg Models (165 mm)		$518
12122404	12122404	Draft Shield with Sliding Doors for 0.1 mg Models (237 mm)		$583
12121014	12121014	MS-DS-21 NewClassic Draft Shield for all MS-S Models (Height 213 mm)		$462

XS Scales

Excellence Level

APPLIED

Standard Features:

- Die cast aluminum base
- Monobloc[HighSpeed] weighing cells
- Stainless steel weighing pan with draft ring or draft shield
- Touch screen backlit graphics display
- IP54 in-use dust and moisture protection
- FACT automatic calibration adjustment
- RS232C interface and two AUX inputs built in
- Plug-in module for optional second interface available
- Magic Cube draft shield (0.001 g models only) *
- Protective cover for terminal and weighing platform
- Spring-loaded leveling feet (0.01 g and 0.1g models)
- Power supply connection with AC/DC adapter
- Below balance weighing hook standard on "S" sizes
- Display different weighing units
- Tare over the entire weighing range
- Download software via the Internet
- Density determination
- Dynamic/animal weighing
- Formula-weigh and totalizing
- Display statistics
- Display percentage weighing (%)
- Alphanumeric sample ID
- Communicate in 7 different languages
- Create 3 IDs per sample documentation per GxP
- Built-in overload protection

Ordering Information

Order Number	SAP Order Number	Readability (g)	Capacity (g)	Pan Dimensions (W x D in)	Housing Dimensions (W x D x H in)	Shipping Weight (lb)	Suggested List Price (CDN$)
XS Scales - S frame							
XS203S	11130153	0.001 g	210 g	5" x 5"	7.6" x 15.4" x 10.9"		$4,122
XS403S	11130156		410 g				$5,003
XS603S	11130159		610 g				$5,695
XS1003S	11130165		1010 g				$6,211
XS802S	11130168	0.01g	810 g	6.7" x 8.1"	7.6" x 15.4" x 3.8"		$4,198
XS2002S	11130171		2100 g				$4,487
XS4002S	11130174		4100 g				$4,832
XS6002S	11130180		6100g				$5,637
XS4001S	11130186	0.1g	4100 g	7.5" x 8.8"			$3,093
XS6001S	11130189		6100 g				$3,739
XS8001S	11130192		8100 g				$4,785
XS Scales - L frame							
XS8001L	11130660	0.1 g	8100 g	11.0" x 14.2"	14.2" x 11.0" x 5.1"		$4,465
XS16001L	11130663		16,100 g				$5,781
XS32001L	11130666		32,100 g				$6,802
XS16000L	11130672	1 g	16,100 g				$4,368
XS32000L	11130675		32,100 g				$4,630
XS - Delta Range Models							
XS603SDR	11130162	0.001g/0.01g	120 g/610 g	5" x 5"	7.6" x 15.4" x 10.9"		$5,003
XS4002SDR	11130177	0.01 g/0.1 g	800 g/4100 g	6.7" x 8.1"	7.6" x 15.4" x 3.8"		$4,348
XS6002SDR	11130183		1200 g/6100 g				$5,407
XS32001LDR	11130669	0.1 g/1 g	6400 g/32,100 g	11.0" x 14.2"	14.2" x 11.0" x 5.1"		$5,462

 ©Mettler-Toledo, LLC

XP Scales

Excellence Plus Level

APPLIED

Standard Features:

- SmartScreen: color graphical display with touchscreen operation
- SmartSens and ErgoSens: Two sensors for hands-free operation
- StatusBar: Two displays to visualize SmartSens functionality
- Individual access rights for eight users
- Spring loaded stabilizing feet for all 0.01 and 0.1 g models
- Freely positionable Indicator
- All XP models equipped with ProFACT (Automatic internal calibration)
- Built in RS232 Interface.
- Slot for second interface and two switch contacts
- IP54 protection against intrusion by water and dust
- Advanced MonoBloc Technology (Monobloc highspeed)
- Protective cover for XP terminal
- Below balance weighing hook is standard on all XP models

All Models Can:

- Download software via the Internet
- Display different units of weight
- Display statistics with +/-, %
- Communicate in seven languages
- Alphanumeric Identification
- 4 IDs per sample
- Communicate wirelessly to BT P42 printer

Ordering Information

XP scales - S frame

Order Number	SAP Order Number	Readability (g)	Capacity (g)	Pan Dimensions (W x D in)	Housing Dimensions (W x D x H in)	Shipping Weight (lb)	Suggested List Price (CDN$)
XP203S	11130022	0.001 g	210 g	5 " x 5 "	7.6" x 15.4" x 10.9"		$5,924
XP603S	11130020		610 g				$6,874
XP1203S	11130000		1210 g				$8,512
XP802S	11130061	0.01 g	810 g	6.7" x 8.1"	7.6" x 15.4" x 3.8"		$4,634
XP1202S	11130070		1210 g				$5,246
XP4002S	11130102		4100 g				$5,970
XP6002S	11130100		6100 g				$6,570
XP8002S	11130201		8100 g				$6,614
XP10002S	11130200		10,100 g				$8,167
XP4001S	11130141	0.1 g	4100 g	7.5" x 8.8"			$3,863
XP6001S	11130140		6100 g				$4,487
XP10001S	11130220		10,100 g				$6,282
[1] XP2003SDR	11130088	0.001g/0.01g	500 g/2100 g	5" x 5"	7.6" x 15.4" x 10.9"		$8,984
[1] XP5003SDR	11130094		1000 g/5100 g				$10,295
[1] XP6002SDR	11130101	0.01 g/0.1 g	1200 g/6100 g	6.7" x 8.1"	7.6" x 15.4" x 3.8"		$6,211

[1] DR = DeltaRange models

XP Scales - Excellence Plus Level

XP scales - L frame

Order Number	SAP Order Number	Readability (g)	Capacity (g)	Pan Dimensions (W x D in)	Housing Dimensions (W x D x H in)	Shipping Weight (lb)	Suggested List Price (CDN$)
XP8001L	11130630	0.1 g	8100 g	11.0" x 14.2"	14.2" x 11.0" x 5.1"		$5,788
XP16001L	11130633		16,100 g				$6,633
XP32001L	11130636		32,100 g				$8,491
XP64001L	11130642		64,100 g				$11,393
XP32000L	11130648	1 g	32,100 g				$6,087
XP64000L	11130651		64,100 g				$8,776

 ©Mettler-Toledo, LLC

X Bases

Excellence Platform Only

APPLIED

Standard Features:

- Die cast aluminum base
- Monobloc[HighSpeed] weighing cells
- Stainless steel weighing pan with draft ring or draft shield
- IP54 in-use dust and moisture protection
- FACT automatic calibration adjustment
- RS232C interface and two AUX inputs built in
- Plug-in module for optional second interface available
- Magic Cube draft shield (only 0.001 g models)*
- Spring-loaded leveling feet (0.01 g and 0.1g models)
- Software upgrade via internet

Options:

- Simple draft shield (0.01 g and 0.1 g models)
  (0.1 g models require 11132660 pan set)

Notes:

- **X Bases require a terminal with SICS scale interface**

Ordering Information

X-Platform - S frame

	Order Number	SAP Order Number	Readability (g)	Capacity (g)	Pan Dimensions (W x D in)	Housing Dimensions (W x D x H in)	Shipping Weight (lb)	Suggested List Price (CDN$)
1	X203S	11130008	0.001 g	210 g	5" x 5"	7.6" x 10.1" x 10.9"		$2,945
1	X603S	11130014		610 g				$3,400
1	X1203S	11130062		1210 g				$4,660
	X1202S	11130073	0.01 g	1210 g	6.7" x 8.1"	7.6" x 10.1" x 3.8"		$2,611
	X2002S	11130043		2100 g				$2,755
	X4002S	11130109		4100 g				$3,048
	X6002S	11130112		6100 g				$3,517
	X8002S	11130209		8100 g				$4,031
	X10002S	11130212		10,100 g				$4,572
	X4001S	11130146	0.1 g	4100 g	7.5" x 8.8"			$1,994
	X6001S	11130149		6100 g				$2,156
	X8001S	11130226		8100 g				$2,492
	X10001S	11130229		10,100 g				$2,888
2	X603SDR	11130046	0.001g/0.01g	120 g/610 g	5" x 5"	7.6" x 10.1" x 10.9"		$2,902
2	X2003SDR	11130091		500 g/2100 g				$4,527
2	X5003SDR	11130097		1000 g/5100 g				$5,261
2	X6002SDR	11130115	0.01 g/0.1 g	1200 g/6100 g	6.7" x 8.1"	7.6" x 10.1" x 3.8"		$2,990
2	X10002SDR	11130215		2000 g/10,100 g				$3,870

[1] Includes Magic Cube Draft Shield [2] DR = DeltaRange models

X Bases - Excellence Plus Level

X-platform - L frame

Order Number	SAP Order Number	Readability (g)	Capacity (g)	Pan Dimensions (W x D in)	Housing Dimensions (W x D x H in)	Shipping Weight (lb)	Suggested List Price (CDN$)
X16001L	11130603	0.1 g	16,100 g	11.0" x 14.2"	11.0" x 14.2" x 5.1"		$4,501
X32001L	11130606		32,100 g				$5,110
X64001L	11130612		64,100 g				$6,638
X32000L	11130618	1.0 g	32,100 g				$3,693

©Mettler-Toledo, LLC

Excellence Level Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
XS/XP Second Interface Options				
11132515	11132515	Ethernet TCP/IP (Connection to PC) option, second interface option		$382
11132520	11132520	PS/2 option, second interface option		$230
11132500	11132500	RS232C option, second interface option		$198
11132505	11132505	LocalCan option, second interface option		$198
11132510	11132510	MiniMettler option, second interface option (PM emulation) - not for X base		$219
11132530	11132530	Bluetooth™ (BT) multiport option (up to 7 BT devices)		$509
11132535	11132535	Bluetooth™ (BTS) interface, point-to-point		$230
Application Software and Peripherals				
237010nt	237010	Balance Link Spreadsheet software (Vista/Win XP/Win 2000)		$882
LV-11	21900608	Vibratory tablet feeder - 21900392 (XP only)		$7,095
SQC14/16	236210	SQC printer with 16 article storage (includes 9-pin to 9-pin cable)		$3,000
SQC14/60	236211	SQC printer with 60 article storage (includes 9-pin to 9-pin cable)		$3,638
21900921	21900921	SQC14 to LV11 cable		$324
SQC-XP	21901277	Statistical software for XP balances		$3,742
Input/ Output Devices				
11132601	11132601	ErgoSens programmable sensor for hands-free operation, 0.6 m cable		$230
LC-I/O		Relay Interface with digital inputs and outputs. Can switch 8 different devices		$1,488
229220	229220	LC Switch box: Connect up to three balances with LocalCan interface to a printer		$275
21901297A	64089359	RS232 Barcode Scanner (MT Heron-G D130)		$1,190
Cables for RS232 Interface				
11101051	11101051	RS232 connection cable for RS-P42 Printer or PC (1m, 9 pin male to 9 pin female)		$78
11101052	11101052	RS232 connection cable for IBM XT or compatible PC (1m, 9 pin male to 25 pin female)		$91
21302921	21302921	RS232 connection cable for devices with DB9 (1 m, 9 pin male to 9 pin male, straight)		$99
210493	210493	RS232 connection cable for MiniMettler Interface (1.5 m, 15 pin male to 9 pin female)		$167
Auxiliary Displays				
224200	224200	RS/LC-BLD: Auxiliary display with RS232/LC connection and external power supply		$419
11132630	11132630	RS/LC-BLDS: Auxiliary display with RS232/ LC connection		$625
11132555	11132555	BT-BLD: Bluetooth auxiliary display for connection with BTS interface		$675
LC-AD	229140	Auxiliary fluorescent display		$619
LC-ADS	229150	Auxiliary fluorescent display with table stand		$650
LC-PD	229100	Auxiliary LCD display, desk or wall-mount (5 ft cable) - 229100		$488
LC-PDS	229070	Auxiliary LCD display, 16.25" high stand for mounting to balance - 229070		$542
Printers				
RS-P42	229265	Printer with RS232 connection Cable		$1,020
BT-P42	11132540	Printer for Bluetooth wireless connection to the balance		$1,097
LC-P45	229119	Printer (LocalCAN/RS232-C) includes 2 cables: 229116 and 11101051		$1,468
72456	72456	Printer Paper for LC-P45, (set of 5)		$17
21615	68017663	Ink Ribbon for LC-P45, (each - minimum order 5)		$20
LC-P43	229114	Basic printer (LocalCAN) includes cable - 229114		$1,006
Calibration Weights				
11123461	11123461	100 g, Class 1, Plastic Case		$108
11123462	11123462	200 g, Class 1, Plastic Case		$176
11123464	11123464	1000 g, Class 1, Plastic Case		$515
11123465	11123465	2000 g, Class 1, Plastic Case		$813
11123466	11123466	5000 g, Class 1, Plastic Case		$1,140

Excellence Level Accessories

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
XS/XS/XP Scale Accessories				
11132565	11132565	Below balance weighing hook for M and L sizes (standard in S sizes)		$102
11132680	11132680	Density kit for 0.001 g models		$845
11132070	11132070	IP54 protective cover for AC adapter		$215
XS/XP Terminal Options				
11132636	11132636	Terminal stand; places terminal 30cm above pan (S/M frames)		$269
11132665	11132665	Terminal wall bracket		$269
11132601	11132601	ErgoSense, optical sensor for hands-free operation		$230
11106870	11106870	XS terminal cover for S & M bases		$41
11132573	11132573	XS terminal cover for L bases (covers platform and terminal)		$76
XS/XP Accessories				
LC-RS25	229050	RS232-C cable (DB25m/f, 6 ft) - 229050		$220
LC-RS9	229065	RS232-C cable (DB9f, 6 ft) - 229065		$243
LC-RS9-C	21300787	RS232-C cable (DB9m, 6 ft) - 21300787		$214
LC-CL	229130	Current loop cable (6 ft) - 229130		$205
LC-FS	229060	Foot switch - 229060		$436
LC-LC2	229115	Extension cable (6 ft) - 229115		$83
LC-LC5	229116	Extension cable (16 ft) - 229116		$92
LC-LCT	229118	T branch piece - 229118		$98
LC-LC03	239270	Extension cable (1 ft) - 239270		$54
XS/XP Miscellaneous Accessories -- Draft shields, antitheft devices, carrying cases, in-use covers				
11131650	11131650	Magic Cube draft shield, plastic for 0.001 g models		$324
11131651	11131651	Pro draft shield, glass for 0.001 g models (248 mm high)		$749
11131652	11131652	Pro draft shield, plastic for 0.001 g models (248 mm high)		$990
11134430	11134430	Whole balance draft shield, 300 x 450 x 450 (for Small and Medium Size Balances)		$1,441
11134470	11134470	Whole balance draft shield, 550 x 470 x 580 (for Medium and Large Size Balances)		$3,355
11131653	11131653	Simple draft shield for 0.01 g/0.1 g models (175 mm high)		$571
11132660	11132660	Pan set (required to adapt 0.1 g models to simple draft shield)		$193
110539	63052337	Draft Chamber Kit, Plastic, Assembly Required (17" x 16" x 17")		$337
110212	63052324	Draft Chamber Kit, Plastic, Assembly Required (25" x 18" x 25")		$387
11132636	11132636	Stand for Terminal ; Terminal height above platform = 0.3 m (S and M sizes)		$269
11132653	11132653	Stand for Terminal ; Terminal height above platform = 0.3 m (L size)		$352
11132665	11132665	Wall fixture for XS/XP Terminal		$269
11600517	11600517	Terminal extension cable (4.5 m)		$92
11132625	11132625	Magnetic Protection Shield (MPS) pan for 0.1 g models, 190 x 223 mm		$269
11132626	11132626	Magnetic Protection Shield (MPS) pan for 10 mg models, 170 x 205 mm		$269
11600361	11600361	Antitheft device, cable lock		$178
11132595	11132595	Carrying case for XP balances with 10 mg and 0.1g readability (S size)		$692
11132655	11132655	Weighing pan 190 mm x 223 mm (pan support included)		$193
11132660	11132660	Weighing pan 170 mm x 205 mm (pan support and draft shield element included)		$193
11132572	11132572	Protective cover for XS M platforms, 0.1g and 1g		$81
11132574	11132574	Protective cover for XM base only		$57
11132570	11132570	In-use display cover for XP terminal		$50
11133034	11133034	In-use housing cover for XP 10 mg/0.1 g models (set of 1)		$58
12122363	12122363	NewClassic PowerPac Battery PowerPac-M-12V		$492
5192	63053976	Marble table		$2,529
5193	63053978	Marble slab		$435
11132550	11132550	IP54 AC adapter protection for XS/XP		$126

 ©Mettler-Toledo, LLC

CarePac Weight Sets

Standard Features:

- Available in both ASTM and OIML certified verions
- Storage case included
- Each CarePac includes two test weights - one for the maximum load and one for the minimum load
- Includes ergonomic tweezers, weight forks, gloves and cleaning cloths
- Case includes an extra compartment for storage of an optional 3rd test weight

Options:

- See next page for optional 3rd weight for customer specific testing

Ordering Information

Order Number	SAP Order Number	Description	Suggested List Price (CDN$)
CarePacs - OIML			
11123000	11123000	CarePac Small 200g/20g OIML	$411
11123001	11123001	CarePac Small 200g/10g OIML	$411
11123002	11123002	CarePac Small 100g/5g OIML	$356
11123003	11123003	CarePac Small 50g/2g OIML	$356
11123007	11123007	CarePac Medium 500g/20g OIML	$540
11123008	11123008	CarePac Medium 1000g/50g OIML	$739
11123009	11123009	CarePac Medium 2000g/100g OIML	$1,021
11123010	11123010	CarePac Medium 2000g/200g OIML	$1,164
11123011	11123011	CarePac Large 5000g/200g OIML	$1,929
CarePacs - ASTM			
11123100	11123100	CarePac Small 200g/20g ASTM	$383
11123101	11123101	CarePac Small 200g/10g ASTM	$383
11123102	11123102	CarePac Small 100g/5g ASTM	$326
11123103	11123103	CarePac Small 50g/2g ASTM	$326
11123107	11123107	CarePac Medium 500g/20g ASTM	$483
11123108	11123108	CarePac Medium 1000g/50g ASTM	$709
11123109	11123109	CarePac Medium 2000g/100g ASTM	$993
11123110	11123110	CarePac Medium 2000g/200g ASTM	$1,107
11123111	11123111	CarePac Large 5000g/200g ASTM	$1,317

CarePac Customized 3rd Weights

Order Number	SAP Order Number	Description	Shipping Weight (lb)	Suggested List Price (CDN$)
Customized 3rd Weight - OIML				
11123044	11123044	Weight Upgrade 1mg/E2 OIML		$96
11123045	11123045	Weight Upgrade 2mg/E2 OIML		$96
11123046	11123046	Weight Upgrade 5mg/E2 OIML		$96
11123047	11123047	Weight Upgrade 10mg/E2 OIML		$96
11123048	11123048	Weight Upgrade 20mg/E2 OIML		$96
11123049	11123049	Weight Upgrade 50mg/E2 OIML		$96
11123050	11123050	Weight Upgrade 100mg/E2 OIML		$96
11123051	11123051	Weight Upgrade 200mg/E2 OIML		$96
11123052	11123052	Weight Upgrade 500mg/E2 OIML		$96
11123053	11123053	Weight Upgrade 1g/E2 OIML		$103
11123054	11123054	Weight Upgrade 2g/E2 OIML		$103
11123055	11123055	Weight Upgrade 5g/E2 OIML		$103
11123056	11123056	Weight Upgrade 10g/E2 OIML		$103
11123057	11123057	Weight Upgrade 20g/E2 OIML		$103
11123058	11123058	Weight Upgrade 50g/E2 OIML		$117
11123059	11123059	Weight Upgrade 100g/E2 OIML		$139
Customized 3rd Weight - ASTM				
11123144	11123144	Weight Upgrade 1mg/1 ASTM		$72
11123145	11123145	Weight Upgrade 2mg/1 ASTM		$72
11123146	11123146	Weight Upgrade 5mg/1 ASTM		$72
11123147	11123147	Weight Upgrade 10mg/1 ASTM		$72
11123148	11123148	Weight Upgrade 20mg/1 ASTM		$72
11123149	11123149	Weight Upgrade 50mg/1 ASTM		$72
11123150	11123150	Weight Upgrade 100mg/1 ASTM		$72
11123151	11123151	Weight Upgrade 200mg/1 ASTM		$72
11123152	11123152	Weight Upgrade 500mg/1 ASTM		$72
11123153	11123153	Weight Upgrade 1g/1 ASTM		$74
11123154	11123154	Weight Upgrade 2g/1 ASTM		$74
11123155	11123155	Weight Upgrade 5g/1 ASTM		$74
11123156	11123156	Weight Upgrade 10g/1 ASTM		$74
11123157	11123157	Weight Upgrade 20g/1 ASTM		$74
11123158	11123158	Weight Upgrade 50g/1 ASTM		$88
11123159	11123159	Weight Upgrade 100g1 ASTM		$101

 ©Mettler-Toledo, LLC